

# COMMODORE USER

Incorporating Vic Computing

Volume 7 Issue 1 October 1983 Price 85p

Happy birthday to us!



Welcome to our first issue

## Butterfield serenades the birth

Old friends gather round: Todd, Tommy, Punter  
● Readers write ● Reviews: 64 Sound,  
Graphic Packages, Epson, books, 64 WP

Joystick control  
The Graphics Primer  
Intro to assembler

# EXPLORE NEW FRONTIERS OF FUN WITH *Audiogenic*

From vintage classics like "AMOK" and "ALIENBLITZ" to the latest classics like "KAKTUS" and "MOTOR MANIA".

From Machine Code Arcade Action through Graphical Adventure to Mind Bending Board Games - WE'VE GOT THE LOT!

THE BIGGEST RANGE EVER FOR VIC 20 and 64 - NOW ALSO DRAGON AND SPECTRUM  
WRITE OR PHONE FOR FREE COLOUR CATALOGUE!

AUDIOGENIC, P.O. BOX 88, READING, BERKS. (0734) 586334



## MORE THAN JUST A GAME..

## Happy Birthday

Go along with us having first programmed your 64 with Jim Burdett to render the old favourite in a version that would not disgrace a Mantovani arrangement. Fun sounds and an insight into 64 music synthesis for our first issue.



## Better 64 sound

and you could even consider laying out £50 to hear it in hi-fi. We review the Microtrading Hi-Fi Soundbox, a neat loudspeaker plus-amplifier that bypasses the Dallas-quality sound from your TV.



## Easyscript Reviewed

The 64 looks like a good machine for 'serious' users like word processing. How serious is Commodore's own WP package for it? We start a whole series of 64 WP reviews with Nigel Bulb's assessment of EasyScript.



## Instant joystick control

Running a joystick on the Vic requires a lot of PEELing and POEing unless you've got an expander cardbox - or unless you try the instant add-on that gives you a new command, STICK. Mark Moore tells you all.



## The Graphics Primer: Part 5 - S-m-o-o-t-h simulations

Fed up with jerky aliens? Do you want smooth movement on the screen? So does Kevin Smart, who reveals how to achieve that so desirable goal as he winds up his series into to what you can do with Vic graphics.



## Punter's Progress: More reviews

Average reader J D Collins smiles briefly through non-performance of his new disk (he wasn't closing the door properly) and has new RAM pack to return to a miscellany of unexpended Vic offerings from tape types to Wordcraft.



## Todd's Lore

Reverend Mike Todd a column we are alternating between Vic and 64 lore, but to kick off he unfolds some of the mysteries of binary and logical operations for both Vic and 64.



## Visiting Vic Video - Part 4

The homing pigeon from Toronto arrived with the final part of Jim Burdett's indispensable insight into video on the chip. It turns out to be indispensable.



## Instant Assembler - Part 2

David Poulson continues his early-digested insight into machine code and 6802 assemblies programming with a look at registers.



## Vickit versus Super Expander

Is it worth paying £30 to add some graphics commands to the Vic? We think they should have been there in the first place, but that's idle. Mike Todd puts the two main contenders through their paces.



## Routines

A collection of useful programming goodies for the Vic or 64 - readers' contributions all.



## Improve your print

The standard Commodore printers are cheap, but they're less than wonderful in terms of print quality. Chris Durham looks at a real printer, the Epson FX-80, and shows how to use it with the Vic - including reviews of interface units.



## Book Look

Book reviewers have been busy on our behalf. Should you buy Vic Graphics, the follow-up to Vic Revealed? Plus Ian Sinclair's Commodore 64 Computing - undoubtedly the first of many.



## American Friend

From the land that brought you film stars, presidents Jefferson Airplane and the B52s, Cruise missiles and the Wopps, Mike Asprey starts a regular report on Commodore related incidents events and opinions.



## Tommy's Tips

Regular pay-off to the poor bloke who has to make it up the drive to Tommy Towers with bulging sacks of query mail which continue to provide useful info for Tommy's column. Your questions answered - after a plus for improved handwriting.



**Editor:**  
Dennis Jarratt  
**Writer:**  
Richard Buckle  
**Editorial Assistant:**  
Nicky Chapman  
**Business Manager:**  
Annabel Hunt  
**Reader Services Manager:**  
Hazel David  
**Subscriptions:**  
Jennifer Crawford  
**Art Production Editor:**  
Paul Hulme

**Production:**  
Magpie Underwood, Michael Pittenden  
**Advertising:**  
Cathy Lane, Roland Richardson  
**Words of Viewers:**  
Ned and Vicki Staples

**Free Cover:**  
Photo: Eugene Intages  
**Cover:**  
G J Pearce Ltd  
Bertford (by appointment)

**Telephones:**  
**Editorial:**  
01-241 2440  
**Advertising:**  
01-241 2412  
**Production:**  
01-241 2453  
**Administration:**  
01-241 2354  
**Subscriptions and Back Issues:**  
0732-351216

Commodore User is published twelve times a year by the Paradox Group The Metropolitan, Enfield Road, London N1 5AJ.  
Subscriptions and back issues are handled by BKT Subscription Services, Dowgate Works, Douglas Road, Tonbridge, Kent TN11 9TS, Telephone 0732 351216.  
Annual subscription (UK) £12.00, (Eire) £16.00, (EUROPE) £18.00 (REST OF WORLD) £32.00.

Cheques and postal orders should be made payable to Vic Computing Ltd.

Printed by Gornall & Lofthouse Ltd, Crawley. Phototypesetting by Corinpoint Ltd, London WC2 and PDQ Ltd, London N10. Reproduction by Don Liffa Ltd, London EC2.

Material is accepted on an 'all rights' basis unless otherwise agreed. Enclose SAE if you want the return of original manuscripts and photographs.

Please do not send listings: we only accept programs in cassette form.

All material © copyright Commodore User 1983 and contributors. No part of this issue may be reproduced in any form without the prior consent in writing of the publisher, other than short extracts quoted for the purposes of review and only credits. The publishers do not necessarily agree with the views expressed by contributors and assume no responsibility for errors in reproduction or interpretation in the subject matter of the magazine or any results arising therefrom.

# LLAMASOFT!! NEW NEW NEW NEW

MORE THAN JUST A PRETTY PACKET!

HOVER BOVVER –  
THE LATEST AND GREATEST FOR THE  
CBM 64 FROM LLAMASOFT

## HOVER BOVVER



ONLY  
£7.50  
PLUS 0.50p P&P

**YOU'VE NEVER PLAYED  
A GAME LIKE THIS BEFORE**

**commodore 64**

HOVER BOVVER – a totally original arcade game for C64 featuring outstanding graphics and a sound track created by a professional Piano Wizard! Gordon Sannet has borrowed his neighbour's Ari Mo lawnmower! Mow your way through as many of the 16 levels as you can before the pursuing neighbour retrieves his mower. Set your dog onto the neighbour to help you out of tight spots and don't annoy the Gardener! Try not to plough through the neat flower beds or overheat your mower!

**LLAMASOFT!! Computer Software**

Dist C154 48 Mount Pleasant Tisbury  
Basingstoke Hants RG23 8BN

Tel: 07358 6476

TRADE ENQUIRIES WELCOME



## Simply File: DBMS for 64

Simple Software is quite well known for its useful low-cost high-quality packages for the Commodore Pet/CRM line. The good news is that the company is getting interested in the 64, it has just introduced Simply File for the CRM 64 with disk drive.

We'll be reviewing it, but here's a taster. For a start, Simply File looks like a very versatile records

management system for a wide range of educational and business use. Records can be indexed, searched and grouped by many criteria, and the system can also be used in conjunction with another good piece of work from Simple Software - the low-cost Simply Write word processor (also under review, as it happens).

The database program comes as eleven modules, loaded automatically as needed. It will print summaries of selected records, print labels, carry out calculations on all or selected groups of records, and even output information as sequential files for use with other programs, it may be used for single or dual disks and outputs to any Commodore or non-Commodore printer (IEEE RS-232 or Centronics). It allows about 400 records of 254 characters on a single 1841 disk (with programs on the same floppy), or more in proportion for smaller records.

The price? Simply File costs £60 plus VAT from dealers, or direct from Simple Software Ltd; more info on Brighton 504879.

## Clean it up

According to B&R Electrical Products, a lot of sensitive electronic equipment is at risk from sudden spikes or surges on the mains - office computers and word processors, electronic typewriters, home computers, videos, cash registers, hi-fi equipment, instruments and controllers, and so on.

Main-borne interference like that can be generated by switches, fluorescent lights, motorised equipment, air conditioning, vacuum cleaners, washing machines, printers... These everyday surges can be in excess of 3,000V, thunderstorms can easily generate over 10,000V on the mains.

You won't then be too amazed to learn that "for each sensitive and valuable equipment B&R recommends fitting its new PowerCleaner surge suppressor plug." This just replaces an existing 13 Amp mains plug, yet it can provide a dramatic reduction of up to 99% in equipment damage or disruption.

Most modern electronic gear is designed to withstand surges to 600 to 700V. Anything greater than this can actually cause permanent damage, though a one-time loss of data or program is more likely. The PowerCleaner plug effectively limits surges to 65V, a level at which B&R says "tests show a 90 per cent reduction in equipment damage from spurious surges".

Priced not unreasonably at £8.65 plus VAT, PowerCleaner is available from B&R stockists further info on 0379 34561.

## First 64 assembler?

Supernoft reckons it's first with a 6800/6510 assembler for the 64 - as opposed to machine code monitors, that is "Mikro 64 makes programming in assembler almost as easy as programming in Basic" it claims. Supernoft.

The package is an updated version of Supernoft's successful Mikro for the Pet. The 64 implementation adds some goodies, like merging of source files to create machine-code programs of up to 12K. You can write, save, load, verify and delete just like Basic - except that there's some helpful built-in commands like AUTO, FIND and DELETE.

It comes as a cartridge for £20 plus VAT, and with it there is a built-in machine code monitor and deassembler. Supernoft has a number of dealers, but try 01-861 1166 if there's any difficulty.

On the other hand, Kohra has PAL - "A Personal Assembly Language" for the 64 Sounds like an assembler to us...

It needs 4KB and a 1841 disk. Kohra says it has been designed to fit in "as far as possible" with the Basic environment, so the transition from Basic to Assembler programming should be relatively easy.

A two-pass assembler, PAL reads each statement on the first pass to determine the number of bytes it requires before generating the necessary machine code during the second pass. Capabilities include full labelling, allocation of

## Softsel's hits

The software distributor Softsel arrived in the UK quite noisily in the Summer. It's a distributor, taking other people's products (a wide variety of programs on a lot of different computers) and supplying retailers (over 4,000, most in the States but across 30 countries internationally as well).


Softsel publishes a promotional 'hot list' for retailers showing its best sellers. The last one we saw was for the week of 8 August, and there's some interesting offerings on it. Sadly they aren't split by machine, and some of the packages run on several macros. Top seller is something called Zaxxon, but here's the Commodore-related content from the games top 60 (ranking on 64 unless indicated).

- 2 Zork I great adventure game from a US specialist called Infocom. We thought it was IBM-only, but it seems to be on the 64 too.
- 3 Frogger from Sierra On-line, whoever they are another excellent Infocom adventure with a difference - it's an Agatha Christie world, advanced Choo for computers Good for the IBM PC, must be great on the 64.
- 4 Deadline
- 5 Witness a newish one from Infocom, we haven't seen it.
- 9 Zork II and it's Infocom again. This is the advanced, improved, costlier version.
- 10 Jump Man who he? From Epyx (who they?)
- 12 Temple of Asphai another Epyx one, though we have seen this adventure on other computers. It's ok.
- 13 River Rescue hooray for British! These EMI's Vic cartridge, the best of their collection.
- 14 Zork III ... and again. Didn't know there was a Zork III!
- 16 Suspended yet another Infocom entry.
- 18 Godrunner the ace Llamasoft game for Vic and 64. Infocom once more.
- 19 Starcross These EMI's Vic and 64 cartridges.
- 20 Submarine Then-Epyx Vic and 64 cartridges.
- 24 AE doesn't know it. But it's by Broderbund, who did the very excellent Chop-It!
- 29 Sargon Vic chess - maybe not the best, but certainly the biggest seller by far, but we don't know it.
- 32 Repton who he? Epyx again, Vic and 64.
- 36 Sword of Fargol Sierra On-line, another one we don't know.
- 49 Croswell

Opcodes and Operands, and a range of addressing modes. But Kohra thinks the major plus for PAL resides in the expression evaluator. The assembler allows the use of complex expressions involving a wide set of operators and operand formats: operations such as addition and subtraction are

valid. Terms can be decimal, hexadecimal, binary, ASCII, labels or expressions.

PAL costs £85 plus VAT and is available from Kohra (Farm Road, Henley on Thames, Oxon) or the nationwide Commodore dealer network.



In the picture is a new mini-Winchester disk (uses a 5 1/4-in non-removable hard disk) for the CRM 8000. It stores 11 or 16 megabytes, has an integral tape streamer for backing, and includes enough intelligence to provide for multi-user operation - up to 12 8000s can attach to it, up to 40 relative files can be opened at the same time, and file access protection is built in via disk status procedures. It built from IBM Computing - details from 081-356 4848.

# Letters

## Guiding the lily? Gosh ...

If you thought the software industry had no conscience and didn't give a damn about its customers, you could be right. Or maybe not. The impressively named Guild of Software Houses has just been formed by a group of leading small-computer software sellers including Bug-Byte, New Generation, Quicksilver, Salamander, Softtek and Virgin Games.

This formidable line-up has produced a Customers' Charter that guarantees the kind of service you've always dreamed about ... or should be getting anyway. The Charter is really a code of practice which all members must adhere to. It guarantees prompt despatch of orders and replacement of faulty merchandise free of charge. Members undertake to maintain good standards of customer service and deal with complaints thoroughly and quickly.

They've also been told to stop advertising products if they're not yet available, this practice is particularly frustrating for the eager-to-buy customer.

It's not altruism all the way, though. Nick Alexander of Virgin Games, who's Chairman of the Guild, points out that "it's in the interests of software houses to be more united. And our Guild logo will become a sign of quality and service". So the punters will know where to do their shopping.

The Guild hopes to grab an even larger share of the market if customers begin to associate the logo with better value and security. But of course, it could also attract dealers who might stock more of the Guild members' products. So the Guild has produced a dealers' version of the customers' charter which makes the same guarantees and the same threat of fines and expulsion for members who fail to become paragons of virtue.

Thus may look like heavy-handed tactics but Nick Alexander doesn't think so. "You need clout or the whole venture becomes meaningless. You've got to



be sure that people will abide by the rules." One way of making sure is to vet software houses for membership and, if they pass the test, charge them a hefty membership fee - the annual subscription is £500.

But small concerns won't be able to fork out that kind of money, surely? "We only want software houses that have already got stature in the market. We're not after quantity of membership, 30 to 40 members would be about right." The Guild's got seven so far.

So how does the Guild vet new members? "Everybody in the Guild knows the software industry so we're aware of people's reputation. If we haven't heard of a company, we'd want to talk to them and find out how they work." Sounds more like a detective agency than a Guild.

The Guild doesn't guarantee that you'll get an enjoyable game or a useful piece of software because that's usually a matter of opinion. But it does try to cut out a lot of things that could spoil your enjoyment like low technical standards and unreliability - and the Guild says it will take up customers' complaints if they get no response from the supplier.

(Aspiring members of the Guild can contact Secretary Mike Johnson on 01-801 9172. He provides the address for the Guild, which says: "Complaints should be directed in the first instance to the supplier of the goods but if that fails to provide satisfaction, write to the Guild of Software Houses, 71 Park Lane, Tottenham, London N17 0HG enclosing any relevant correspondence and the matter will be taken up on your behalf.")

**mode 64** If you buy the Vic version though, don't expect to get a maximum 147 break because you only get 10 rods. With the 64 you get 10 to the full 15.

Jon Burroughs, one of Viscon's directors, feels that violent computer games will eventually be replaced by more realistic games, like Snooker. "Real-life simulators for games haven't been explored very much by the computer world. Their advantage is that you don't have to learn the playing rules. A game title is just another title, with Snooker,



## Ticket to ride ...

Meanwhile the not-much longer-established Virgin Games has just announced the first-ever computer games tour. Sounds exciting and original? Well, not quite. Virgin has converted an ageing double-decker bus, painted it in gaudy colours, and filled it with Twelve Leading Home Computers - including the Vic and the Commodore 64, of course.

The bus is going on a nationwide tour soon, helped by local radio stations which will be announcing the venues over the air. Virgin hopes to make about four stops per day, concocting with kids lunch breaks and school finish.

The Fun Bus, as it's brilliantly named, will be promoting the eight new computer games Virgin has just announced, that brings its total to 18. Two of the new ones are for the Vic.

'Envah', described cryptically as 'the game of the film of the book of the game', was written by a 17-year-old for joystick and 8K expansion. 'Creepers' is yet another ship-sinking game for 3K or 8K expanded Vics.

Nothing new for the Commodore 64 though. "We feel the Commodore 64 is an important machine,"

you know already what the game is going to be about."

Viscons is only three months old but claims to have sold 20,000 tapes already. This may be due to the large distribution it has by signing with Prism Microproducts and Lightning Records. Prism, which distributes mostly Spectrum games, has a 25 per cent stake in the company. Lightning has signed up as a wholesaler. In total, the three Viscons 8,000 possible retail outlets.

Viscons is a young company, and

says Nick Alexander, Virgin Games' MD. "But we're bringing out games on the Vic for the time being. Eventually production will be dropping off in favour of the 64."

Virgin's publicity man Tony Brannaby, told us that the tour will have some educational value, but he struggled to sound convincing. "The bus is not just a stall with lots of games." Oh really? "We'll be showing kids what computers are all about." We'd like to know that, too. "They'll be able to chat to our programmers." Whoopie. He also waxes lyrical about taking computers to the people and "looking to do something for the community" - like driving a sebra striped bus up your street.

The Fun Bus is costing Virgin about £10,000. That apparently compares favourably with the cost of a poster campaign. It's also a little more flamboyant and show busy - just the type of thing record companies drool about.

**Instant code:** Dynatech sells program generators, programs which write programs (very clever, very easy to use if you're trying to produce a complicated file-oriented system). One of them is called CodeWriter: it's been around on the Pet for a while, but now there's a 64 version too - it's Commodore-approved and costs a modest £200. It should be very good, we've requested a review copy.

## Seeing red

Yet another small software house, Viscon Software Factory, has just appeared in the rough and tumble computer games market helped by snooker megapersonality Steve Davis. What's the connection? Well, Viscon's best selling game so far is predictably called Snooker.

Snooker is available on the Vic (with 3K expansion) and the Com-

modore 64. You know already what the game is going to be about."


Viscons is a young company, and

5 NEW GAMES FOR YOUR  
COMMODORE 64

INTERCEPTOR  
MICRO'S

PRESENTS

SEND S.A.E  
FOR FULL LIST OF GAMES



2 NEW GAMES FOR YOUR ATARI 400/800-16K

NEW GAME FOR YOUR BBC MODEL B



Mr, Mrs, Miss Address					
Quantity	Item	Total	Quantity	Item	Total
	Star Trek 64	£7.00		Galleons VIC 20	£5.00
	Star Trek 64	£7.00		Falcons VIC 20	£8.00
	Frogger 64	£7.00		Crazy Kong VIC 20	£8.00
	Panic 64	£7.00		Frog VIC 20	£4.00
	Crazy Kong 64	£7.00		Alien Attack VIC 20	£5.00
	Speakman 64	£7.00		Vic Rescue VIC 20	£5.00
	Fighter Pilot Atari	£7.00		Penny Slot VIC 20	£4.50
	Wordhanger Atari	£5.00			
	Intruders BBC	£5.00			
	Jupiter Defender	£8.00			
				P&P	50
				Total	

Send Cheque/P.O. with Order to

Interceptor Micro's, London House  
The Green, Tadley, Hants

Postage & Packing 50p

ccl Sept

NEW VIC 20 GAMES

STOP PRESS 1 NEW VIC 20 FALCON FIGHTER STOP PRESS STOP PRESS  
ONLY £6.00

# Commodore 64 Music:

by Jim Butterfield

"The trouble is," said my friend Andrew, "that you can't find the programs which are most wanted. For example, a program that plays 'Happy Birthday to You'. It's needed for several reasons. First, the 64 is often given as a birthday present; this should be its first program. Secondly, the computer is a member of the family, and should play a part in the celebrations..."

It didn't seem too hard a job to me. The music-playing program already existed in Basic, and Basic programs are easy to change and expand. The musically-inclined SID chip gave Basic lots of time to do extra things.

The music should be written rather slowly (people tend to sing along rather sluggishly); and the words should come up on the screen. A bouncing ball could be achieved by using sprites, but I chose a simpler approach.

Let's program along. I'll give brief notes on what's happening:

100-PRINT CHR\$(147);  
CHR\$(154); "MUSIC (BY  
JIM BUTTERFIELD)

Let's clear the screen, set the colour to light blue (that's normal), and place the blame.

```
101 READ S: IF S=0
  GOTO 109
102 READ S$: GOSUB
  1000
103 READ X1, Y1, X2, Y2,
  X3, Y3
104 GOTO 101
```

The above code runs through the DATA statements, printing the words of the song. The subroutine at line 1000 does the actual printing; we'll look at it later.

```
109 RESTORE: PRINT
  CHR$(19); CHR$(5)
```

We back up to the start of the DATA statements with the RESTORE command. Then we HOME the cursor and change our printing colour to white.

```
110 L1=54272: L2=54279:
  L3=54286
120 H1=L1+1: H2=L2+1:
  R3=L3+1
130 V1=L1+4: V2=L2+4:
  V3=L3+4
140 POKE 54296, 15
```

This sets the locations of the various instruments in the SID chip. L and H will be the low and high parts of the frequency (pitch) for each note.

V will be the 'action' location where we strike the note. And we turn the volume up its maximum value of 15.

```
150 POKE V1+1,9: POKE
  V1+2,0
160 POKE V2+1,36: POKE
  V2+2,36
170 POKE V3+1,18: POKE
  V3+2,170
```

This sets the 'envelope' for each voice. Voice 1 is bell-like; voice 2 sounds something like a harmonica, and

voice 3 has the sound of a bass guitar.

As part of our POKE sequence we set the following characteristics:

- **attack** - how fast the sound appears. This will be fast for the bell and guitar, rather slow for the harmonica.
- **decay** - how quickly the initial sound settles. This will be fairly slow for the bell, fast for harmonica and guitar.
- **sustain** - at what level the sound will 'hold' once it's

settled in. Bell and guitar won't hold the sound at all, it must fade away. The harmonica can keep the sound going for some time.

- **release** - how long it will take for the sound to die away. The bell dies almost instantly; the harmonica holds for a brief period; and the bass guitar continues to sound longer after it has been plucked.

180 T=TI

```
300 DATA 40," HAP",34.75,0.0,0.0
310 DATA 20,"PY",34.75,0.0,0.0
320 DATA 60," BIRTH",38,126,30,141.6,185
330 DATA 60,"DAY",34.75,28,214,0.0
340 DATA 60," TO",45.198,38,126,5,185
350 DATA 60," YOU",43.52,30,141.4,73
360 DATA 60,"",0.0,0.0,0.0
370 DATA 40," HAP",34.75,0.0,0.0
380 DATA 20,"PY",34.75,0.0,0.0
390 DATA 60," BIRTH",38,126,30,141.6,185
400 DATA 60,"DAY",34.75,30,141.0,0
410 DATA 60," TO",51.97,34.75,4,73
420 DATA 60," YOU",45.198,28,214,5,185
430 DATA 60,"",0.0,0.0,0.0
440 DATA 40," HAP",34.75,0.0,0.0
450 DATA 20,"PY",34.75,0.0,0.0
460 DATA 60," BIRTH",63,149,22,227,5,185
470 DATA 60,"DAY",57,172,25,177,0.0
480 DATA 60," DEAR",45.198,28,214,7,53
490 DATA 60," AN",21,154,30,141,7,163
510 DATA 60,"DREW",19.63,30,141,0.0
520 DATA 60,"",0.0,0.0,0.0
530 DATA 40," HAP",61,126,0.0,0.0
540 DATA 20,"PY",61,126,0.0,0.0
550 DATA 60," BIRTH",57,172,34,75,8,147
560 DATA 60,"DAY",45,198,28,214,0.0
580 DATA 60," TO",51.97,30,141,4,73
610 DATA 60," YOU",45,198,28,214,2,220
620 DATA 0
1000 PRINT S$;:IF RIGHT$(S$,1)<"0" THEN PRINT
1010 RETURN
```



# Happy

# Birthday

Swiftfold

**200 POKE V1,16: POKE  
V2,32 : POKE V3,16**

Release all the instruments — let go of the string, stop blowing, take your finger off the keys. We must do this each time before we can start the next note. You might observe that the bell and guitar use a value of 16 for a mellow 'mangle' sound; the harmonics uses a more raspy 'sawtooth' created by value 32.

**210 READ S: IF S=0  
GOTO 290  
212 READ S\$: GOSUB  
1000**

Read the timing of the next note. If it's zero, quit. Read the word or part of a word that goes with a note. Print it (this time in white).

**220 READ X1, Y1, X2, Y2,  
X3, Y3**

Get the pitch of each of the three notes. If an instrument is silent this time around, its pitch will be given as zero in the DATA statement.

**230 IF X1 THEN POKE  
H1, X1: POKE L1, Y1:  
POKE V1, 17  
240 IF X2 THEN POKE  
H2, X2: POKE L2, Y2:  
POKE V2, 33  
250 IF X3 THEN POKE  
H3, X3: POKE L3, Y3:  
POKE V3, 17**

For each instrument: if its pitch is not zero, set the pitch and 'hit' the note. You will see that we make the note sound by adding 1 to the waveform value — compare these values with the ones shown in line 200.

**260 T=T+S  
270 IF T>T1 GOTO 270  
280 GOTO 280**

We calculate the note's timing, and wait until the proper amount of time has passed. Then we go back and get the next note.

**290 FOR J=L1 TO 54286:  
POKE J,0: NEXT J  
295 PRINT CHR\$(154):  
END**

Finally, we clear all the SID music registers, change the printing colour back to light blue, and stop.

Here comes the DATA statements to play the music and write the words. Note that whenever a word ends with a full stop or comma, it will be printed and then a new line will be started. Finally, we see a subroutine at 1000 to print the word or part word, and to test if it ends in a non-alphabetic character. If so, a new line will be started. Be sure to include the semicolon after the PRINT statement in line 1000.

Copyright © 1983 Jim Stewart

We'll be using the timer T1 to control the timing of each note. Synchronize your watches; here comes the music-playing part.

# ANIROG SOFTWARE COMMODORE

PAYMENT BY CHEQUE, P.O., ACCESS/VISA  
ANIROG SOFTWARE  
28 BALCOMBE GARDENS  
HORLEY, SURREY  
ENQUIRIES: HORLEY (02934) 2007/5003

TRADE ENQUIRIES  
29 WEST HILL, DARTFORD, KENT. (0322) 525118



£7.95

KONG

KB / JS

A 31 K ALL M/C PROGRAM WITH BRILLIANT ANIMATED GRAPHICS



1 CHASING FIREBALLS AND BARRELS CAN BE SMASHED BY THE MALLET IF YOU CAN JUMP UP AND GET IT



2 JUMP OVER THE PEE AS YOU RUN ALONG THE CONVEYOR BELT MAKE SURE YOU DON'T END UP INSIDE THE COOKER



3 THE ONLY WAY UP IS BY THE LIFT WHICH IS UNDER A CONSTANT BARRAGE OF GIRDERS



4 KNOCK OUT ALL THE SUPPORTS BY RUNNING OVER THEM AND WATCH THE SPECTACULAR COLLAPSE OF KONGS LAIR

SKRAMBLE

J.S.

£7.95

PILOT YOUR SPACE CRAFT THROUGH THE SIX DEFENCE SECTORS AND DESTROY THE COMMAND MODULE OF THE COBRON EMPIRE A 32 K ALL M/C BLOCKBUSTER



1 RAMMING MISSILES HURTLT TOWARDS YOU



2 FIGHT COBRON QUASER KIR SHIPS



3 DODGE THE FIREBALLS BECAUSE YOU CAN'T SHOOT THEM DOWN



4 CITY WITH HIGH RISE BUILDINGS



5 GUIDE YOUR SHIP WITH DEXTERITY THROUGH THE MAZE



6 DESTROY THE BASE BEFORE YOU RUN OUT OF FUEL

HEXPERT

J.S.

£7.95

THE EVIL WITCH ZOGANAR HAS FORCED BERT TO PLAY ON HER 3D HEXAGONAL PYRAMID AS HE JUMPS FROM STEP TO STEP OF THE PYRAMID MASSIVE RUBBER BALLS BOUNCE DOWN THE PYRAMID TO CRUSH HIM HER PET SNAKE COILY MOVES UP AND DOWN THE PYRAMID CHASING BERT YOU HAVE TWO SPINNING DISCS TO JUMP ON TO AND LURE COILY TO HIS DEATH CAN YOU MAKE BERT THE HEXPERT A SUPERB ALL M/C GAME WITH EXCELLENT 3D GRAPHICS



MOON BUGGY

3D TIME TREK

DUNGEONS

FROG RUN



EXPERIENCE ALL THE THRILLS OF THE ARCADE GAME AS YOUR PATROL CRAFT MANOEUVRES OVER THE GIANT POT HOLES



A 3D STAR TREK GAME WITH REAL ARCADE ACTION BATTLE WITH THE ALIENS



ENTER THE REALMS OF FANTASY WITH SUPERB USE OF SPRITE GRAPHICS BATTLE WITH THE FEARFUL FIRE BREATHING RED DRAGON



A POPULAR ARCADE GAME BROUGHT TO LIFE WITH BRILLIANT ANIMATED GRAPHICS

J.S. £7.95

K.S. / J.S.

£6.96

K.B.

£6.95

K.B. / J.S.

£6.95

# Coming soon

The winter always sees a lot of shows and exhibitions, and the kind of people who organise these things are belatedly latching on to the fact that home computers are A Big Thing. Here's a round-up of those we've come across - some new shows plus the old familiar names.

## 28 Sept-2 Oct London

**Personal Computer World Show** The big one - potentially uncomfortable mix of home computer stuff and more business-oriented exhibits, but somehow it works. Various beat-the-wait deals on tickets; otherwise you'll probably have to queue. Organisers: Montibuild for PCW, 01-486 1961.

## 6-8 November Glasgow

**Scottish Home Computer & Electronics Show** Another new one - includes CB, hi-fi, video, ham radio as well as computers. In the Anderson Centre. Organisers: Trade Exhibitions Scotland, 0764 4204.

## 11-13 November Bristol

**HomeTech 83.** Again a new one, held in the rather nice Bristol Exhibition Centre and promising exhibitors with "computers, software, books, video games or other accessories" Organisers Tomorrow's World Exhibitions, 0272 292156.

## 24-26 November Manchester

**Northern Computer Fair** Mix of business and home computing. Organisers: Reed Exhibitions, 01-643 8040.



## 15-18 December Wembley

**'Your Computer' Christmas Fair.** Another first-timer, another magazine spin-off. Aims to be "Britain's major pre-Christmas showcase of home computing". Organisers: Reed Exhibitions for Your Computer, 01-643 8040.

## 9-13 November Dublin

**Home Computer Show** And another new one - at the Royal Dublin Society. Organisers: SDL Exhibitions, Dublin 763871.




Welcome to *Commodore User's* exciting new regular competition. We kick off with a tantalising crossword to fill in during those rare moments when you're away from the computer.

We're giving you the chance to win yourself a smart, new (well, freshly laundered) Vicwear sweatshirt!

Prizes go to the first five correct entries to arrive by 14th October to: *Commodore User*, The Metropolitan, Enfield Road, London N1 5AZ. (Please mark your envelope Crossword Competition.) All completed crosswords must be accompanied by an entry form - (remember to state your age, S, M, L, XL).

Answers, winners and a new contest in next month's issue. Meanwhile, happy solving. Friends and accomplices of Paradox are excluded from all competitions.



## CLUES ACROSS

- 1 Vic nval - feel (8)
- 2 Initial method of making oven dishes edible in operating style (4)
- 3 Multi-user fishing? (7)
- 4 In turn as a logic, a bit noisy sounding (5)
- 10 Almost trash, this bag (4)
- 11 Not very arousing - could result in a cold start! (4,3)
- 16 Sticks he reads about. (7)
- 17 Change of program flow results in a nervous twitch. (4)
- 18 Register ending after the French look (4)
- 19 Arrange part of a disk to affect a certain character. (7)
- 22 Lessons secured agitations. (7)
- 26 Interface that is bidirectional. (4)
- 27 Confused Atari and kept on top (5)
- 28 Home of a byte maybe (7)
- 28 Network in which I remain silent (4)
- 30 & 12 All Vic and 64 owners should be reading them. (9,5)

## CLUES DOWN

- 1 & 17 Dism sent Jer round the editor (6,7)
- 2 Travel to Silicon Valley and get lost (2,4)
- 3 then turn through 90 degrees to go here (5)
- 4 Yes, in first a computerised high-technology sailing vessel (5)
- 5 Logical operator after a short time is subordinate (5)
- 6 Phrases around tuning loss and goes into solution. (9)
- 7 Learner in temporary storage - he'll pull the wool over your eyes. (7)
- 12 See 30 across
- 13 Records after he assists (5)
- 14 Operate without a delay! (9)
- 16 Sever with a lot of energy (5)
- 17 See 1 down.
- 20 With German communist, joint as at an angle (6)
- 21 Minus two points if you're not the owner (8)
- 23 Program accident (5)
- 24 Relative with integrated circuit might be super! (5)
- 26 Army's masters use measure in telecommunications (5)

## CROSSWORD ENTRY FORM

Name: .....

Address: .....

Size ☐ S ☐ M ☐ L ☐ XL

Send to: Crossword Competition, *Commodore User*, The Metropolitan, Enfield Road, London N1 5AZ.

# Even better sound from the 64?



## The Hi-Res Soundbox tested

*You're probably aware that the sound characteristics of the Commodore 64 microcomputer are second to none. You can set the volume level and the pitch of the note, but there are other facilities that enable you to simulate many different musical instruments – you can nominate the wave form from smooth (triangle) to harsh (pulse); you can specify the rate of attack and decay, the speed the note reaches and how it falls away from its maximum volume; you can declare a sustain setting, which enables you to prolong a note...*

*The one weakness in the system however, is that those superb sounds are played through a conventional television amplifier and its puny loudspeaker. This (it says here) is why Microtrading Limited and Potter Sound jointly have developed the Hi-Res Soundbox. We got hold of an early unit for review.*

In essence the Hi-Res Soundbox simply bypasses the TV amp and speaker to produce the 64's sound output with much improved quality.

The thing is a box containing one of the new-generation mini-loudspeakers with a volume control on it and a connection to the Vic. There's also a separate power lead (yet another socket is needed to run the computer!), inside is a small but impressive amplifier. The casing is plastic but pretty solid – something like matt black or even a brown to match the 64 would have been better, but maybe future versions will have a different finish.

For the technically minded, the unit incorporates a high-frequency tweeter and a four-inch base woofer; these will accurately reproduce a full range of sounds from 50Hz to 10 Kiloherztz, and the difference in quality of sound when compared with the office's portable TVs is marked.

Output is 10 watts RMS with a 20 watt peak, and 10 watts must be quite loud enough for anything you're doing on the 64 – the sound reproduction at peak volume is very good, with little or no distortion.

Inside the layout and assembly look neat, always a good sign for reliability. The Hi-Res Soundbox is simple to fit, of course, and requires no extra programming. Ours came with a demo tape that sounded good, and running our own music through it gave enough clarity to force a few rewrites to improve the orchestrations. The Hi-Res Soundbox was particularly impressive with voice output, too.

So far so good. On the minus side, our unit stopped working almost as soon as we plugged it in; there was a faulty connection to the volume control knob, but we fixed that. We're told the production units have a slightly different and more robust internal design.

The only other caveat is the price, nearly £50. We don't begrudge that too much for the unit itself, even though at that kind of money you should be able to get a pair of similar loudspeakers for your stereo: after all the Hi-Res Soundbox does include an amp, and it does offer instant plug-in-and-go connection to the 64. No, our only thought is that you could very easily do it yourself by putting the audio output to



a stereo system... if you have one available, and if you're halfway handy with a soldering iron and the AUX connection on your stereo amp.



# Sulis Software



## An exciting new range of educational programs

Getting down to learning a tricky subject can become a good deal easier when there's an element of fun involved. And that is just what Sulis have introduced into their outstanding range of quality educational software.

In games like **BESIEGED**, (one of four in the **SPELLBOUND** series) the player learns to master the many quirks of English spelling. Correctly spelling some 'impossible' words helps to save a beleaguered city from a horde of infidels!

**WORDSPLOTS**, available for two different age-ranges, offers hundreds of words that every child needs to recognise easily.

Not just content in getting to grips with the English language, Sulis helps tackle French verbs (regular & irregular) with **TENSE FRENCH**, takes a journey back in time with **TIME TRAVELLER** to get some historical facts right and even throws down a challenge to Shakespeare buffs with **MASTERBARD**.

Sulis's developing programme of software, initially cassette-based, is available for use on some of the most popular micros including the Commodore 64.

Each title in the Sulis range is attractively packaged (and priced!) and can be obtained from all good bookshops and computer stores. In the meantime, for a free copy of the Sulis Software catalogue, just return the coupon.

To: John Wilson, John Wiley & Sons Ltd.,  
FREEPOST, Baffins Lane, CHICHESTER,  
West Sussex PO19 1YP (No stamp required)  
Please send me the complete Sulis catalogue

NAME

ADDRESS

cu



Produced by  
**Sulis Software**,  
4 Church St., Abbey Green, Bath BA1 1NL,  
England



Marketed by  
**John Wiley & Sons Ltd.**,  
Baffins Lane, Chichester, Sussex PO19 1LP,  
England Tel. (0243) 784531

# EASY SCRIPT REVIEW

by Nigel Ruth

Easy Script is Commodore's own word processor for the CBM 64. At present it is only available on a disk; the manual has been written for a cartridge version, however, which would facilitate the use of both cassettes or disks as the storage medium for the text.

There is sufficient memory to store about six full pages of text in memory at any one time. This is not an absolute limitation, though, as files of text can be saved and linked automatically on printing to give an unlimited length of output.

Easy Script operates in three modes — edit, disk and command. Edit mode is the one used to input and edit text; disk mode is for loading and saving files, viewing directories and performing other disk operations such as file deletion. Command mode is used to instruct Easy Script to perform various functions like printing the text, inserting lines or setting tabs.

At the top of the screen the current status of the program is displayed, including the mode in which the program is running and a range of error messages. When the user is in edit mode the current line and column number of the cursor is displayed.

2 SPINWRITER  
3 QUME/DIABLO/8300  
4 Other

After all these questions have been answered to set up the system you are entered automatically into edit mode. It is now possible to adjust the colour combination of the screen, the border and the cursor to whatever you find pleasant and comfortable for viewing.

Text creation on Easy Script is identical to that of the computer

when it is first turned on — cursor up, down, right, left and the delete key all work as normal. As you enter text a flashing cursor follows you around the screen.

Typing the text with Easy Script is easier than using a typewriter in that you enter the text continuously, pressing the Return key only at the end of a paragraph. When the Return is pressed a reverse-field back arrow is displayed at that place in the text and the cursor auto-

matically jumps to the beginning of the next line.

## Functions

Search and replace is an interesting feature that is (or should be) standard on all WP packages worth the name — on Easy Script it allows you to replace all the occurrences of a word or sentence of maximum length 32 char-

## Using the program

After typing LOAD "EASY SCRIPT", & 1 and hitting the Return key the whole screen fills with the message LOADING EASY SCRIPT in large block capitals. This stays on for a short delay, then the screen clears and you are presented with some self-explanatory input prompts.

The first question asks you to specify the number of columns of text on the screen display. Although the screen is 40 columns wide, Easy Script allows you to set widths from 40 to 240 columns. This is particularly useful when you are preparing tables. This question has no effect on the output produced by the program on the printer — full use can be made of the 80 columns available there.

The next prompt asks whether you are using tape or disk as the media for storing the text.

And the final question asks what type of printer you are using — you're given a choice of five.

## Easy Script Commands

### MODES

EDIT On/Off F1  
Sound On/Off F1/  
DISK F4  
Display directory/50 or F4  
Load directory +30 or 294  
Delete file  
(drive X) 44 filename  
Restart program F4/RUN/STOP

### CURSOR CONTROLS

Right CURS —  
Left SHIFTED/CURS—  
Down CURS  
Up SHIFTED/CURS↑  
Start of line —/CURS—

### DISPLAY

Next Screen F1, space bar  
Previous screen F1, SHIFTED space bar

### GO TO

Start of file SHIFT/CLR/HOME  
Home CLR/HOME  
End of text F1/G/E  
Line xxx F1/G/xxx  
Max line number F1/G/999

### PANNING

Up F1/SHIFTED CURS↑  
Down F1/CURS↓  
Left F1/SHIFTED CURS—  
Right F1/CURS—  
Stop RUN/STOP  
Speed up SHIFT  
Hold Restart top space bar

### TEXT

Delete characters INST/DEL  
lines F1/INST/DEL (H, alt)  
block F1/D/CURS↑ (R)  
first character space  
sentence F1/E/S  
paragraph F1/E/P  
remainder F1/E/R  
all F1/E/A

### Insert

space SHIFT/INST/DEL  
block lines F1/SHIFT/INST/DEL (H, alt)  
F1/↓ (F1/↓ alt)

### mode

Range F1/R/CURS  
mark block F1/R/CURS  
memo/lines (R)  
insert F1/X  
repeat (again) F1/A  
save block F1/SHIFT/F1/  
blockname

### Search

specify F1/S  
replace F1/E/M or L  
find F1/N/M or L  
Soft hyphen F1/L  
filling space SHIFTED space  
horizontal tabs

### set

position cursor F1/T/H  
F2  
position cursor F1/C/H  
F1/C/H  
zero all F1/Z/H  
Vertical tabs set position cursor F1/T/V  
F3  
go to tab position cursor F1/C/V  
clear F1/L/V

Decimal tabs position cursor (set) F6/F1/T/H/F6  
Display tabs F1/P

### FILES

Load F1/L/filename  
Save F1/S/filename  
Merge F1/L/F1/L/filename

### FILE FILES

Variable block F1/S  
Measured block F1/R/cursor back  
F1/M

### File blocks from

cursor F1/V  
Empty blocks F1/SHIFTED V  
Go to next block F1/F7  
Close file fill F1/CLR/HOME  
Print blocks F1/O/T/C/P, fill  
filled filename(R)

### OUTPUT

To video or printer F1/O/V or P  
Continuous F1/O/C/V or P  
With fill file F1/O/F/V or P  
With linked files F1/O/L/V or P  
Multiple copies F1/O/X/S(R)/P  
Stop RUN/STOP

### At end of page

Next page C  
Change video print V or P  
Change to continuous SHIFTED P

### PRINT POEMAT

Underline or enhance F1/L (F1, alt)  
Reverse field F1/L (F1, alt)  
Pause during print P1

# TERMINAL SOFTWARE



## SUPER SKRAMBLE!

is the definitive version of the original arcade classic that uses all the **At**'s best facilities.

## SUPER GRIDDER

is a novel, exciting and compulsively tactical arcade-style game with superb **SPRITE** graphics.

When we unveiled this range last year, it was THE BEST GAMES YET FOR THE Commodore **At**. We have seen anything to beat them.

More are on the way... Rec. Price £9.95

VIC 20 owners have something new and very special to look forward to as well. **PINBALL WIZARD** is a wonder of simulation that makes unsurpassed use of the VIC's graphics. **PURE ENJOYMENT** on cassette for the **UNEXPANDED VIC 20**. Rec. Price £7.95



WIZARD  
BACUS  
WIZARD  
\*\*\*\*\*  
TITAN

There are **TWELVE** more Terminal Software games cassettes for the **VIC 20**. Rec. Prices from £5.95 to £9.95

TERMINAL

REALISTIC GRAVITY!

SELECTED PROGRAMS AVAILABLE IN:

**Greenchip**  
**ALDENHAM**

**LAKES**

TERMINAL SOFTWARE  
28 CHURCH LANE, PRESTWICH, MANCHESTER M3 5AJ  
TEL 061 773 0313  
PRINCIPAL WHOLESALE DISTRIBUTORS:  
PCF BLACKBURN, CentreSoft WEST MIDLANDS  
SoftShop LONDON

# ***IMPORTANT ANNOUNCEMENT***

---

# **LYVERSOFT**



## ***Spinx Birds of Prey Voyger***

*On the 17th October 1983  
we will be releasing three Games  
for the VIC 20*

---

***For Further Information contact:***

Paul Foster  
Lyversoft  
66 Lime Street  
Liverpool L1 1JN  
05-708 7100

---

**LYVERSOFT**

---



acters with another word or sentence of up to 32 characters.

This can also be done within a set of linked files. It is very useful if you have made a spelling mistake throughout a manual - you enter the word as you have wrongly spelt it and then the word as it should be spelt and the error will be quickly corrected.

The program will even recognise text which has been split over two lines, which is by no means the case with all word processors - including some of the more expensive and well-known best-sellers.

To allow you to rearrange blocks of text within your document there are four simple commands. There is even a command to allow you to save a particular block while ignoring the rest of the document.

If an entire word does not fit at the end of a printed line, a 'soft hyphen' can be used to show where it should be split. This will obviously be ignored if the word does not need to be split.

The function keys form an important part of the program's operation: they are used for instance to change the mode of the program, to turn the sound on and off, and to turn the cassette on and off.

Unfortunately the program does not allow the user to make use of the extensive graphics available directly from the keyboard. Instead each time you want a graphic character you have to define it from scratch yourself.

### Formattina

A major contribution to the success and popularity of word processors lies in the fact that you can extensively format a document using simple 'in-text' commands which can be placed anywhere.

All of these formatting commands must be preceded by a reverse field escape (obtained by hitting F3); it has become standard practice when I am typing in a document to have a list of these commands at the start of the document setting up such parameters as the page length of the output, the position of the left and right margin, and (usually) turning the justification on.

Most of these two-character letter mnemonics are easily remembered. You can see that from this list of some of these formatting commands:

Justify the text	<code>[j]</code>
Centre the text	<code>([u0-cf])</code>
Align the text to the right	<code>([r])</code>
Set width of left margin	<code>([m0-l])</code>
Set width of right margin	<code>([m0-r])</code>
Release the margin	<code>([m0])</code>
Set text length	<code>([l])</code>
Set line spacing	<code>([s])</code>
Vertical positioning	<code>([v0-o])</code>
Form feed to the end of the page	<code>[f]</code>
Set the typing pitch	<code>[p0]</code>
Set the number of lines per inch	<code>[l0]</code>
Define heading	<code>[h0-1]</code>
Define footing	<code>[f0-1]</code>
Set the page number	<code>[p0]</code>
Set the number of lines inch	<code>[l0]</code>

## Storage

All the text created by Easy Script is stored as sequential files either on disk or cassette and can be easily accessed from the program. Directories can be looked at, disks formatted and files erased without disturbing any text in the memory. Files can also be merged by the use of a simple command.

## Crashproof

I have been experimenting with the program and its many commands for quite a considerable time now, and so far Easy Script appears to be totally crashproof. And when I did occasionally make mistakes, it was able to tell me exactly what I had done wrong (like not switched on the printer or disk drive).

## Printina

There are quite a few interesting commands available to control the printer including 'pause' — this stops the printer during printing to allow you for example to change the ribbon to a different colour: when 'C' is pressed on the keyboard the printing will proceed.

Multiple copies can easily be obtained by specifying the number required. A standard letter can be merged with another file containing people's names and addresses to obtain personalized letters.


All the facilities available on the printer are made extensive

use of including the enhancement of characters but excluding the standard graphics available normally.

## Conclusions

From what you have just read it should be fairly clear that I think Easy Script is a very good word processor. The price tag of £75 might be

slightly expensive for an occasional user at home; but it would be excellent value for money in an office which gets through a larger quantity of typing.

I found Easy Script ideal with facilities, simple to learn and provided with documentation that is very comprehensive. I would urge anyone considering purchasing a word processor to look very seriously at Easy Script. 

### Easy Script on balance

For

- Excellent text creation and editing functions, including good block operations.
- Excellent manual.
- Choice of printers.
- Excellent print controls including headers, titling, pagination.
- Multiple files can be linked for a single multi-page print run.

- Can be used in conjunction with Easy Spell to check for spelling mistakes.

### Against

- **Price.**
- **Display becomes cluttered with non-text format controls.**
- **Does not allow the user to make use of the 64'a graphics.**

**Master 64** INTRODUCTORY OFFER  
PRICE: £125.00

INTRODUCTORY OFFER  
PRICE: £125+VAT

MASTER IS A FULLY NEW CONCEPT... A COMPLETE PROGRAM DEVELOPMENT PACKAGE, AVAILABLE NOW FOR THE IBM 486. MASTER HAS 85 NEW COMMANDS... AND BASIC I/O 100! PLUG-TOOLKIT FUNCTIONS. BUSINESS BASIC, QUICK DISK ACCESS, SCREEN MANAGEMENT, USER-DEFINABLE INPUT ZONES, REPORT GENERATOR, 22-PLACE ARITHMETIC, DATE CONTROL, DATA COMPRESSION, STRING SEARCH, SCREEN PLOTTING, SCREEN DUMP, OPTIONAL SOFTWARE PROTECTION KEY, AND MORE... MASTER SUPPORTS THE IBM 1541 DISK (AND OTHER IBM DESIGNED WITH MICROCHANNEL) AND THE NEWLY INTRODUCED WITH A FULL USER REFERENCE MANUAL, QUICK REFERENCE GUIDE AND DEMO PROGRAMS. ALSO AVAILABLE FOR IBM 700 (1295-VAT) AND IBM 4032/8032/8050 (C845 E195-VAT)!

**Vizawrite 64** NOW ON CARTRIDGE  
\$69.95 \$59.95

NOW ON CARTRIDGE  
E59-45 E59-VA11

DESIGNED ESPECIALLY FOR THE IBM 64, VIZIART 64 IS A HIGH-PERFORMANCE, LOW-COST WORD PROCESSOR, WITH ON-SCREEN FORMATTING. THAT TAKES FULL ADVANTAGE OF THE 64'S COLOUR, GRAPHICS AND MEMORY FEATURES... AND SUPPORTS VIRTUALLY ANY PRINTER! WITH A COMPREHENSIVE AND EASY-TO-FOLLOW USER MANUAL, VIZIART OFFERS THE ULTIMATE IN PERSONAL COMPUTER WORD PROCESSING! ALSO AVAILABLE ON DISK (OUR PRICE £159.99\*), OR COMBINED WITH VIZASPELL (OUR PRICE £249.99\* £75.00!)


Manila 04 and Warsaw 04 04 add just one of our five commercial  
newspapers. Always telephone at night for free CBN call-back?  
Obtaining information 000 154 not to quoted prices. Order by  
post/telephone/fax/telex, using telex, receipts. BUREAU CARO ON  
OFFICIAL SODA TELEPHONE 01.500.7230 FOR SAME-DAY DISPATCH.  
POSTAGE FREE EXCEPT ON CREDIT ON OVERSEAS ORDERS. FAX 044.

## Calco Software

LAKESIDE WOODS, ALEXANDRIA HILLS, SUNDAY MEX 207 OFF 02-546-1204

# CodeWriter

makes  
data-base and  
related programming  
as simple as  
abc



"WHY BUY ANY  
OTHER DATA-BASE  
PROGRAM WHEN  
YOU HAVE  
CODEWRITER?"  
— recent satisfied user.

Forget about the expense of hiring a professional programmer or the restrictions of "off-the-shelf" programs. Become your own program designer producing microsoftware to suit your specific requirements. Codewriter enables you to do this, you type commands in your own everyday language, just as you would write them on paper. — it's as simple as ABC!

When you've completed your design, Codewriter will write the program code and store it on your own disk whilst you sit back and watch. At anytime, you can of course modify the programs you've designed.

Your programs may include data bases printed reports, calculations and comparisons between fields of data, development of menus, forms, letters, memos, cheques, invoices, statements, mailing labels — the possibilities for design are endless. Codewriter operates with most popular micros and will be demonstrated fully at your local dealer

For details on Codewriter, complete and return the coupon to:

**DYNATECH MICROSOFTWARE LTD.**

Summerfield House, Vale, Guernsey,  
Channel Islands.  
Telephone 0481 45934 Telex 4191130.

name \_\_\_\_\_

address \_\_\_\_\_

\_\_\_\_\_ tel. \_\_\_\_\_ C.U.



## NEWSCOPE DEVELOPMENTS LTD



### A—STACK

TV/MONITOR STAND which includes a shelf for disc drives etc and has space to stow a micro when not in use  
Strong steel construction with attractive matt cream finish  
Size 430mm wide, 200mm high, choice of 350mm, 300mm, or 250mm deep

Price: £22.00

Postage & Packing: £4.00

### PRINTER STAND

Allows printer to stand over a 2000 sheet box of continuous listing paper. Same colour and finish as A—Stack, also made of steel  
Dimensions are height = 210mm high, depth = 250mm, width = 430mm.

Price: £14.50

Postage and Packing: £3.00

### BOOK REST

Lightweight rest for books, listings etc fitted on vertical hinge which can be attached to the left or right side of the A—Stack  
Same colour and finish as above

Price: £7.99

### MULTI-WAY POWER BLOCK

Up to four separate power supplies for computer and peripherals from a single mains power point  
Can be fitted to A—Stack and is supplied with four connectors and 2 metre mains cable.  
Only 150mm x 45mm.

Price: £11.99

### CLIP-ON LAMP

Lightweight mini-spot lamp which can be fitted as required to illuminate book rest and for computer keyboard  
Available in brown or black.

Price £8.99

If all five items ordered: Postage and Packing FREE SAVE £7.00

Orders to:-  
Victory House, 8a The Rank,  
North Bradley, Trowbridge, Wilts.  
Tel: 02214 4425/0373 864644

# Controlling a Joystick the easy way

*Joystick*

**STick** is a short machine-code program that will aid any Vic user who wants a simple method of reading the position of the joystick from Basic. It runs in any memory configuration.

When RUN, it creates 64 bytes of machine-code starting at location 673 decimal (\$02A1 hex); subsequently calling this via SYS 673 activates the program. From this point onwards the machine code is running, and can only be stopped by turning the Vic off or by hitting the RUN/STOP and RESTORE (SYS 673 to re-engage it).

The result is that the (rarely used) system variable ST (status) is converted into a more useful command called STick (this is possible because only the first two letters of a variable name are significant to the Vic). Now the joystick can be read by an IF STICK=xxx THEN statement.

The values of STick can be read off this diagram:



So if STICK=1 then the joystick is pushed forward; and so on.

Alternatively, you can check for the internal switch by IF (STICK AND xxx) THEN... Use the following table for the values of xxx.



By ANDing STICK with these values, the internal joystick switches can be checked for


## Example Program

```
10 SYS 673: REM engage
  STick
20 IF (STICK AND 1)
  THEN PRINT "UP"
30 IF (STICK AND 2)
  THEN PRINT "DOWN"
40 IF (STICK AND 4)
  THEN PRINT "LEFT"
50 IF (STICK AND 8)
  THEN PRINT "RIGHT"
60 IF (STICK AND 16)
  THEN PRINT "FIRE!"
70 PRINT: FOR I=0 TO
  200: NEXT: REM delay
80 GOTO 20
```

In the Basic Loader program, the variable S gives the start of the machine code. This has been set at 673 as normally this area of ROM is totally unused by Basic; but by changing the value of S the code can be relocated anywhere in RAM. The program will work on a Vic with any memory size — but problems may be encountered if using a ROM cartridge simultaneously.

## Program details

```
10-80 DATA for the
  machine code
100 sets T to 0 and sets
  starting location of
  code
120 gets one item of data
130 performs the
  calculations to
  relocate the code
140 POKEs in machine
  code and keeps a
  running score of the
  data read in T
150 checks T to see if the
  data has been entered
  correctly
160 engages STick
```



# 16K RAM PACK FOR YOUR VIC 20

**£27.95** inc VAT

**OTHER PRODUCTS AVAILABLE:—**


32K switchable — £69.95 All cartridge games — £9.95 16K switchable to 3K — £44.95  
8K — £22.95 3K — £17.95 Cantronic Interfaca Cartridge — Vicsprint 20 or 64 — £57.50  
Vicsprint 80 — £49.95 IEEE serial to Centronics adaptor (fits any Epson printer) Super  
Expander — £34.95

S.A.E. for free S/W or H/W lists (state which Micro) + Ram pack/Vicsprint brochure.  
ALL PRICES INCLUDE VAT. Post and packing £1 per order. All hardware fully guaranteed 1 year.

Send Postal Orders or ring with your Access or Visa number for immediate despatch,  
or send us your cheque

**RAM ELECTRONICS (FLEET) LTD.** (Department VC)  
106 FLEET ROAD, FLEET, HANTS GU13 8PA

Ring (02514) 5858 Monday to Saturday (closed Wednesday) Callers Welcome



**Commodore 64**

**HUSTLER** Written in machine code and using Sprite graphics. HUSTLER takes the 64 to its limits. There are six pool type games for one or two players, high scores kept and super music. See the great press reviews **£5.99**

**EXTERMINATOR** Definitely one of the best arcade action games around for the 64. Shoot the worm and everything else in the garden whilst avoiding the deadly spider and swooping eagle. Machine code using high resolution and Sprite graphics with excellent sound. Beware it's a very addictive **£5.99**



**QUIZZER** Set up your own educational quiz with 256 questions for home and school **£5.99**

**LABEL PRINTER** Stores names and addresses on tape which you can recall and amend. Label size you can print from 1 to 15 lines **£5.99**

**POSTER PRINTER** Ever wanted to produce your own special letters. This program prints a special enlarged character set **£5.99**

**ADVERTISER** Amazingly turns your 64 into a musical moving message display machine. Ideal for shops, clubs etc **£5.99**

## NEW SUPERGAMES

from bubble bus software

unexpanded VIC 20



**EXTERMINATOR** Fast action arcade game in which your task is to destroy the worm who is out to get you. Watch out for the eagle which will pounce on you just when you think you're safe. High resolution machine code **£3.99**



**THE CATCH** This game will have you coming back for more. You must catch the falling bombs before they destroy the cities. The catch is, they're moving from side to side and faster and faster. High resolution machine code **£3.99**

### ANTIMATTER SPLATTER

There is an ugly alien dropping bombs on the population. Your job is to zap those bombs before they land. It's not easy though as they are falling through moving belts. Super high resolution machine code game **£3.99**



We have 13 other VIC 20 games plus educational and business programs. Send stamped addressed envelope for lists

### bubble bus

87 High Street, Tonbridge, Kent TN9 1RX

bubble bus games are available direct from dealers or post coupon with your order as

Please send me \_\_\_\_\_ Name \_\_\_\_\_


\_\_\_\_\_ Address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

I enclose my cheque/Postal Order for £\_\_\_\_\_ please add 50p for post and packing

*Joystick*



### How the machine code works

The initial SYS command sets up a new interrupt vector, as controlled by locations 788 and 789 (\$0314 and \$0315). Thus points to the start of the joystick interpreter program (resident at \$+13 bytes).

Every time one IRQ interrupt is created thereafter, the joystick program is called. This reads the position of the stick from the VIA chips, juggles the numbers conveniently together, and stores the result in memory location 144 (\$90) — which contains the value of the Status variable.

After thus the program jumps to the start of the conventional interrupt program at 60095 (\$EABF). The interrupt rate is set by

VIA No 2, and is normally about 60Hz — which means that the position of the joystick is checked 60 times a second, even while using Basic!

The only disadvantage of this routine is that the Status variable cannot now be used. But as this command variable rarely crops up in home programming, it's loss should not be too great.

```
10 DATA 120,169,8,141,20,3,169 ***
20 DATA 141,21,3,86,96,169,8,141
30 DATA 19,145,141,34,145,173,17,145
40 DATA 41,31,74,74,133,144,173,17
50 DATA 145,41,32,74,5,144,133,144
60 DATA 173,32,145,41,128,74,74,74
70 DATA 74,5,144,73,31,133,144,169
80 DATA 255,141,34,145,76,121,234,234
90 PRINT "[CLR] LOADING MACHINE CODE"
100 T=0: S=673
110 FOR=0 TO 63
120 READ M
130 IF M=0 THEN POKES+1, (S+1)/256: POKES+1-S, (S+1)/256: S=S+255: NEXT
140 POKES+5, VAL(P): T=T+VAL(R): NEXT
150 IF C=63 THEN PRINT "LOADING MACHINE CODE IN DATA." : END
160 SYS 63
```

## NOW AVAILABLE ON DISC

For VIC 20 and  
CBM 64 Users

## SIP ACCOUNTING SYSTEM

Highly comprehensive program designed for 16K, 24K, VIC20 & Printer, 40 col VIC20, CBM 64. Makes an ideal introduction for you and your staff to the world of computer accounts.



#### Features include

- Menu driven — intuitively to use!
- 1 to 250 accounts per tape
- Day book
- Sales and purchase ledger (or just 1 type)
- Invoice print module available as extra
- Discounted price
- For all or just one company!
- Overdue account statements (as sheet)
- End period carry on to next date type
- Cash summary — debitors and creditors
- VAT entry (net or gross)
- Full history entry screen features all in ONE program.

SRPAC20 VIC20 16-24K Tape Based  
SRP 6220 VIC20 16-24K Disc Based  
SRPAC64 VIC20 16-24K + 40 column card  
SRP AC64 LJM44 7 Tape Based  
SRPDC24 LJM44 7 Disc Based

Tape Version £24.95 + VAT  
Disc Version £29.95 + VAT

Price includes complete reference manual  
+ data tape for tape versions.

1-11-81 1250/UP 000 07. prices incl vat and all programs

#### Printer prints

designed to help you manage your files and only one card per file. Includes accounting reports designed to help you manage your files. Includes accounting reports designed to help you manage your files.

#### INVOICE PRINT MODULE

Allows you to generate invoices and order forms. Includes a full history of all invoices and order forms. Includes a full history of all invoices and order forms.

SIP-CPM30 - VIC20 Tape Based

SIP-CPM30 - VIC20 Disc Based

SIP-CPM64 - CBM64 Tape Based

SIP-CPM64 - CBM64 Disc Based

Tape Version £24.95 + VAT

Disc Version £29.95 + VAT

Please specify machine size when ordering. You should also specify whether you want the invoice print module or not. Send your order on the further information please we will be glad to help.

30 Kingscroft Court, Belling, Northampton



YAHTCEE... This traditional dice is for one or more players and features superb graphics to enhance your enjoyment. YAHTCEE is Fascinating, Absorbing and Challenging.

### SPECIAL OFFER

Order YAHTCEE today for only £7.95 incl. and get a 10-game cassette FREE




30 KINGS CROFT COURT  
BELLING, NORTHAMPTON

TICK BOX FOR YOUR REQUIREMENT

YAHTCEE	COR 64 SPECTRUM 48 OR DRAGON 32
NAME	
ADDRESS	
ENCLOSURE	
TOTAL SUM	



# Primer Part Five



Right shift & to A (7200)

```
LDX #8
LSR 7167,X
ROR 7175,X
DEX
BNE 247
RTS
```

Left shift & to A (7224)

```
LDX #8
ASL 7167,X
ROL 7175,X
DEX
RNE 247
RTS
```

Down (7248)

```
LDX #15
LDA 7167,X
STA 7168,X
DEX
RNE 247
LDA #0
STA 7168
RTS
```

LSR

ROR

0 BIT PUT HERE

CARRY THIS BIT &  
PUT IT HERE

THESE BITS SHIFTED

SHIFT THESE



SHIFT RIGHT ROUTINE  
(SHIFT LEFT USES ASL ROL)

Right shift A to &(7212)

```
LDX #8
LSR 7175,X
ROR 7167,X
DEX
BNE 247
RTS
```


Left shift A to &(7236)

```
LDX #8
ASL 7175,X
ROL 7167,X
DEX
BNE 247
RTS
```

Up (7265)

```
LDX #0
LDA 7168,X
STA 7168,X
INX
CPX #15
RNE 245
LDA #0
STA 7168
RTS
```

0 put here



Byte  
put  
in Byte +1

DOWN ROUTINE  
(UP IN REVERSE)

Now, if you want to really see what even an unexpanded Vic can do, type in the program. It may be fairly long (2.5K) but I

can assure you, it is worth it! Games writers now have no excuses

# EXCITING NEW RANGE OF 20 & 64 SOFTWARE

## VIC20

### Aggressor

Coco 2 (128K)-teaches you how to create your own arcade games

Crush, Crumble & Chomp (18K)

Dungeons Of Ryn (16K)

Destiny Stars

Fort Apocalypse

Fourth (Language)

Fourth Encounter

Galactic Birds

Games Pack 1-contains Dam Bomber, Pak Bomber

Silver Tank Wars

Games Pack 2-contains Laser Ring

Rainfall, Taxis Trip

Gold Fever

Gridrunner NES

Jeopardy Orion (15K)

E-KK36P £27.50

C or D-KK41U £27.50

C-KK10L £20.75

C-KK13P £13.80

E-KK32W £38.95

E-KK43W £27.50

E-KK27E £39.95

E-KK80D £24.95

C-KK23N £18.95

C-KK34M £31.85

C-KK35Q £23.95

E-KK23N £39.95

E-KK33J £27.50

C-KK12N £17.50

Machine Code Monitor

Monitor Maze

Music Composer

Musical Hero

Phantom's Peril

Pluribus

Predator

Projector

Raid On Japan

Rescue Air Raptor (16K)

Ricochet (18K)

River Rescue

Robot Panic

Scorpio

Shamus

Sidewinder

Submarine Commander

Swarm

Sword Of Fargoth (18K)

Synthesizer

Torg

Turtle Graphics

Word Processor

6502 Assembler

E-KK25P £27.50

E-KK11M £27.45

E-KK17M £24.95

E-KK38N £24.95

E-KK37S £27.50

E-KK14Q £27.45

E-KK42V £27.50

E-KK35P £28.95

C-KK33L £13.95

C-KK08L £20.75

C-KK15R £13.80

E-KK55L £24.95

E-KK40T £27.50

E-KK19V £38.95

E-KK39M £27.50

C-KK24E £22.50

E-KK35P £24.95

C-KK23A £22.50

C-KK28K £20.75

E-KK10D £39.95

C-KK32E £12.95

E-KK20H £27.50

E-KK26D £27.50

C-KK25C £18.95

COMMODORE 64

Setup & Service Rescue

Coco-teaches you how your computer works

C or D-KK54J £24.95

Coco 2-teaches you how to create your own arcade games

C or D-KK35K £27.50

Crush, Crumble & Chomp

Curse Of The Alchemist (Part 3)

Farth (Language)

Gridrunner NES

Jump Man

Machine Code Monitor

Ornivalo (Fascinating Modeling)

Retire Sell

Sword Of Fargoth

Tempter Of Aphra (Part 3)

Time & Money Manager

Turtle Graphics II

Upper Reaches Of Aphra (Part 2)

Word Processor

6502/8510 Assembler

WORDS

Memory Map VIC20

Memory Map 64

D-KK31F £29.95

C or D-KK54J £24.95

C or D-KK35K £27.50

D-BIC61R £20.75

D-SC58P £13.80

E-KK48V £39.95

E-KK45D £27.50

D-BIC52A £27.45

E-KK46A £27.50

D-KK52G £59.95

E-KK40E £27.50

D-BIC60D £20.75

D-BIC57M £27.45

E-KK47B £38.95

D-BIC58N £13.80

E-KK48C £25.95

C-KK48E £18.95

WK48C £6.95

WK45D £10.45

Key: C=Cassette, D=Disk, B=Cartridge, Order Code is y. KESIF Prices include VAT & carriage. Subject to availability.

**MAPLIN**

MAPLIN ELECTRONIC SUPPLIES LIMITED, P.O. Box 3, Rayleigh, Essex S58 6LN. Telephone: Sales (0702) 952911 General (0702) 954168. Shops at: 185 King Street, Hammersmith, London W6. Telephone: 01 748 0926, 294 London Road, Westcliff-on-Sea, Essex. Telephone (0702) 954000. Lynton Square, Perry Barr, Birmingham. Tel. (021) 364 7282. Shops closed Mondays. All mail orders to Rayleigh address.

# ADAMSOFT

## NEW RELEASES FOR YOUR 64

### ULTRABASIC-64

Are you trying to write programs for your COMMODORE-64 using any of the following?

- ★ high resolution graphics
- ★ sprite graphics
- ★ joystick, game paddle or lightpen

- ★ multicolour graphics
- ★ sound effects
- ★ hard copy of graphics screen to Commodore or Epson printer

Well, if you want a package which makes it ultra-simple to use these features, then you need **ULTRABASIC-64**

**ULTRABASIC-64** adds 50 powerful commands to your COMMODORE-64. Commands for graphics and sound and sprites and games. No longer are you forced to use those hard-to-remember PEEKS and POKES. **ULTRABASIC-64** removes many of the rough edges of using the built-in BASIC

If that isn't enough **ULTRABASIC-64** includes **TURTLE-GRAPHICS** commands which let you draw with a friendly turtle. Just position him on your screen and let him go. He's quite fast too.

The package comes complete with a 40+ page manual, an impressive demo program, and a 2-part tutorial program

Inclusive price: £19.95 cassette. £21.95 disk.

**Skier 64** is an arcade style game written entirely in machine language for fast smooth action. It tests your reflexes as you control the skier. The goal is to arrive at the bottom of the Slalom, Giant Slalom or Alpine Run in one piece in the shortest possible time. Joystick or keyboard control

£6.50 cassette. £8.50 disk.

Dealer enquiries invited!

Send sae for free catalogue of games & utility software for the CBM 64

(Dept CU) 18 NORWICH AVENUE ROCHDALE  
LANCS. OL11 5JZ



# Punters Progress:

## Home (and away) — more reviews by J D Collins

*Another batch of reviews from JD, this lot being a collection of things that are not games.*

Before I turn my attentions to the rest of the programs I must mention a letter from Mark Simpkins (aged 12, he says) pointing out the error of my ways regarding the Moon Base Alpha adventure game from Rabbit Software.

Apparently (blush! blush!) it is only one game, not two as I thought — which explains a lot, and a lot more than the instructions did. The object of the game is to launch your missile to destroy the meteor which is on collision course with your base. To do this you must find your way through five rooms of the base to collect and use the equipment therein — and do it before the meteor strikes of course, so you can't spend all day at it! Mark sent me a step-by-step guide to solving the adventure but I am manfully resisting the temptation to use it as that would make it too easy. Any Astronomers out there will be able to report on my progress.

Thank you Mark, keep it up. I was pleased that Mark thought my reviews of the other games were more or less all right, nice to know some one agrees with me about something

### On with the show

Anyway, to this batch of reviews. As you will see most of them are Home Utility things of varying usefulness. I'm in the privileged position of being able to use and compare several of these before I need to fork out any hard-earned slots, so I think a few general comments are in order before I get to the individual reviews.

I was especially keen to try the database-type programs as I have been itching to catalogue my Science Fiction books for years now; I have so many I can't remember what I've got in detail. It also occurred to me that I could do the same with my collection of old 78 rpm records.

Unfortunately I was not impressed with the features on the programs reviewed here.

That is not to say they don't perform well, it's only that they don't do what I want. Mind you, I have to say that a cassette-based system just can't do the sorting I want: nor can it work at the speed I want the sorting done.

In some ways this would be overcome if all the routines were on ROM so that separate programs for sort and search did not have to be loaded separately — all that messy program changing irritated me no end. I am surprised that someone like Stack with an excellent range of ROM-based utilities has not come up with a database on a ROM. Perhaps there are technical problems involved that make the idea unworkable but I don't see why. Maybe they are waiting for us all to get disk drives!

Come to think of it, I can't see why Stack haven't put a cheap word processor on ROM. With even the memory-less version of Wordcraft 20 costing £80 (twice as much as the ROM-based word processor for the BBC Micro) there must be scope for competition. How about it, you guys?

The most enlightening (and depressing) thing that came out of this review (and recent articles on database) is that my ideas about a database on a home computer like the Vic are distinctive over-optimistic. I had hoped that a database package would allow me to create records of a length comparable with the documents stored on disk by a word processor, and then enable me to sort and search these quantities of text in the same way as a card index system could be handled.

For example, a set of say ten 5,000-word essays could be stored and then searched for certain key items or references. Similarly, all of one term's study notes on Contract Law could be stored and searched in a similar way. It seems this is not possible, but again I can't see why not. Even the encouragingly named *Research Assistant* handled only names, dates, titles not whole chunks of text. Am I asking the

impossible? Or is it just that no-one has written the program I want yet?

It seems that it will be some time yet before a really

comprehensive range of utilities appears at a price we can afford for the capabilities of the Vic 20.

## HOME UTILITIES

### HOME INVENTORY STAR RATING ★★

Not a game but reviewed here as it is usable on the unexpanded Vic. Useful and easy to use home utility program for recording and valuing your household contents — allows you to update the value of your possessions, too. I grasped the instructions after only a minute's reading of the manual — another plus. Very clear

screen display, and can use whatever memory your Vic has. You should think carefully how you will set up your catalogue and it will take some time to get the initial data into the files — but the only real problem is the slow speed and inevitable limitations of the cassette (disk files are so much quicker and easier and more expensive). Cassette, no expansion needed.

**Price: £14.95. Supplier: Rudogenic.**



### HOME OFFICE STAR RATING ★★

Two programs here, one for databases and the other a word processor. *Vicdata*, for cassette or disk: Enter your data in two categories, Name and Data. Has Sort and Search features — but only sorts or searches by name, not on data. It's basically a more sophisticated form of VICAT which I reviewed for the February issue of *Vic Computing*. Very easy to use. Clear screen presentation. *Vicpro*: modest little word processor, no presumptions

but easy on the finger and light on the eye. I was surprised how easy it was to use but I have to admit it would not do for really professional use as it lacks the clever bits that something like Wordcraft 20 has. However if you have the Vic printer for printing our listings and such, this package will make good use of it for letters to pen friends or thank you notes to Aunties for the latest games program you got at Christmas. Don't get me wrong, this is not a put-down: you will find lots of uses for it — but at a domestic level. If you need

# NOVA SOFT

**EXPLOSIVE  
SOFTWARE**  
For Vic-20 And  
Commodore 64

new

## VIC-TORIAN FOLLIES


adv. 1

Sequest



new

## Dungeon Droid



### VIC-TORIAN FOLLIES ADVENTURE 1 - SEAQUEST FOR VIC 20 + 16K EXPANSION

An exciting full colour, multi-screen graphic adventure, set in a romantic era when the footloose gentry would risk all, probing the depths for treasure against ridiculous odds.

The ultimate deep sea frolic complete with "Save to Tape" option  
Cassette version only £6.95. Disk version only £7.95

### DUNGEON DROID

### A RACE AGAINST TIME ON A HOSTILE PLANET FOR VIC 20 UNEXPANDED

Your spaceship is low on Novalite fuel crystals, forcing you to land on a world whose inhabitants worship them! Brave the many dangers of the multilevel tomb and recover enough crystals to take off before the alien laser tanks locate and destroy your ship.

Magnificent machine-code mayhem!

Cassette version only £6.95. Disk version only £7.95.

**CYCLOTRON** — Fight at the speed of light — A devastating death duel! For the unexpanded VIC 20 and Commodore 64, together on one tape or disk

CASSETTE VERSIONS ONLY £5.95. DISK VERSIONS ONLY £6.95

**JIGSAW** — Assembler for VIC 20 + 8K expansion and Commodore 64, together on one tape or disk (details sent on request). CASSETTE VERSIONS ONLY £9.95. DISK VERSIONS ONLY £10.95

**JUGGERNAUT** — The memory mover and **MIRAGE** — The memory reconfigurator. Both for VIC 20 (any memory size - details sent on request). Normally £5.95 each.

THIS MONTH ONLY - BOTH FOR ONLY £5.95

NOVASOFT - 46 PHEASANT DRIVE, DOWNLEY, HIGH WYCOMBE, BUCKS HP13 5JL

Please rush me the following:- (All prices include P & P)			TAPE	DISK	Name	
			£6.95	£7.95		
Jigsaw Assembler For VIC 20 + 8K and Commodore 64 on same tape or disk	£9.95	£10.95	Dungeon Droid machine code thrills for VIC 20 unexpanded	£6.95	£8.95	Address
Special VIC 20 offer Juggernaut and Mirage For the price of one	£5.95	N/A	Cyclotron (Lazercycles) For VIC 20 unexpanded and Commodore 64 on same tape or disk	£5.95	£6.95	

Printer Progress

high-quality text you will pay out a thousand pounds or so for the whole system so we aren't talking about the same sort of thing

My only reservation on both these programs had nothing to do with their quality; it rests on

the limitation of cassette as opposed to disk for this kind of application, an insoluble problem until disk drives plummet in price. **Cassette, 8K expansion needed**

**Price: £12.95. Supplier: Audiogenic.**

#### RESEARCH ASSISTANT STAR RATING \*\*\*

My version was for cassette use only — a disk version is due out soon. This is a set of three programs which allow you to build up, cross-reference and print out research data. Just the sort of thing I think I may need. It allows you to create files of data organised by source code, author, title and bibliography, in those records you may enter notes on the subject as well. Notes are given on how to modify the program to suit your printer. You can edit data, and you can cross-reference by date and

by key words. The manual could do with a bit of tidying up but with some messing about I got the hang of it without too much trouble.

Sad to say I found the program itself a bit fiddly to use, though I must stress that this was no fault of the program — it was because of the limits imposed by using a cassette machine to store the data and to load the three programs. Can this type of thing work efficiently without disk? Yes if you can't afford a disk, but it will be an effort. **Cassette, 8K expansion needed**

**Price: £16.95. Supplier: Honeyfold.**

#### POWL TEXT

##### STAR RATING \*\*\*

A word processor midway between *Home Office* and *Wordcraft* 20. In terms of features it was quite comprehensive for domestic or Club use, say. But I found it harder to use than the other two word processors I have reviewed. Control of the text seemed quite difficult and the manual left a lot to be desired; maybe that was the real problem — with a step-by-step guide like the *Wordcraft* manual it would all have been much easier. Again this was only for a cassette machine (disk version due out soon) and therefore suffered from the inevitable difficulties caused by the slow speed and fiddly usage. Still, quite good for all that. **Cassette, 8K expansion**

**Price: £16.95. Supplier: Honeyfold.**

#### WORDCRAFT 20

##### STAR RATING \*\*\*\*\*


Our editor lent me his copy to play with and I was much impressed by this word processor — for a fully comprehensive review of all the features on *Wordcraft* I refer you to the review in *Vic Computing* February 83; all I had time for was a general

impression.

The documentation is excellent; it takes you step by step through all the things you need to do to get it running and gives you a "do this, do that, see result" guide to its capabilities. The friendly tone of the manual was just what a novice like me needs. The control of the colours on screen is fabulous — no more blinding TV screen, no more colour contrast problems! Comes with a cassette for sample documents to load and again you are taken step by step through the ways you can play with (or 'Edit', as it's sometimes called) the text.

I did have a few problems, but they were entirely due to my lack of time to really explore this product; and of course without a printer I could not get a printout of my efforts. I really liked this one. The big question, is do you need all its features and can you afford the price? Well, if you want to do more than domestic letter-writing you will need something as good as this, and after accounting for the "free" 8K memory you get I think it is reasonably priced. (There's now a version without the extra 8K of RAM available for around £80 — Ed.) **Cassette, 8K expansion**

**Price: £125 (ouch!). Supplier: Audiogenic.**



## Programming tools

#### FLOW

##### STAR RATING \*

On the face of it this seemed a brilliant program: at last you can design your own flowcharts on your Vic. Really useful, eh? Well, it was very easy to use (see later) and the screen display was extremely clear. But alas! I could not get any of my 'side chains' or whatever they are called to link up in any way at all. Grrrr! I flogged at it for three solid days and then gave up in a temper. Maybe it was me being stupid, maybe it was lack of detail in the manual, maybe it all comes out perfectly when printed (but as I don't have a printer I will never know). Such a disappointment. To be fair, if you can get over this problem I would say it rated four Stars, but I think I'll wait until someone explains it to me. **Cassette, 16K expansion needed**

**Price: £2.00. Supplier: Computer Room.**

#### PIXEL POWER

##### STAR RATING \*

An answer to another of my dreams — easy-to-create user-defined graphics. As far as I could tell the program was excellent, easy to use, clear screen presentation, everything I wanted... except that I could not get it to modify the graphics on any of my games as it claimed to do. The manual did make a comment about 'noting codes for

patching in later', but went on to say that to change graphics in a program all you had to do was step A, step B etc. So I did, and it did not work. Of course I tried it several times to no avail, so I can only assume it was not adequately documented. If it can be made to work I would give it a Star. Rating of four stars but as with *Flow* I will have to wait for further explanation. **Cassette, 8K expansion needed**

**Price: £9.50. Supplier: Quicksilver.**

#### MINIKIT

##### STAR RATING \*\*\*\*\*

Really useful utility program. 16 different single-entry functions on function keys plus AUTO (auto numbering of program lines), FIND, DELETE and TRACE (follow your program line by line as it runs). Easy to use, clear instructions, clear screen presentation. Not as comprehensive as the *STACK* Victor ROM utility or the Commodore Programmers Aid cartridge but as I have neither (yet!) I found this to be a marvellous piece of software. I have details of what the other 'programmers' aids' offer, so I must sit down and work out what I need, maybe *MINIKIT* will be enough for a sporadic dabbler like myself. I messed about for hours with this and at a fraction of the cost of the other aids it seems excellent value for money — and certainly a good cheap intro to this sort of thing. **Cassette, no expansion needed**

**Price: £2.95. Supplier: Audiogenic.**

# Todd's Lore

## Reconfiguration, logical operators, twiddling bits,



### Reconfiguration revisited

The inclusion of the Reconfiguration program in the June *Lore* produced complaints that the Vic didn't work when reconfigured to the +3K option, even though there was 3K or more of expansion memory fitted. Memory errors and errors on loading tapes were reported.

Although this was covered in the article that accompanied the program when it first appeared, the reasons why it doesn't work were only hinted at in the June reprise. Basically, the +3K configuration relies on the existence of a 3K RAM pack which puts memory into the 3K gap between 1024 and 4096 (see the memory maps in the June *Vic Computing* issue). 3K expansion fits in at 8k/32 onwards, and doesn't fill this 3K gap.

Using the program to set up the +3K configuration assumes that this memory is present - if it's not, all sorts of problems can arise.

Whatever configuration you set up, the program assumes that the correct memory is present, even if it is not - but anyone who tries to use it without the correct memory is asking for trouble.

### Logical operations

If you program the Vic or the 64, you should be well aware of program lines such as...

IF (A-5) AND (B-6) THEN...

But have you ever wondered what this actually means? AND, OR and NOT are 'logical operators' and the use of these, together with an understanding of the way that the Vic and 64 evaluate logical expression can provide us with a useful tool for slightly more advanced programming.

To understand all this needs a reasonable familiarity with binary numbers, as the logical operations of our machines are based on the binary representations of numbers. So a quick bit of revision (a revision of bits?) may be in order.

Raw beginners start here. The binary number system works just like the decimal system, except that we only have the number 0 to 1 to play with instead of 0 to 9. So, counting from zero, we start with 0, then 1 and adding another one gives us 0, carry 1 - just like counting up from 0 in decimal goes from 9 to 0, carry 1.

In some languages such logical variables are specially defined and can be extremely useful. In Basic, we don't need special variables to do this any Basic variable can be used as a 'flag' in this way.

We could use the logical variable 'OK' as set by the expression above to determine if a number is in the range 0-255 and therefore suitable for POKEing to some location.

OK=(X<255) AND (X>=0)  
IF OK THEN POKE 36865,X  
IF NOT (OK) THEN PRINT "ILLEGAL QUANTITY"

The NOT function inverts every bit in the logical variable - so that -1 becomes 0 or 0 becomes -1. TRUE becomes FALSE or FALSE becomes TRUE.

The expression can be as complicated as you like, and it can be used to save time where a logical expression may need to be evaluated several times - it just needs to be evaluated once and stored in a logical variable.

The other use is to help make programs easier to read!

Sometimes it is useful to have variables already set to the logical state of TRUE and FALSE, and this can be done at the start of a program by defining these as variables.

TRUE=(1-1); FALSE=(1-0)

Another use for logical variables is where a section of program should be omitted under certain circumstances. For instance, if you've got a section of program that only needs to be executed the very first time the program is run you can use the fact that all variables are initialised to FALSE when a program is RUN

10 IF FLAG THEN 100  
30 TRUE=(1-1); FALSE=(1-0)  
30 DIM A(100) etc...  
40 more initialisation  
50 FLAG=TRUE  
999 GOTO 10

Still with us? If you follow this sequentially, the binary numbers increase from 0 to 1 to 10, 11, 100, 101, 110, 111, 1000 and so on. These are the equivalent of 0 to 8 in the decimal system.

In the decimal system, the 'value' of each place in a number goes from 1 to 10, 100, 1000 and so on. In binary they become 1, 2, 4, 8, 16, 32 and so on, so that 10 in binary is 2+0+2, and 101 is 4+0+1+5.

The fundamental storage location in a computer like the Vic is eight binary digits (or 'bits') in length. That gives 0 as the smallest number which can be stored and 11111111 (which is 128+64+32+16+8+4+2+1=255) as the largest.

Now, imagine we have two numbers: let's say 4 (-100 in binary) and 18 (-100 in binary). We can use the logical operators AND and OR on them quite simply by typing -

PRINT 12 AND 4, 12 OR 4

You should get '4' and '12'. Why? Because the result of 12 AND 4 (1100 AND 100) has a 1 in the result only where there is a 1 in the first AND the second number - the result is 100 (4 in decimal). If we OR the two numbers, we get a 1 in the result where there was a 1 in the first OR the second number.

12=	00001100	00001100
	AND	OR
4=	00000100	00000100
	-----	-----
	00000100	00001100
	(=4)	(=12)

Don't worry about the extra zeros that have appeared - it is usual to show all eight bits when writing bytes out in binary, and the zeros at the left of the number can be ignored when reading the value. It's like writing the number '12' as '0012'.

### Picking at bits

The AND operator provides us with a very useful method of picking out a single bit in a number. The fire button on the joystick controls one of the bits in location 37137 - one of the bits in that location, which is normally set to 1, becomes a 0 when the button is pressed.

In fact, it's the sixth bit from the right - so that, at least in theory, location 37137 is 00100000 if the button is not pressed. Note that we normally number the bits from the right, starting at zero, so the set bit is actually bit 5 of location 37137.

We should therefore be able to test for the button being pressed simply with an IF statement:

IF PEEK(37137)=0 THEN...

...where PEEK(37137) will look at the numeric value of the contents of location 37137.

Unfortunately, many of the other bits of this location are also normally set to 1, and when testing for the fire button we want to ignore these bits.

The easiest way to do this is to 'extract' the bit we're interested in using the AND function. If the button is not pressed, but six will be set (xx1xxxxx). So you can AND it with 32, which is 00100000 in binary. And the result will be 00100000, decimal value 32. This illustrates the two possible states:

PEEK(37137)=xx1xxxxx AND	
32= 00100000	
	00100000 = 32
	(button not pressed)
	xx0xxxxx AND
	00100000
	00000000 = 0
	(button pressed)

The 'x' indicates that these bits are ignored - because the result of the zero AND another bit is always zero. The result will have a '1' in it only in those positions where there was a '1' in both the first and second numbers.

In other words if the fire button is pressed PEEK(37137) AND 32 would be 0. If not, the result would be 32. This means that the button can properly be tested by:

IF (PEEK(37137) AND 32)=0 THEN...

### Putting bits back

If AND can be used to extract bits, OR can be used to put them back again! For instance, the three right-hand bits (bits 0, 1 and 2) of location 36879 contain the colour of the screen border and are normally set to 011 (cyan) to change this to yellow, it needs to be 111. This is done as follows:

POKE 36879, PEEK(36879) OR 7

The PEEK(36879) gets the current bit pattern of location 36879, and the OR 7 forces the three bits to 1:

PEEK(36879)=xxxx011 OR
7=00000111
-----
xxxx0111

In the result only those bits are set to 1 where there is a 1 in either location 36879 or the number 7 - the rest remain unaltered. This is

*Load it  
K. Ste*

## ...testing for conditions...

important as the other bits in this location convey other information regarding the screen and they need to be preserved.

The POKE 36879 puts the result of the OR operation into location 36879 and the colour of the border will change.

This technique can be used to set any combination of bits in a location. But what happens if we want to change the colour to green? Thus has the code 101. We may know how to set bits in a location, but to set the colour green we need to be able to set bits to zero as well.

We can use the fact that with the AND operation, only the bits where there is a '1' in both numbers become '1' in the result - the rest are zero.

So our first task is to clear all the three border colour bits in 36879 as follows.

```
POKE(36879)=xxxxx111 AND
248=11111000
-----
xxxxx000
```

Where the number 248 has ones, the contents of 36879 are transferred straight into the result; and where there are zeroes the result has zeroes. Now we are in a position to set the bits we require.

```
Result of above=xxxxx000 OR
5=00000101
-----
xxxxx101
```

...and the whole command looks like

```
POKE36879, (PEEK(36879)
AND 248) OR 5
```

When writing such expressions, it is often a good idea to use brackets fairly liberally to prevent any ambiguity in the line. This is why there are brackets around the AND part of the expression - it's to ensure that this part is executed first. In this example they could be omitted, but it does prevent confusion.

### IF...THEN...

Now, let's go back to using logical expressions in IF statements.

The Vic considers any expression to be TRUE if any of its bits are set to 1. Therefore a statement in the form...

```
IF 5 THEN PRINT "TRUE"
```

...will always print TRUE on the screen, because 5 has two bits set to 1. FALSE is indicated by all zeroes; and so the value 0 would result in the PRINT statement never being executed.

Normally, when evaluating a logical expression, the Vic and 64 will set all the bits to '1' if it's TRUE and all to zero if FALSE. So, typing...

```
PRINT 4=6
```

...will result in 0 being printed, while...

```
PRINT 5=5
```

...will result in (wait for it!) -1 being printed.

The computer always does its logical operations as if they were integer variables - that is, 16-bit binary numbers and it so happens (for reasons I'll explain in a moment) that a number in the form 1111111111111111 is actually -1.

This also means that we can just as well set a variable to the result of a comparison, so that...

```
OK=-(X<-255 AND X>0)
```

...is a valid expression, and the variable OK will be set to -1 (TRUE) if X is less than or equal to 255, AND it's not negative, and it will be set to 0 (FALSE) if it's not.

First time through, FLAG is false, so the branch to 100 in line 10 is not taken and the initialisation is performed. FLAG is then set to TRUE. Subsequent execution of line 10 will always result in a jump to line 100, thus avoiding reinitialisation - unless you deliberately reset the FLAG to FALSE.

Sometimes it is necessary to execute a section of program on alternate passages. Simply use a FLAG variable, and in the loop have this line:

```
FLAG=NOT(FLAG)
```

Then you can test for FLAG at the start of the loop - it will alternate between TRUE and FALSE.

```
65535=-1
```

Why choose a variable set to all ones be -1? Well, using 16 bits (which is, of course, two bytes) we can have a range of numbers from 0 to 65535. But they're all positive, with 65535 being 16 ones.

To cope with negative numbers we have to consider what happens as we count down from 32767 in decimal this would be 32767, 32766, 6, 3, 2, 1, 0, -1, -2 and so on. In 16-bit binary it would be:

```
0111 1111 1111 1111 (32767)
0111 1111 1111 1111 (32766)
0000 0000 0000 0010 (2)
0000 0000 0000 0001 (1)
0000 0000 0000 0000 (0)
0000 0000 0000 0000 (-1)
1111 1111 1111 1110 (-2)
1000 0000 0000 0001 (-32767)
1000 0000 0000 0000 (-32768)
```

If you don't believe that the all ones situation is -1, just try adding 1 to it and see if you get zero (ignoring the 17th bit, as there's nowhere to put it).

What we now have is a situation where we can cope with negative numbers and in this case, the 16th bit is no longer part of the number - it becomes the sign of the number (1-negative). This means that the upper limit of positive numbers is 32767 and the lower limit is -32768, which is exactly what the limit of integers on the Vic actually is!

Numbers can be converted to their negative value by inverting all the bits and by adding 1. Try this with the values in the above table.

You should now be able to see why the value of TRUE is -1, and FALSE is 0.

Of course, the interpretation of negative numbers in this way is purely arbitrary. And integers with their 16th bit set to 1 could be read as greater than 32768, it's simply a case of how the Vic has chosen to interpret the number.

For instance, try POKE 56,255 and then PRINT FRE(0). On a completely unexpanded Vic, you should get -4355. What you've done is told the Vic that it's got more than 32767 bytes available (61180 to be precise). When it then tries to return this value as a number, the fact that it is greater than 32767 (with bit 16 set to '1') makes it assume that the number is negative - and the 61180 is interpreted as -4355.



# Visiting Vic-20 Video Part 4

by Jim Butterfield

In which the traveller finds that the highest resolutions can be achieved by setting one's sights a little lower...

We've spent some time viewing the world (or at least memory) from chip's-eye view, and have noted that the video chip sees memory in its own way.

We've muddled with the character set, both built-in and home-brewed. But we haven't seemed to deal with achieving that mystic goal — high-resolution screen control.

We've dealt with custom characters. And as Glinda the Good Witch almost said to Dorothy, "If you had known their powers... you could have done it the very first day". In other words, we've been looking at high resolution all along without recognizing it.

Here's the trick: if every position on the screen contained a different character; and if we can define any

character at will: we can define any spot on the screen as we wish.

## Filling In

Mechanically, we do it this way — the first cell on the screen will contain character zero, the next will contain character one, and so on. To change the upper-left-most pixel on the screen, we modify the upper left pixel of character zero and the screen immediately shows the alteration.

Thus is a change from our normal use of screen and character set. Our screen memory is now totally fixed and must not change. Normal printout and things like scrolling must stop. The characters, on the other hand, are now completely variable, with pixels turning on and off

according to what the picture needs.

Wait — there's a problem. It seems that the screen has room for 506 characters; yet we know that we can make only 256 individual characters. Something doesn't fit. How can we resolve this?

There are two ways. One is to use "double characters" — the jumbo sized characters that we get when we POKE an odd number into address 38867. Each of our 256 characters now occupies twice the space on the screen, so that we can cover the screen easily.

The character set table now becomes huge, of course. Each character takes 16 bytes to describe, making the whole table up to 4096 bytes long. Since we're trying to describe things you can achieve in a minimum Vic, this becomes impractical. It's hard to take 4K away from a machine that has only 3.5K available to start with.

On a machine with memory expansion, however, this is quite practical, read on, for we'll use tricks on the small machine that will come in handy even on the big ones.

The other method is this: cut the size of the screen so that it contains only 256 characters or less. We can store the number of columns and rows we want into 38866 and 38867.

POKE 38866,16 will set sixteen columns; and POKE 38867,32 will set sixteen rows (we must multiply the number by two here). How many characters can we store? 256 characters, that's how many, and that number may sound familiar by now.

By the way, Basic won't know how to cope with the peculiar row and column counts if you do this as a direct command. So be prepared for an odd-looking screen. Neatness fanatics will



want to centre the remaining display by appropriate POKEs to 38864 and 38865, but I'll leave this as an exercise for the reader.

## Doing It

Enough of this abstract theory. Let's dive into a program to prove that even the humblest minimum Vic can do high-resolution graphics.

```
100 POKE 56,22:CLR
    (drop top of Basic)
110 POKE 38863,222
    (reloc to screen...)
120 POKE 38866,144
    (...and character set)
```

Note that the above line sets the screen to a half-block (128) and sets up 16 columns instead of the normal 22 (128 plus 16 gives 144). We may as well go ahead and change the rows.

```
130 POKE 38867,32
    (16 rows times 2)
200 FOR J = 6144 TO 8191
210 POKE J,0: NEXT J
```


We've cleared the entire character set to zero (all pixels off). Now let's set up the screen with character zero in the first slot and so on:

```
300 FOR J = 0 TO 255
310 POKE J + 5632, J
320 NEXT J
```

Let's set all characters to colour black:

```
330 FOR J = 32888 TO 38911
340 POKE J,0: NEXT J
```

Our screen is now ready. Serious graphics takes quite a bit of maths (dividing by 16 to find the row and column; dividing by 8 for the pixel pos-



# 4 SPECIAL OFFER PACKAGES



## 1. commodore 64

+ cassette deck + dust covers p&p code  
if purchased separately these items would cost £278.85

OUR PRICE **£255.00** d

## 2. commodore 64 + cassette deck

+ Introduction to Basics Part 1 (Manual and 2 cassettes to take you through the first steps in computing) + DFM Data Base (Information Storage Programme) + 2 dust covers. If purchased separately these items would cost £313.00.

OUR PRICE **£283.00** d

## 3. commodore 64

+ VIC 1541 disk drive  
+ Box of 10 diskettes + dust covers. If purchased separately these items would cost £490.00.

OUR PRICE **£435.00** d

## 4. Businessman's Starter System

Comprises Commodore 64 + VIC 1541 disk drive  
+ box of 10 diskettes + VIC 1525 Printer + Box of paper + 3 dust covers. If purchased separately these would cost £735.00.

OUR PRICE **£660.00** c

# COMMODORE 64 "GOODIES"

NEW 64 Printer VIC 1526 with cable	£345.00	d
NEW Printer/Plotter (4-colour)	£169.99	d
NEW LOW PRICE — Disk Drive VIC 1541 with cable	£229.00	d
Printer VIC 1625 with cable	£212.75	d
Book 'Programmer's Reference Guide'	£ 9.95	b
Easy Script (Word processing package)	£ 75.00	b
DFM Data Base — Disk or Cassette (state which required)	£ 19.50	b
DFM Mail labels (Print labels to your specification)	£ 9.50	b
Catalogue (Dedicated filing system)	£ 16.50	b
Datalog (User orientated filing system)	£ 17.50	b
Journal (A financial diary with permanent)	£ 19.50	b

Gortek & Microchips (Designed to teach 10/13 year olds basics)	£ 12.95	b
Sales Ledger	£113.85	b
Purchase Ledger	£113.85	b
Easy Stock	£113.85	b
Attack of the Mutant Camels (Try and beat hostile Aliens)	£ 8.50	a
Motor Mania (A thrilling cross country car race)	£ 8.95	a
Dust cover for 64/VIC 1525	£ 2.95	a
Joystick	£ 6.90	b
Introduction to Basics Part 1 (see above)	£ 14.95	b
Many other titles in stock. Free list with first delivery. Or send S.A.E. for full list.		

## commodore


+ C2N cassette recorder + Introduction to Basics Part 1 (Manual and 2 cassettes to take you through the first steps in computing) + 1 cassette with four games + Only from Chromasonic. FREE DUST COVER normally sold for £2.95. If purchased separately these items would cost £249.99

OUR PRICE **£139.99** p&p code

VIC 1525 Printer with cable	£212.75	d
VIC 1541 Disk Drive with cable	£229.00	d
16K RAM pack	£ 28.95	b
24K RAM pack	£ 47.95	b
Joystick	£ 6.90	a
4-slot motherboard	£ 33.35	c
Dust cover for VIC 20/VIC 1525	£ 2.95	a

## VIC 20

### SPECIAL OFFER PACKAGE



Light pen and free game	£ 28.75	c
Super Expander (High resolution cartridge with 3K RAM)	£ 31.00	b
Programmers Aid cartridge (Adds more than 20 commands)	£ 28.00	b
Machine Code Monitor (Gives you 6502 assembly language)	£ 28.00	b
C2N cassette unit with cable	£ 39.10	c
Sargon Chess (6 levels of play)	£ 23.00	b
Choplifter (Rescue your men and then return to base)	£ 24.95	b
VIC Programmer's Reference Guide	£ 9.99	b
Many other titles in stock. Free list with first delivery. Or send S.A.E. for full list, state which system required.		

**Our Guarantee**—1 full year for labour and parts on all Hardware. Prices correct at time of going to press

# CHROMASONIC

## PERSONAL COMPUTERS

• FREE ADVICE on all aspects of Personal Computers  
You only have to ask  
• DELIVERY On P.O. S. Access or Barclaycard; dispatch usually within 24 hrs. Or we'll advise by return. On cheques allow about 5 days.  
If not completely satisfied return the goods to us undamaged within 14 days for a full refund including p&p. VAT included in all prices.

### ACCUMULATOR DISCOUNT COUPONS

A Chromasonic special

On every £5 worth of Software you buy from us, over the counter or by mail we'll give you a 50p A.D.C. So with a £25 purchase you get four A.D.C.s etc. These same applies to hardware. And here we give you a 50p A.D.C. on every purchase of £10 or multiples of £10. And that goes for virtually everything we sell. Please or write for further details.

48 Junction Road, Archway, London N19 5RD

TEL: 01-263 9493 or 5

£60p  
b = £1  
c = £2.50  
d = £5

tion ). But we'll substitute a little simple coding to draw a triangle:

```
400 FOR J = 6782 TO 6816
STEP 8
410 POKE J,255 (horizontal
line)
420 NEXT J
500 FOR J = 8280 TO 6664
STEP 128
510 FOR K = J TO J + 7
520 POKE K,128 (vertical
line)
530 NEXT K,J
400 FOR J = 6280 TO 6704
STEP 136
610 X = 128 (leftmost pixel)
620 FOR K = J TO J + 7
630 POKE K,PEEK(K) OR X
640 X = X/2 (moves pixel
right)
650 NEXT K,J
700 GOTO 700
```

The program is now complete. It will wait in a loop at line 700 until you press RUN/STOP, when you do so, a number of odd things will happen. The computer will try to print the word READY into screen memory, but screen memory

is intended for different usage now, and all that will result is screen clutter.

Bring everything back to sanity by holding down RUN/STOP and tapping RESTORE.

## Extra Ideas

Effective graphics call for a fair bit of arithmetic. To place or clear a pixel, you need to find the row and column by dividing the X and Y co-ordinates by the appropriate scaling factor.

You need to change this to a screen character number by multiplying the row number by the total number of columns and then adding the column number. Multiply this by eight, and you'll get the position where the character is located within the character set.

Now we must go for the pixels within this character: the bits within a byte are pixels 'across' and the eight consecutive bytes are pixels 'down'. Now you know why people buy a

Super Expander: to save them from the maths!

Even when you have plenty of memory available, which allows you to use double characters and get lots of pixels on the screen, it's usual to trim the screen a little.

The normal 22 columns by 23 rows are usually trimmed back to 20 columns by 20 rows (actually 10 rows of double characters).

This does two things: it makes the arithmetic a little easier and it drops the memory requirements from 4096 bytes for a full deck down to only 3200 bytes. This, in turn, gives us space to pack screen memory into the same 4K block. That's handy because we cannot be sure that the video chip will have access to any more than 4K of RAM. Basic, of course, will long since have been moved to occupy memory from 3192 and up.

If you want to add text to the high resolution display, it's a snap. Just copy the characters

you want from the character set ROM and transfer them to the appropriate character slots on the screen. (Of course you would have thought of that yourself if I hadn't just told you.)

Don't forget that you can POKE appropriate values into 36864 and 36865 to centre the graphics neatly. Our example looked a little lopsided, try your hand at making it neater.

High resolution is there and waiting. There's a bit of mathematics involved. You may find this a challenge: after all, isn't that what a computer does best?

Even if the maths bafes your mind and causes you to go out and buy a Super Expander, you'll have learned a few new things. First, the Super Expander doesn't make graphics possible — they were there all the time — it just makes them easier. Secondly, you'll have a better idea of what's going on inside your marvellous computer.

# COMMODORE USER

Monthly

The independent magazine for Commodore's small computers, incorporating Vic Computing.

Please enter my annual subscription to Commodore User. I enclose a cheque/postal order made payable to VIC COMPUTING LTD for...

- ☐ £12.00 U.K.  
☐ £18.00 EUROPE

- ☐ \$1917.00 EIRE  
☐ \$32.00 Rest of world

Now return this form with your cheque/postal order to:

COMMODORE USER SUBSCRIPTIONS  
BKT SUBSCRIPTION SERVICES  
DOWGATE WORKS, DOUGLAS ROAD  
TONBRIDGE, KENT TN9 2TS

Commodore User is published monthly commencing with the October 1983 issue. Unless you specify otherwise your subscription will commence with the next issue.

NAME:

ADDRESS

POSTCODE

SIGNED:

DATED:





# THE COMPLETE BEGINNERS GUIDE TO ASSEMBLY LANGUAGE PROGRAMMING

The second in a series of articles to lead you gently into the world of 0s and 1s with the Vic-20.

IF YOU READ THE FIRST ARTICLE in this series, which appeared back in June, you will now be eagerly waiting to learn the first instructions in 6502 assembly language programming and run your first machine-code program.

No, you don't need Vicmon yet: we are going to POKE the program into memory. Type in and RUN this Basic program on your unexpanded Vic exactly as shown, and see what happens (hmm... that sounds familiar):

```
10 PRINT "CLEAR HOME"
20 POKE 56,28 : POKE 52,28 : CLR
30 DIM A(20)
40 FOR I = 1 TO 20
50 READ A(I) : POKE 7199+I,A(I)
60 NEXT I
70 DATA 169,4,162,26,157,7,151,202,208,250,182,26,136,
157,7,31,202,208,249,96
```

Nothing appears to have happened... yet. Now type **SYS 7200**. You should see all the letters of the alphabet appear in the middle of the screen. I shall now proceed to explain how your 6502 accomplished this amazing feat; you have, in fact, just run a machine-code program.

## The 6502 registers

Inside the 6502 there are a number of registers:

- o Accumulator
- o X index register
- o Y index register
- o Status register
- o Stack pointer
- o Program counter
- o Instruction register

There is also a 'black box' called the arithmetic and logic unit (ALU) — we don't need to understand how it works, only what it does.

Each 6502 instruction is one, two or three bytes long. The instructions (the program) and the data all reside in memory. When a program is RUN, each instruction is fetched in turn from memory into the 6502; there it is decoded and executed. The program counter always contains the address of the next instruction to be executed; it therefore has to be 16 bits wide in order to specify an address (range 0 to 65535). All the other registers are eight bits wide.

The instruction is fetched into the instruction register for decoding; at the same time the program counter is automatically incremented to point to the address of the next instruction. The contents of the instruction register are decoded by the ALU, which then carries out the instruction.

The program operates on data. Most operations require that the data resides inside the 6502 while the instruction is executed. To this end certain working registers are needed to hold the data, the accumulator being the primary one.

To give an example, take the addition of two eight-bit numbers. One of them is first fetched into the accumulator. This is then added to one residing in memory, and the result deposited in the accumulator. This result will now have to be stored back in the memory ready for the accumulator to accept subsequent data. The X and Y index registers are most often used as counters, as shown in the next sample.

## Locating your program

Now, the adding of two eight-bit numbers is pretty dull; and we can do much more interesting things to get you started.

First things first, though. You have to decide where you are going to store your machine-code program in the VIC's memory. While experimenting, my preference is to use the unexpanded Vic and lower the top of memory available to Basic by 512 bytes from location 7680 to 7168. This can be accomplished by entering the line:

```
POKE 56,28 : POKE 52,28 : CLR
```

You need not understand how this works, only that it sets aside 512 bytes of memory for your machine-code program and prevents it being overwritten by Basic. I then start the program at location 7200, and waste 32 bytes!

## Program objectives

Next, you should decide on the objectives of your program. The objectives of the alphabet program are to place screen codes of 1 to 26 in locations 7944 to 7969 respectively (somewhere in the middle of the screen) and a colour code of 4 (purple) in locations 39664 to 39689, the corresponding colour RAM addresses.


Diagram 1 is a flowchart illustrating the various program steps which will achieve these objectives. If you're impulsive like me, you won't bother with the flowchart; everyone else will stress how important it is, and they're probably right.

DIAGRAM 1

## Flowchart for Alphabet Program

SET COLOUR

PRINT ALPHABET



## Program coding

The final step is to code your program as shown in Diagram 2. Each section in the flowchart corresponds to one instruction, and you'll need to be able to look up the instruction to obtain its code. (A full list of 6802 instructions will appear in a subsequent article in this series but if you can't wait, refer to the *Programmer's Reference Guide* or a 6802 Assembler book like Leventhal's.) For example, 'LOAD THE ACCUMULATOR WITH NUMBER 4' has an instruction code of 109 (decimal) followed by the number 4.

There are several ways to load your program - the method used in the example at the beginning of the article was to load it from within a Basic program (you'll see that the numbers in the DATA statement correspond to those in the 'decimal contents' column of Diagram 2) and then type SYS 7200, the program start address.

## Assembly language

Coding the program as in Diagram 2 results in a series of numbers which are pretty hard to decipher. The right-hand column contains the three-letter 6802 mnemonics, though, and these are far more meaningful to the program reader.

These assembly language instructions can be entered directly if you possess Vicmon or a similar assembler; otherwise it's still probably better to write your program in 6802 assembly language first, and then convert it into numbers yourself afterwards.

## To finish off

So far I have not described the functions of the status register or the stack pointer; the latter I'll leave until next time. The status register consists of eight independent bits, each of which is used as a flag which is either set (1) or clear (0).

DIAGRAM 2

## Machine Coding the Alphabet Program

ADDRESS		CONTENTS		VICMON ASSEMBLY INSTRUCTION
DECIMAL	HEX	DECIMAL	HEX	
7200	\$1C30	169	\$A9	LDA #584
7201	\$1C21	6	\$04	
7202	\$1C22	6	\$A2	LDX #51A
7203	\$1C23	26	\$1A	
7204	\$1C24	157	\$FD	STA \$1F07,X
7205	\$1C25	7	\$07	
7206	\$1C26	151	\$97	
7207	\$1C27	282	\$CA	DEX
7208	\$1C28	268	\$DO	BNE \$1C26
7209	\$1C29	250	\$FA	
7210	\$1C2A	162	\$A2	LDX #51A
7211	\$1C2B	26	\$1A	
7212	\$1C2C	128	\$8A	TXA
7213	\$1C2D	157	\$FD	STA \$1F07,X
7214	\$1C2E	7	\$07	
7215	\$1C2F	21	\$1F	
7216	\$1C30	282	\$CA	DEX
7217	\$1C31	268	\$DO	BNE \$1C2C
7218	\$1C32	249	\$F9	
7219	\$1C32	96	\$60	RTS

Bit	Name	Function
0	CARRY	is set when the result of an operation would have more than eight bits
1	ZERO	is set when the result of an operation is zero
2	INTERRUPT	is set by the processor each time there is an interrupt
3	DECIMAL	is set if the 6802 is to perform binary-coded decimal arithmetic
4	BREAK	is set by the processor each time there is a programmed break
5	UNUSED	
6	OVERFLOW	is set when the result of an operation is too large, usually signed binary
7	NEGATIVE	is set when the result of an operation is negative

These flags play a very important role in programming, and we'll need to understand all of them eventually. For now I'll just explain two of them.

First, the zero flag. It is set to 1 automatically by the 6802 each time the result of an operation is zero. The BNE (branch if not

equal to zero) instruction in diagram 2 tests this flag, and depending on whether it is clear or set, it will or will not branch elsewhere in the program.

Second, the decimal flag. It is up to you, the programmer, to decide if you wish to work in binary-coded decimal (BCD) or binary. To communicate your desires to the 6802, the assembly language instruction SED (set decimal) will cause it to operate in BCD mode; CLD (clear decimal) will cause it to operate in binary mode.

And what is BCD anyway, you might ask? It is quite simply the encoding of a single decimal number (from 0 to 9) in four binary digits. For example, 00110010 in binary means "50"; in BCD you read the 0011 (three) as the first digit and the 0010 (two) as the second, giving thirty-two. Obviously, codes in excess of nine (like '11', coded in binary as 1011) are illegal in BCD and must not be used.

Next time we'll take a closer look at some assembly language instructions and something called addressing technique. Meanwhile, maybe you can display some other characters on the screen?

## Classified

STAY FRIDAY TO SUNDAY at one of Worcester's finest hotels and learn "Basic" on Commodore 64s. All rooms have bath, colour TV, etc. 14 hours of instruction from a qualified lecturer, maximum of 20 people on each course. 10 computers. Cost £65.00 fully inclusive. Write for brochure to, Gainsborough House Hotel, Bewdley Rd, Kidderminster, Sal. 0562 754041

### 'MR MOWER MAN'

is a brand new & original cassette-based video game from DATA-BRAIN SOFTWARE for the unexpanded VIC-20. A wild, wild tree-for-all with mad mowers, exploding cricket balls, Post-mortem verdicts, joystick options, stunning state-of-the-art hi-res colour

graphics & authentic acadian sound effects. Fast despatch by first class mail. Only £2.99 totally inclusive. DATA-BRAIN SOFTWARE, 'Greylake', Park Road, Bowdon, Altrincham, Cheshire WA14 3JG. Also available 'CITY BOMBER' £2.49.

## New from INTERFACE PUBLICATIONS

### Mastering the Commodore 64 £7.95

Mark Greenshield  
224 pages

This book is a must for all Commodore 64 users who wish to increase their understanding of how their computer works. Mastering the Commodore 64 contains explanations of how sound and music synthesis, programmable characters, high resolution graphics, function key programming, animation and sprites are done in both BASIC and machine code.

Also available from Interface Publications for the VIC 20  
Zap! Pow! Boom! Arcade Games for the VIC 20 — £7.95  
Getting Acquainted with your VIC 20 — £6.95  
50 Outstanding Programs for the VIC 20 —  
Symphony for a Melancholy Computer — £8.95

Interface Publications, Dept. CC, 44-46 Earls Court Road, London W8 5EA.

I enclose £\_\_\_\_\_ Please send me the books indicated

Mastering the Commodore 64 ☐ Getting Acquainted  
Zap! Pow! Boom! ☐ 50 Outstanding Programs

Name \_\_\_\_\_  
Address \_\_\_\_\_



## ELMHIRST ENTERPRISES

### EDITOR - ASSEMBLER VIC-20 & CBM-64

- ◆ AVAILABLE ON CASSETTE OR DISK - CHOICE OF RUN ADDRESSES
- ◆ FREDITOR, A TEXT EDITOR, - SCREEN SCROLLING IN ALL DIRECTIONS LINE WIDTH 255 CHARACTERS INSTANT MENU, TAB FACILITIES FIND & REPLACE FEATURE DISK DIRECTORY.....
- ◆ OSIRISAN, A SYMBOLIC ASSEMBLER - SOURCE FILE FROM TAPE/DISK OR MEMORY LISTING FILE TO SCREEN OR TAPE/DISK OBJECT TO SCREEN, TAPE/DISK OR MEMORY ASSEMBLER DIRECTIVES, ERROR CHECKING LINE NUMBERING & PROTECTION CHAINING FOR HANDLING LONG FILES SYMBOL TABLE GENERATION.....
- ◆ 40-PAGE MANUAL PLUS HANDY REF GUIDE

CASSETTE £29.50 STATE VIC-20/CBM-64  
DISK £32.50 CASSETTE/DISK

ELMHIRST ENTERPRISES, 99, PORCHMOR ROAD  
NUCCLECOTE, OLUCESTER, ENGLAND  
TEL' (0452) 64938

# Graphics Packages Review

by Mike Todd

Last time I looked at Programmers aids - collections of utility commands to make the task of programming a bit easier and designed specifically for use during the development stage to help in writing and debugging the programs.

Extensions to the Basic language are also available to help programmers. These are intended to eliminate the large number of PEEKs and POKEs, convoluted programming and inside knowledge needed to perform such apparently simple tasks as plotting points on the screen, drawing lines or even just changing the colour of the screen border.

The disadvantage with this sort of package is that not only must it be operating while the program is being developed but also when the program is being run. Portability of the software therefore suffers as it can only be run on suitably equipped machines.

Both Commodore and Stack have produced such packages, both of which require a minimum of 3K expansion, but will work with 8K or more. The Commodore Super Expander is a self-contained cartridge, complete with the extra 3K RAM required: it costs £34.95; the Stack VICKIT III is available as an EPROM chip at £21.85 (which will require a board with a suitable EPROM socket) or as a cartridge for £33.35, but you will need the extra RAM. Stack also has available the Super-charger Plus, which contains the VICKIT I Programmer's Aid, VICKIT III and 3K of RAM for about £56.

Because the Vic requires its memory to be reorganised to enable high-resolution graphics to be used, a command is needed to set this up.

VICKIT III has the command GRAPHICS which does the reorganisation. As a result, it also clears all variables as soon

as it is used: and therefore it's used only once, at the start of a program using graphics.

The graphics screen is selected with CLEAR which sets the character/plotting colour according to x and clears the graphics screen. SCREEN s does the same, except that it

doesn't clear the screen - which has the advantage that you can return to a previously set up graphics screen without it being cleared.

TEXT UPPER (or TEXT LOWER) will return to a cleared text screen.

The Super Expander uses a single GRAPHIC x command, where x determines the graphics mode. If x=2, the high-resolution mode is set: x=0 returns to the normal text screen.

The command can be used anywhere in a program; but as with VICKIT III first time the GRAPHIC x mode is selected it clears all variables. So it should appear at the very start of a program, even if this only selects the high-resolution screen and the program then restores the text screen.

Mode 1 is the so-called 'multi-colour mode' (medium resolution). Mode 3 is effectively a mix of modes 1 and 2, with the actual plotting mode being determined by the character colour in the same way as on the VICKIT III.

Because of the limitations of the Vic's memory, neither package can use the whole of the screen, and the Super Expander reduces the 'window' slightly both horizontally and vertically. It gives a total capability of 160 x 160 plotting points.

The VICKIT III sets the screen to 176 x 176 points, but it will not allow the points to be plotted on the bottom two character lines - which gives the same vertical resolution of 160 points with a slightly wider horizontal capability of 176 points.

Each point on the screen is accessed using x, y coordinates (x is the horizontal position and y the vertical) with the VICKIT III running from 0,0 at the bottom left to 175,169 at top right.

The Super Expander is rather different in that 0,0 is actually at the top left, and the bottom right is 1023,1023. This means that the screen consists of an imaginary 1024 x 1024 points, and all co-ordinates need to be calculated

assuming that this is the case. When it comes to plot the point, the Super Expander 'rounds off' the co-ordinate to the nearest values in the range 0 to 159.

This may seem an odd thing to do, but it allows programs written using the Super Expander equivalent as standard, it would have meant Vic graphics programs could have been used on the 64. They could have taken advantage of the better resolution without any software changes. But it hasn't and so they can't).

## Colours

With high-resolution characters on the Vic, there is a limited number of colours that can appear on the screen.

The graphics screens are actually made up from areas or regions, each 8 dots wide by 16 dots deep, and in this region the dot colour must remain fixed. Plotting a point of a different colour will change all points in that region to the same colour - the character colour.

In high-resolution mode, the only other colour that affects the graphics is the background colour. This means that in these mode, only two colours are definable in each 8 x 16 region. Although the character colour can be different in different regions, the background colour remains the same over the entire screen.


The medium-resolution (multi-colour) mode allows four definable colours in each region, but this results in a halving of the horizontal definition.

In this mode, the four colours are defined as the background colour, the border colour, the character colour and an auxiliary colour. The border colour can be set at any time but in affects only the graphics on the screen in multi-colour mode; so does the auxiliary colour.

The Super Expander has two commands for setting the colour

# The revolution has begun!

The new TV age is here. The days when watching TV was a case of choosing between three broadcast channels are over. The revolution has begun. The TV revolution. Video, video games, home computers, cable, satellite. It's a maze of confusing, exciting options. You need a magazine to help you through the maze, a magazine that tells you *everything* you can do with your TV. TV Choice is out every month. Order your new-look TV Choice now, only 60p.



## The complete home entertainments magazine!

# TV Choice

### SUBSCRIBE

Don't miss a single copy

Send us £7.20 (inc p&p) for a year's subscription today!

TV Choice Ltd, Panther House, 38 Mount Pleasant,  
London WC1

Here's my £7.20. Enter my subscription today.

Name.....

Address.....

registers. The first is **COLOUR** s,b,g,a - where b is the border, c the character and a the auxiliary colour. Obviously, in high-resolution mode, only s and c have any effect on the plotted points. **REGION** c is a command which changes the character colour during graphics work.

The **VICKIT III** has the separate commands **BORDER**

dots on the screen without resorting to complicated **PEEKs** and **POKEs**. **VICKIT III** has commands to **SET**, **RESET** and **INVERT** points, the Super Expander just has a **POINT** command.

In fact there is a difference in philosophy between the two packages. **VICKIT III** always allows you to decide whether points should be set, reset (back

Therefore **POINT 2, 50,50** will set a point at co-ordinate 50,50 using colour register 2, the character colour. Register 0 is the background colour, and so to reset or clear a point, you plot using register 0.

Only registers 0 and 2 are available in high-resolution mode. But provision is made for using the multi-colour mode, with registers 1 (border colour) and 3 (auxiliary) being available.

In these cases, it is the colour register and not an actual colour that is used to plot points, and so, using the **COLOUR** command, it is possible to change these colours at any time - even after the points have been plotted.

Thus 'patent' technique can be very useful in creating exciting colour graphics, and only the Super Expander is really geared up to do this.

## Beyond the single point

Of course, single points can be plotted in sequence to generate lines, boxes and circles, and this can be done in Basic - but it is very slow.

Both packages have a repertoire of line-drawing commands, all using the same basic philosophy as the single-point commands. This can both draw straight lines from one co-ordinate to another, with the **VICKIT III** being additionally capable of drawing a rectangle having been given the co-ordinates of opposite corners (although the **SUPER-EXPANDER** can take a series of co-ordinates in the same command and join these points).

Both allow circles (or parts of circles) to be drawn, although the slightly squashed screen format makes these rather oval. Both packages can however alter the shape of the circles to make them more round, but only the Super Expander does this with any real flair; **VICKIT III** has very severe limitations on the ratio of height to width.

Plotting circles (and lines for that matter) takes quite a while - about a second for a screen-sized circle - and there is not much to choose between the packages in this respect.

## Other Graphics commands

Both can colour areas of the screen enclosed within plotted lines, and both can put text on the screen. The **VICKIT III** is rather more sophisticated with

these facilities - when it fills in an area on the screen, you can actually find out the area that it has covered and its text plotting is quite versatile.

Both can also determine whether or not a point has been plotted, with the Super Expander additionally being able to determine the current graphics mode and the contents of the colour registers from within a program.

That's it as far as the Super Expander's graphics are concerned, although it does have several other features which I'll describe later. **VICKIT III** has some quite powerful additional graphics commands, though.

There is the **DRAW** command, which is really a pseudo-Turtle graphics programming language! It allows a sequence of 'movement' instructions to be built up to draw lines on the screen. These instructions are actually set up as strings and executed using **DRAW**.

There are also single-letter commands to move the plotting point Up, Down, Left, and Right for a specified distance, leaving a trail as it goes. It can Move to a specified point on the screen (absolute or relative co-ordinates can be used) and it can Change colour.

The sequence can also be Turned through a multiple of 90 degrees or Scaled up or down, and being set up in a string, it is possible to actually call one sequence from within another, therefore allowing whole shape 'subroutines' to be generated. This facility could be very useful for games writing as it allows a limited 'player'-graphics feature, with shapes being set up in strings and called by the **DRAW** command as required.

Once a graphics screen has been generated, there is a command **PUT** which allows rectangular areas of the screen to be removed and stored in memory. The shape can then be put back again at the same place or at some other place, in the same orientation or inverted horizontally and/or vertically. The memory used for this storage is actually an array variable and even this can be manipulated. It is stored on a byte-by-byte basis, though, and such manipulations would certainly not be easy.

The **DRAW** and **PUT** commands are extremely sophisticated, and allow some very clever graphics to be created - once done, there is a **COPY** command which will dump the contents of the screen on to the Vic

Product	Super Expander	VICKIT III
Supplier	Commodore	STACK
Price	\$34.95	£21.85
Supplied as:	cartridge (including 3K RAM)	ROM
Located at:	\$A000	\$A000 or \$B000
Initialise with:	Automatic	SYS 4060 or SYS 4506
Disable with:	Not possible	OFF
Setting graphics mode	GRAPHICS mode	GRAPHIC
Selecting colours:	COLOUR b/g, brdr, char, aux	GROUND colour BORDER colour SCREEN colour or CLEAR colour not available
Background border	REGION colour	
Auxiliary		
Setting a point:	POINT x,y [x1,y1,x2,y2]	SET (xy)
Resetting a point:	POINT x,y [x1,y1,x2,y2]	RESET (xy)
Inverting a point:	not available	INVERT (xy)
Drawing a line:	DRAW c,x,y TO x1,y1 [TO x2,y2]	LINE (xy1)-(xy1y2) {k} [can also draw a box]
Drawing a circle:	CIRCLE c,x,y,r	CIRCLE (x,y),r {k,b/w}
Drawing an arc:	CIRCLE c,x,y,r, start, end	CIRCLE (x,y),r,k,b/w,start,end
Fill an area:	PAINT a,x,y	FILL (xy),k
Text display:	CHAR row, column, "TEXT"	WRITE row, "TEXT" POINT up/down/left/right, spacing address
Other commands:	SOUND voice L&R, volume KEY number, "STRING" RGR, RCOLR, RDOT (xy) RBY, RBYN, RBYOT RND PRINT music string	COPY file, device, upr/lwr, size PUT xy < >, (xy)-(xy1,y1) rule DRAW string

## Parameter Abbreviations:

c	- colour register number	start	- arc start and finish points
xy	- co-ordinates	r	- ordinary circle radius
x1,y1	- second co-ordinates	b/w	- height/width ratio of circle
xy1	- x and y radii of circle	k	- indication of Set/Reset/Invert rule
<>	- transfer direction	rule	- logical rule used to plot point

and **GROUND** for changing these colours, and the **CLEAR** or **SCREEN** commands are used to set the character colour. There appears to be no command for setting the auxiliary colour.

## Dot on the screen

The main function of the two packages is to allow you to put

to the background colour so you can't see it or inverted, and thus applies to all its graphics commands. As there is no built-in facility for using the multi-colour mode, all points are set to the colour defined by the **CLEAR** or **SCREEN** commands.

The Super Expander, on the other hand, requires you to specify which colour register you wish to use when plotting points.

printer. Unfortunately, the 'aspect ratio' of the printer will be different to the screen, so circles and squares on the screen will come out elongated on the printer.

Incidentally if you've got a Stack ROM Switchboard, there is a **SWITCH** command too to enable ROMs to be switched in or out.

## Beyond Graphics

The **VICKIT III** is solely a graphics package, but the Super Expander has a range of additional commands available to it.

The **function keys** can all be defined, so that pressing one of them will generate a complete sequence of characters. And the joystick, light pen and paddles can be read into a program using **RJOY**, **RPN** and **RPO** functions.

Sound generation is made easier using one of the two sound commands. First of all, complete chords can be generated using the **SOUND**

**v1,v2,v3,v4,vol** command, where **v1-v4** define the pitch of the four oscillators and **vol** their overall volume. Once this command has been used, the chord stays there until turned off again.

For more 'musical' sound generation, there is a facility which allows musical phrases using single notes to be generated from characters contained within strings in a **PRINT** statement. Any printed string which starts with **CTRL-leh** arrow is interpreted as a musical phrase and the characters following are 'played'.

The sequence of characters uses the letters **A-G** for the notes (sharps and flats can also be used), and there are also control characters to set the duration of each note, and to change the tempo, voice, volume and octave. The notes can also be printed on the screen as they are played (as letters of course!) which could be a useful debugging aid.

There are two possible solutions. Including a cursor home character at the start of the music string will ensure that the

now line never gets to the bottom of the string. Or every music **PRINT** command could be ended with a semi-colon to suppress the new line, although this does mean that you won't be able to turn the music mode off.

## Summary

I find it difficult to choose between these two packages. They are both well thought out and easy to use, but don't think that they'll take all the drudgery out of programming - though they will take some of it away!

The commands that each provides is shown in the table. I haven't provided a comparative rating on each facility this time simply because they both do their jobs equally well.

Both have reasonable instruction manuals; the **VICKIT III** manual is rather more difficult to understand, though, probably as a result of the more sophisticated nature of some of the commands.

Range errors (that is, co-ordinates which are out of range)

are handled slightly differently in the two packages. They both give **ILLEGAL QUANTITY** errors for negative co-ordinates, but co-ordinates above the maximum of the **VICKIT III** are treated as if they were the maximum allowed, with anything over 255 generating an error. The Super Expander accepts values over the upper limit, but ignores them.

If you already use the Stack **VICKIT I**, then I would suggest going for the **VICKIT III**; if you have the Commodore Programmers Aid, go for the Commodore package... but be warned that the two packages are not fully compatible. For instance, problems can occur if you try to find Super Expander keywords using the Programmers Aid!

Overall, I would suggest the Commodore Super Expander is a slightly better buy with those extra commands available. On the other hand, the **VICKIT III** could be worth considering if you don't want these extras but would like rather more sophisticated graphics packages.

## DUCKWORTH HOME COMPUTING

a new series

All books written by Pete Gerrard, former editor of Commodore Computing International, author of two top-selling adventure games for the Commodore 64 and a regular contributor to Personal Computer News, Which Micro? and Software Review.

### USING THE COMMODORE 64

A complete look at the latest home computers from Commodore Success Machines. Starting with a refresher course in basic programming, it moves on through machine code, before considering in great detail sprites, graphics and sound. A section on peripherals and then the heart of the book, an in-depth look at the chips that make it work, including the 6801 Sound Interface Device and the 6566 Video Controller Chip, as well as the heart of the computer, the 6502. The comprehensive appendices cover the full Basic and Machine Code instruction sets, as well as several useful reference tables, and a complete machine code assembler/disassembler listing. 384 pages September £9.95

### EXPLORING ADVENTURE GAMES ON THE COMMODORE 64

The complete guide to computer adventure games, playing, writing and solving them. Starting with an introduction to adventures, and their early history, it takes you gently through the basic programming necessary on the 64 before you can start writing your own games. Inspiring of all manner of room mapping, movement, vocabulary and everything required to write an adventure game are explored in full detail. Then follow a number of adventure scenarios, and finally three complete listings, written specially for the 64. 256 pages September £6.95

Other titles in the series include *The Beginner's Guide to Computers & Computing*, *Sprites & Sound on the 64*, *12 Simple Electronic Projects for the VIC*, *Will You Still Love Me When I'm 64*, *Advanced Basic & Machine Code Programming on the VIC*, *Advanced Basic & Machine Code Programming on the 64*, *Exploring Adventures on the VIC* as well as *Pocket Handbooks for the VIC*, *64 Dragon*, *Spectrum* and *BBC Model B*. Write in for a descriptive leaflet.



DUCKWORTH

The Old Piano Factory 43 Clonsilla Crescent London NW1 1DY Tel. 01-485 3494

# VIC 20 DOES THE POOLS

Win on the Pools with the help of this great package. The cassette contains

three files:

**CLUB FILE** — holds the names of football clubs from any division

**FORECAST** — does the forecasts for you

**RESULT** — type in the results each week and hold the records

— Plus a comprehensive instruction manual which tells you exactly what to do.

All this at a recommended price of only £12.00 (this includes cassette, manual, VAT and P&P).

Also available on floppy disc.

Please indicate memory size when ordering.


So send now to:

**DAMISO**

PO BOX 743 2450 COPENHAGEN SV DENMARK



# STONECHIP ELECTRONICS



For your VIC 20 and COMMODORE 64

## Vixen RAM Cartridge

Switchable between 16K, 11K, 8K and 3K

Gives you the option of full 16K RAM or 8K and 3K RAM in one package. When added to a standard Vic-20 gives 16384 bytes of extra memory in memory blocks 1 and 2 or 3092 bytes of extra memory into the 3K memory block AND 8192 bytes of extra memory switchable between memory blocks 1 and 3.


- Fully compatible with available motherboards/modules
- Simply plugs into the rear expansion port of computer
- No re-addressing of existing basic programs needed
- Also available from Books, Lasky's Orbit and all good computer retailers.

£34.95



## 16K RAM Cartridge


Non switchable



£22.50 Last remaining stock!

## VIXEN SWITCHABLE MOTHERBOARD

Gives four expansion slots for VIC-20 cartridges, two slots fully switchable. Custom-designed case. Plugs directly into computer ROM socket for expansion. No extra power supply needed.



£31.95

## Light pen for the Vic 20

Draw in colour directly on your TV screen with software provided. Save to cassette.

Plugs directly into games port of your Vic-20



£19.95

## PROGRAMMER'S AID

18 NEW commands for your VIC-20 including renumber, auto line, sound, cursor XY, trace, block delete paper, border, edit - all in fast machine code.

Available in:

Rom to plug in your Vixen Switchable Motherboard

or in Cartridge form



£15.00


£22.50

## JOYSTICK

Fantastic one handed operation joystick with rapid fire button. Ideal for those faster games. The stick with a difference

£20.00

It costs more, but you'll agree it's worth it!



Most items delivered from stock, however allow approx 28 days for delivery

All products fully guaranteed 1 year

To Stonechip Electronics, Unit 9 The Brook Trading Estate, Southbrook Lane, Aldershot, Hants. Telephone (0252) 318260. Please forward me the following products

All prices are inclusive of VAT. Post & Packaging for U.K. deliveries (overseas add 15%)

Name

Address

**STONECHIP ELECTRONICS**  
DEALER ENQUIRIES WELCOME

## Catalogue of Sounds

by Paul Tervo

This collection of sound-generating routines took over six months to get from Paul to me (Sweden isn't that far away) and arrived mangled in a Post Office bag. Deciphering the bits we ended up with this collection of sound routines for the unexpanded Vic.

We tweaked one or two of them and ran them together into one program just so that we didn't lose any; pack out the routine you want.

We're interested in hearing any other interesting sounds, so keep them coming folks!



```
1000 REM ***** SOUND *****
1010 REM *** SUPER EXPANDED ***
1020 REM ***** SOUND *****
1030 REM ***** SOUND *****
1040 REM ***** SOUND *****
1050 REM ***** SOUND *****
1060 REM ***** SOUND *****
1070 REM ***** SOUND *****
1080 REM ***** SOUND *****
1090 REM ***** SOUND *****
1100 REM ***** SOUND *****
1110 REM ***** SOUND *****
1120 REM ***** SOUND *****
1130 REM ***** SOUND *****
1140 REM ***** SOUND *****
1150 REM ***** SOUND *****
1160 REM ***** SOUND *****
1170 REM ***** SOUND *****
1180 REM ***** SOUND *****
1190 REM ***** SOUND *****
1200 REM ***** SOUND *****
1210 REM ***** SOUND *****
1220 REM ***** SOUND *****
1230 REM ***** SOUND *****
1240 REM ***** SOUND *****
1250 REM ***** SOUND *****
1260 REM ***** SOUND *****
1270 REM ***** SOUND *****
1280 REM ***** SOUND *****
1290 REM ***** SOUND *****
1300 REM ***** SOUND *****
1310 REM ***** SOUND *****
1320 REM ***** SOUND *****
1330 REM ***** SOUND *****
1340 REM ***** SOUND *****
1350 REM ***** SOUND *****
1360 REM ***** SOUND *****
1370 REM ***** SOUND *****
1380 REM ***** SOUND *****
1390 REM ***** SOUND *****
1400 REM ***** SOUND *****
1410 REM ***** SOUND *****
1420 REM ***** SOUND *****
1430 REM ***** SOUND *****
1440 REM ***** SOUND *****
1450 REM ***** SOUND *****
1460 REM ***** SOUND *****
1470 REM ***** SOUND *****
1480 REM ***** SOUND *****
1490 REM ***** SOUND *****
1500 REM ***** SOUND *****
1510 REM ***** SOUND *****
1520 REM ***** SOUND *****
1530 REM ***** SOUND *****
1540 REM ***** SOUND *****
1550 REM ***** SOUND *****
1560 REM ***** SOUND *****
1570 REM ***** SOUND *****
1580 REM ***** SOUND *****
1590 REM ***** SOUND *****
1600 REM ***** SOUND *****
1610 REM ***** SOUND *****
1620 REM ***** SOUND *****
1630 REM ***** SOUND *****
1640 REM ***** SOUND *****
1650 REM ***** SOUND *****
1660 REM ***** SOUND *****
1670 REM ***** SOUND *****
1680 REM ***** SOUND *****
1690 REM ***** SOUND *****
1700 REM ***** SOUND *****
1710 REM ***** SOUND *****
1720 REM ***** SOUND *****
1730 REM ***** SOUND *****
1740 REM ***** SOUND *****
1750 REM ***** SOUND *****
1760 REM ***** SOUND *****
1770 REM ***** SOUND *****
1780 REM ***** SOUND *****
1790 REM ***** SOUND *****
1800 REM ***** SOUND *****
1810 REM ***** SOUND *****
1820 REM ***** SOUND *****
1830 REM ***** SOUND *****
1840 REM ***** SOUND *****
1850 REM ***** SOUND *****
1860 REM ***** SOUND *****
1870 REM ***** SOUND *****
1880 REM ***** SOUND *****
1890 REM ***** SOUND *****
1900 REM ***** SOUND *****
1910 REM ***** SOUND *****
1920 REM ***** SOUND *****
1930 REM ***** SOUND *****
1940 REM ***** SOUND *****
1950 REM ***** SOUND *****
1960 REM ***** SOUND *****
1970 REM ***** SOUND *****
1980 REM ***** SOUND *****
1990 REM ***** SOUND *****
2000 REM ***** SOUND *****
```



## The Over Command

by Leonard Morrow

Not so much a routine, more a revelation. Did you know that there's a hidden command in the Super Expander? Leonard Morrow found it: it's **OVER**, and it allows you to draw, paint or circle over a coloured line in the background colour.

You use it as a suffix — **DRAW OVER**, **PAINTOVER** or **CIRCLEOVER**. What it does is to remove a graphic line from the screen without removing any other lines, so it's a kind of controlled

version of **SCNCLR** which of course removes everything.

This short program demonstrates the availability of **OVER** as used with **DRAW**.



```
1 REM *** DRAWOVER DEMO ***
2 REM *** FOR SUPER EXPANDED ***
3 REM *** BY LEONARD MORROW ***
10 GRAPHIC2 COLOR A 0.1.1
20 CHAR 17.2 "DEMONSTRATING THE"
30 CHAR 19.2 "COMMAND 'DRAWOVER'"
38 X=0 Y=100 X1=0 Y1=600
39 IF Y1>200 THEN X=X+1 X1=X+1
40 DRAW X,Y,X1,Y1
41 Y=Y+6 Y1=Y1+6
60 DRAWOVER X,Y,X1,Y1
70 GOTO35
```

## On error go to

by Andy Pearce

```
10 REM ***** ON ERROR GO TO *****
11 REM ***** ON ERROR GO TO *****
12 REM ***** ON ERROR GO TO *****
13 REM ***** ON ERROR GO TO *****
14 REM ***** ON ERROR GO TO *****
15 REM ***** ON ERROR GO TO *****
16 REM ***** ON ERROR GO TO *****
17 REM ***** ON ERROR GO TO *****
18 REM ***** ON ERROR GO TO *****
19 REM ***** ON ERROR GO TO *****
20 REM ***** ON ERROR GO TO *****
21 REM ***** ON ERROR GO TO *****
22 REM ***** ON ERROR GO TO *****
23 REM ***** ON ERROR GO TO *****
24 REM ***** ON ERROR GO TO *****
25 REM ***** ON ERROR GO TO *****
26 REM ***** ON ERROR GO TO *****
27 REM ***** ON ERROR GO TO *****
28 REM ***** ON ERROR GO TO *****
29 REM ***** ON ERROR GO TO *****
30 REM ***** ON ERROR GO TO *****
31 REM ***** ON ERROR GO TO *****
32 REM ***** ON ERROR GO TO *****
33 REM ***** ON ERROR GO TO *****
34 REM ***** ON ERROR GO TO *****
35 REM ***** ON ERROR GO TO *****
36 REM ***** ON ERROR GO TO *****
37 REM ***** ON ERROR GO TO *****
38 REM ***** ON ERROR GO TO *****
39 REM ***** ON ERROR GO TO *****
40 REM ***** ON ERROR GO TO *****
41 REM ***** ON ERROR GO TO *****
42 REM ***** ON ERROR GO TO *****
43 REM ***** ON ERROR GO TO *****
44 REM ***** ON ERROR GO TO *****
45 REM ***** ON ERROR GO TO *****
46 REM ***** ON ERROR GO TO *****
47 REM ***** ON ERROR GO TO *****
48 REM ***** ON ERROR GO TO *****
49 REM ***** ON ERROR GO TO *****
50 REM ***** ON ERROR GO TO *****
51 REM ***** ON ERROR GO TO *****
52 REM ***** ON ERROR GO TO *****
53 REM ***** ON ERROR GO TO *****
54 REM ***** ON ERROR GO TO *****
55 REM ***** ON ERROR GO TO *****
56 REM ***** ON ERROR GO TO *****
57 REM ***** ON ERROR GO TO *****
58 REM ***** ON ERROR GO TO *****
59 REM ***** ON ERROR GO TO *****
60 REM ***** ON ERROR GO TO *****
61 REM ***** ON ERROR GO TO *****
62 REM ***** ON ERROR GO TO *****
63 REM ***** ON ERROR GO TO *****
64 REM ***** ON ERROR GO TO *****
65 REM ***** ON ERROR GO TO *****
66 REM ***** ON ERROR GO TO *****
67 REM ***** ON ERROR GO TO *****
68 REM ***** ON ERROR GO TO *****
69 REM ***** ON ERROR GO TO *****
70 REM ***** ON ERROR GO TO *****
71 REM ***** ON ERROR GO TO *****
72 REM ***** ON ERROR GO TO *****
73 REM ***** ON ERROR GO TO *****
74 REM ***** ON ERROR GO TO *****
75 REM ***** ON ERROR GO TO *****
76 REM ***** ON ERROR GO TO *****
77 REM ***** ON ERROR GO TO *****
78 REM ***** ON ERROR GO TO *****
79 REM ***** ON ERROR GO TO *****
80 REM ***** ON ERROR GO TO *****
81 REM ***** ON ERROR GO TO *****
82 REM ***** ON ERROR GO TO *****
83 REM ***** ON ERROR GO TO *****
84 REM ***** ON ERROR GO TO *****
85 REM ***** ON ERROR GO TO *****
86 REM ***** ON ERROR GO TO *****
87 REM ***** ON ERROR GO TO *****
88 REM ***** ON ERROR GO TO *****
89 REM ***** ON ERROR GO TO *****
90 REM ***** ON ERROR GO TO *****
91 REM ***** ON ERROR GO TO *****
92 REM ***** ON ERROR GO TO *****
93 REM ***** ON ERROR GO TO *****
94 REM ***** ON ERROR GO TO *****
95 REM ***** ON ERROR GO TO *****
96 REM ***** ON ERROR GO TO *****
97 REM ***** ON ERROR GO TO *****
98 REM ***** ON ERROR GO TO *****
99 REM ***** ON ERROR GO TO *****
100 REM ***** ON ERROR GO TO *****
```

## Instant data


by Ian Creasey

One of our more prolific regular correspondents, Ian Creasey from Stockport, has sent us a whole wodge of stuff over the past few months. Here's a clever little program that helpfully creates lines of Basic with your machine code as DATA in it — as Ian remarks, it's a real drag having to write loads of DATA statements in a Basic loader when you've written a machine-code program.

All you have to do is type the start line number, the start of the machine code, and the end of the code, separate those entries with commas. Presto! New lines of DATA will be created.

When it's running you may get a series of depressing screen messages (like OUT OF DATA, RUN, READY, GOTO) — but you can ignore them all. The one you're looking for is 'OK', which means the program is finished.

Then you must delete the lines which did the magic deed; they are 5, 10, 20, 30, 40, 50, 60 and 70. Now if you type LIST your program will appear as DATA statements. Wonderful, eh?



```
5 REM***C TO DATA***BY IAN CREASEY***
10 INPUTSL,S:E POKE0,SL/10*POKE2,S/256 POKE1,S-PEEK(2)*256+POKE194,E/256+POKE193
,E-PEEK(194)*256
20 I$="GOTO50"+CHR$(13):FORI=0TO6:POKE631+I,ASC(MID$(I$,I+1,1)):NEXT:POKE198,7
30 FORI=PEEK(1)+PEEK(2)*256TOPEEK(193)+PEEK(194)*256 REPEAT:IFPEEK(I)<>JTHENPOKE1
98,0 STOP
40 NEXT:PRINT"OK" POKE198,0 END
50 PRINTPEEK(0)*10"DATA", POKE0,PEEK(0)+1:J=I+15 K=PEEK(193)+PEEK(194)*256 IFJ>K
THENJ=K
60 FORI=1TOJ I$=STR$(PEEK(I)) PRINTRIGHT$(I$,LEN(I$)-1),"":NEXT:PRINT"[CUL]" "P
RINT"RUN20":
70 POKE631,145:POKE632,145 POKE633,145:POKE634,13:POKE635,13:POKE198,5
```

## Random Array

This routine from Dr. D. Barton of Hampstead fills an array with different random numbers.

If you are dealing with a pack of cards, you obviously don't want the Ace of Spades to be dealt twice (although funny things like that do happen when our Production Editor is playing poker). The program has uses three variables, X, Y and Z, which could be replaced by constants in a particular application.

These variables have the following uses

- X: number of possible numbers
- Y: lowest possible number
- Z: number of random numbers required.

by D Barton

The values are integers and are held in an array Q, which should have been dimensioned earlier in the program.

Note that Z must be  $\geq X$ , and that the highest possible number is  $X+Y$ . So here, for your delectation, is the routine

```
100 FOR J=1 TO Z
105 Q(J)=INT(RND(1)*X)+Y: C=0:REM set up array element
110 FOR K=1 TO J:REM check number does not already exist
115 IF Q(J)=Q(K)-K THEN C=1
120 NEXT K
125 IF C=1 THEN 105:REM yes it does, try again!
130 NEXT J
```

There is a slight problem in that line 115 always compares element Q(J). This presumably contains 0 (as it has never been set up), so none of the other elements can have 0 either. If this is going to be a difficulty you can alter the routine by adding an IF statement before line 110 to avoid the test when J=1 and then make the K-loop run from 1 to J-1. A neater way is just to set Q(0) to an impossible value, say -1, before the start of the routine.

## CBM 64 — VIC PRINTER

for only £68.95

Probably the world's cheapest Vic/64 Printer! Put a Sinclair ZX Printer (order Printer and Power supply from Sinclair or many High Street stores — R.R.P. £48) on your Vic/64 using the

### SOFTTEX PRINTERFACE

- Costing only...£19.95 + £1 P&P.
- Complete system...£68.95 + £2.95 P&P.
- Very high resolution graphics (higher than Vic!)
- Full Vic/Pet character set + user defined graphic characters
- 43 Column Printer with superb formatting facilities
- Operating commands same as Commodore Vic/64 printer
- Simple to use! No extras required

Send orders/enquiries (dealer enquiries welcome) to:

**SOFTTEX COMPUTERS**  
Department U1, 37 Whealon Road,  
Bournemouth BH7 6LH  
Tel 0202 422028

## Big race

```

10 POKE3679,124 PRINT"[CLR][CUD][CUD][CUD][CUD][CUD][CUD][CUD][RED]  (R
V5)THE BIG RACE" GOSUB550
20 PRINT"[CUD][CUD][CUD][CUD][WHT]  [RVS]BY JOHN TULLY" GOSUB550
30 PRINT"[CUD][CUD][CUD][CUD]THIS GAME IS FOR UP TO[CUD]  SIX PLAYERS" GOSUB
550
40 PRINT"[CUD][CUD][BLU]EACH PLAYERS NAME MUST[CUD] BE ENTERED AGAINST[CUD]IT
E CHOSEN LANE NUMBER" GOSUB550
50 PRINT"[CUD][RED]  FOR UNPAID LANCES  [CUD]INIT [RVS]RETURN" GOSUB550
60 PRINT"[CUD][CUD][BLK]INIT [RVS]SPACE[RVO] TO START THE[CUD]RANDOM NUMBER SEQUE
NCE"
70 PRINT "IN THE 'LANE REVANCE'" GOSUB550
80 PRINT"[CUD][CUD][PUR]INIT [RVS]SPACE[RVO] POPIN TO TRY[CUD] TO STOP THE NUMBE
R"
90 PRINT"[CUD] ON [RVS]YOUR[RVO] LANE NUMBER" GOSUB550
100 PRINT"[CUD][CUD][WHT]THE NUMBER YOU STOP ON[CUD]WILL ADVANCE THAT LANE[CUD]
ONE SPACE" GOSUB550
110 PRINT"[CUD][CUD][RVS][BLU]EACH PLAYER HAS 3 GOES" GOSUB550
120 PRINT"[CUD][CUD][RVS][PUR][CUD]THE COMPUTER CHOOSES[CUR][CUD][CUR][CUD]WHO G
OES FIRST AND"
130 PRINT"[CUD][RVS]SHOWS WHOSE TURN IT IS" GOSUB550
140 PRINT"[CUD][CUD][RED]THE FIRST TO REACH THE  [CUD]BOTTOM LINE WINS" GOSUB55
0
150 PRINT"[CUD][CUD][BLU] IF WHOSEY HAS CHOSEN  [CUD]THE WINNING LANE"
160 PRINT"[CUD]THEN THE COMPUTER WINS" GOSUB550
170 POKE3679,232 PRINT"[CLR][RVS][PUR]  ** THE BIG RACE **  [RVO] [RED] LANE H
UNDER 123456"
180 FORW=1040STEP22 POKE7762+H,160 POKE38422+H,1:POKE7723+H,160 POKE3843+H,1
190 POKE7716+H,160 POKE3843+H,1 NEXT PRINT"[DOM][CUD][CUD][CUD][CUD][CUD][CUD]ST
PRT-[RVO][RED][CYN][CBLU][C][PUR]*[VEL][0][BLK][RVS][WHT]-"
200 FORW=1021:POKE8164+H,170 POKE39804+H,4 NEXT
210 PRINT"[DOM][CUD][CUD][CUD][CUD][CUD][CUD][RED]NEXT PLAYER" PRINT"[CUD][CUR]IS" PR
INT"[CUD][CUD][CUD][WHT]ADVANCE" PRINT"[CUD][CUR]LANE"
220 PRINT"[CUD][CUD][CUD][CUD][CUD][CUD][CUD][RED]NEXT PLAYER" INPUT"[VEL][CUR]
2[PUR],P2 INPUT"[VEL][CUR]3[PUR],P3
230 INPUT"[VEL][CUR]4[PUR],P4 INPUT"[VEL][CUR]5[PUR],P5 INPUT"[VEL][CUR]6[PUR]
,P6
240 P=INT(RND(1)*6)+1
250 RESTORE
260 A=7739 B=7740 C=7741 D=7742 E=7743 F=7744 K=0 J=0
270 A+J IF A=THEN K=K+1
280 A+J IF A=THEN K=K+1
290 PRINT"[CUD][BLK][RVS][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD]
LEFTS(P,10)
300 GETA "[RVS]" THEN290
310 S=INT(RND(1)*6)+1 PRINT"[DOM][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD]
CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD]
310 FORW=104000 NEXT
320 GETB "[RVS]" THEN300
330 IFB=THENK=K+2 Z=65 A=22
340 IFB=2THENK=K+3 Z=61 B=422
350 IFB=3THENK=K+6 Z=60 C=422
360 IFB=4THENK=K+4 Z=60 D=422
370 IFB=5THENK=K+7 Z=62 E=422
380 IFB=6THENK=K+0 Z=63 F=422
390 POKEX,32 K=K+22 POKEX,Z POKEX+38720,Y
400 IFK=164THEN420
410 GOTOT2
420 POKE3679,15 RESTORE
430 DATA231,3,225,3,215,6,0,2,195,2,215,6,-1,-1
440 IFD=1THENPOKE3679,0 POKE36875,0 GOTOT460
450 POKE36875,0 FORW=17050000 NEXT GOTOT420
460 J=1 P=5 GOTOT570
470 IFP=1THENP=P+1
480 POKE3679,25 PRINT"[CLR][CUD][CUD][CUD][CUD][CUD][CUD][CUD][RED]THE BIG RACE IS OVER
[CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD][CUD]THE WINNER IS"
490 PRINT"[CUD][CUD]  [RVS][PUR], LEFTS(P,10)
500 PRINT"[CUD][CUD] [RVS][CYN]WELL DONE "LEFTS(P,10)
510 PRINT"[CUD][CUD] [RVS][BLU]DANCE AGAIN ? (Y/N)"
520 GETB "[RVS]" THEN170
530 IFB="Y"THENPRINT"[CUD][CUD] [RVS][VEL]DANCE YME FOR HOW THEN" END
540 GOTOT570
550 FORW=1022000 NEXT RETURN
560 IFP=1THENP=P+1
570 IFP=1THENP=P+1
580 IFP=2THENP=P+2
590 IFP=3THENP=P+3
600 IFP=4THENP=P+4
610 IFP=5THENP=P+5
620 IFP=6THENP=P+6
630 IFJ=1THEN470
640 IFP=1THENP=P+1 GOTOT560
650 RETURN

```

This is a game for up to six players, in which each player chooses a lane and tries to advance the symbol in that lane to the bottom of the screen.

The computer asks for the players' names to be entered in sequence against the chosen lane numbers. If there are less than six players then hit return for the lanes not chosen (these can be any of the six lanes). The computer then decides at random which player goes first, and displays the name on the screen. Thereafter, the players go in the order of lane numbers, the sequence being repeated until the race is won.

To play the game, the first player hits the space bar. This starts a sequence of random numbers which are displayed consecutively on the screen. Hitting the space bar a second time halts the display and the symbol in the lane corresponding to the number showing is advanced one space.

Subsequently hitting the space bar alternately starts and stops the display. Each player has three consecutive goes after which the name of the next player will be displayed on the screen.

The game ends when one symbol reaches the bottom of the screen. This will result in a fanfare and the winner's name being displayed. If the winning symbol was not one of those selected by the players, then the computer will be declared the winner.

### List of variables:

- A,B,C,D,E,F are the positions of the various symbols in the six lanes
- Y and Z are the shape and colour of the symbol to be moved
- S and X determine which lane advances
- P controls the next player display

### Program Sections

- Lines 260-320 print the background display
- Lines 330-340 ask for the players' names
- Line 350 select which player goes first
- Lines 370-520 control the motion of the symbols
- Line 410 is the random lane number generator
- Lines 530-560 play fanfare
- Line 600 controls speed of instructions at beginning of program

by J A Tully



Victims

It's 'One Man and a Dog' time: you have to move the sheepdog to round up the sheep (you pick how many sheep you want to work with) and get them into the pen. The program's verisimilitude is illustrated by the built-in stupidity of the sheep and their tendency to bolt if your dog gets too close: when the sheep are all

penned, move the dog into the entrance to stop them escaping (and to stop the game too).

Our only criticism: it's possible to park the dog right next to a sheep that simply won't budge at all — not very realistic. But generally a good game.



## Poster print

If you have a Vic with at least 38K expansion and a printer, you might like this poster designer. It only gives capitals and graphics, but it's quite fun.

The screen is formatted with a 15x10 grid and an asterisk cursor which can be moved around to construct poster text. When the poster is complete, pressing the back arrow key (←) removes the cursor and the program gets on with preparing the poster for print — this is rather slow, so a progress report is given — and eventually the poster is output to the printer. The option for immediately reprinting is then given.

Lines 160-200 format the screen, 210-230 enable entry of poster and screen characters, and the GOSUB 320 positions the cursor within the grid.

Lines 340-380 scans the grid for preparation. The GOSUB 570 checks the character ROM for bit values of the character and forms a print string for each line in L\$(15,77).

Lines 390-420 print the poster.  
The GOSUB 500 prints a blank  
line (flagged by BL(15)) to speed  
up blank lines.

Lines 430-490 prompt for reprint  
or a new poster

by Roger Peacock

[illegible]

# User Groups

## Britain—national

**ICPUG**  
(Independent Commodore  
Products User Group)  
Membership Secretary  
30 Brancaster Road  
Newbury Park  
Ilford  
Essex IG2 7EP

*established and active, with  
good bi-monthly newsletter  
and lots of local groups (some  
listed here if they seem  
especially Vic-oriented).  
ICPUG shares Mike Todd with  
us for Vic matters. Annual sub  
£7.50.*

## London

Association of London  
Computer Clubs  
13 Compton Road  
London N1 2PA

*an umbrella organisation  
for two dozen London-area  
organisations. ALCC organises  
the London Computer Fair  
among other things.*

North London Hobby  
Computer Club  
c/o Dept of Electronic &  
Computer Engineering  
Polytechnic of North London  
Holloway Road, London N7 8DB

*£85 pa for adults, £5 for  
unemployed and Poly  
students. Highly organised,  
250 members, lots of  
subsections including one for  
Vic. They also run the  
Association of London  
Computer Clubs.*

Vic 20 User Group  
c/o Jim Chambers  
Dept of Psychology  
University College  
26 Bedford Way  
London WC1. 30p par meeting

## Berks

ICPUG Slough  
c/o Brian Jones  
Slough College of Higher  
Education  
Wellington Street  
Slough

*£5 pa Includes Vics*

## Bucks

Richard Onion  
19 Frogmoor Close  
Hugghenden Valley  
High Wycombe

*was trying to set up a local  
Vic group*

## Derby

ICPUG Derby  
c/o Ray Davies  
105 Nonnanton Road  
Derby DE1 2QG  
*... £3 pa. Includes Vics.*  
Derby Microcomputer Society  
c/o M. Riordan  
Littleover Church Hall  
Shepherd Street  
Littleover £5 pa Includes Vics

## Dorset

Bridport Computer Club  
c/o M J Higgins  
28C Transmuting Station  
Rampallam Down  
Maiden Newton  
Dorchester Started in January.  
Bournemouth Computer Club  
c/o Peter Dibbs  
54 Runnymede Avenue  
Bournemouth BH11 9SE  
*... £5 pa, 100 members.  
Includes Vics.*

## Essex

Basildon Computer Club  
c/o Peter Silver  
24 Havenport  
Pitsea £5 pa Includes Vics  
Brentwood Microcomputer  
Club  
c/o Allan Holland  
212 Woodland Avenue  
Hutton  
Brentwood CM13 1DA  
*... Includes a section devoted  
to Commodore users, mostly  
Vics*  
ICPUG Essex  
c/o Tony Surndge  
97 Shelley Road  
Chelmsford

## Gloucester

ICPUG West of England  
c/o Janet Rigg  
Rose Cottage 20 Old Court  
Springhill  
Glos GL11 6PF

## Hampshire

ICPUG Hants  
c/o Ron Ceere  
109 York Road  
Farnborough  
Southampton ACC  
c/o Paul Blitz  
Gardenways  
Chilworth Tower  
Chilworth  
Southampton SO1 7JH  
*... Local branch of Amateur  
Computer Club, 100 members.  
£5 pa includes Vics.*

**We've been collecting and updating our information on users' clubs and groups that Victims might want to join. Here's the list so far — and clubs not listed are invited to contact us with information.**

## Herts

ICPUG North Herts  
c/o Brian Crumpler  
73 Minehead Way  
Stevenage SG1 2HZ  
*£7.50 pa. Includes Vics.*  
CRS Home Computer Club  
c/o Robert Crutchfield  
2 Durham Road  
Stevenage SG1 4HS  
*50p per meeting Includes  
Vics.*

## Humberside

Grimby Computer Club  
c/o J. Lee  
29 Park View  
Cleethorpes DN38 7TC  
*... £8 pa. Includes Vics.*  
Scunthorpe Computer Club  
c/o D. Needham  
37 High Lees Road  
Scunthorpe DN17 2QA  
*£5 pa Includes Vics*

## Kent

Gravesend Computer Club  
c/o The Extra Tutor Centre,  
39 The Terrace, Gravesend  
Kent DA12 2BA  
*... £5 pa (£3 for unwaged).  
About fifty members with a  
variety of machines including  
Vic.*  
Orpington Computer Club  
c/o Roger Pyatt  
23 Arundel Drive Orpington  
*... Includes Vics — and  
CB/RTTY, if that's your bag.*

North Kent ACC  
c/o Ian House  
28 Canadian Avenue  
Canford London SE6 3AS  
*... Local branch of Amateur  
Computer Club. Meets in  
Biggin Hill.*

## Lancs

North Lancs Computer Users  
Group  
c/o M. Forham  
14 Arundel Drive  
Carlton Blackpool  
*... £1 pa Includes Vics.*

Vic Burnley  
c/o John Ingham  
72 Ardwick Street Burnley  
*... Proposed club.*

Microcomputer Users  
c/o Dave Walsh  
19 St Margaret's Way  
Blackburn  
*... Includes Vics £2.50 pa*

## Leicestershire

Beaumont Leys Micro Club  
c/o I. Lamb  
103 Lams Grove Road  
Beaumont Leys LE4 0UF  
*... £2.50 pa unwaged, £5 pa for  
others. Seems very active —  
three meetings a week! Mostly  
Vics*

## Merseyside

Wirral Microcomputer Users  
Group  
c/o Mike Keegan  
208 Holmlands Drive Oxton  
Birkenhead £5 pa Includes Vic

## Norfolk

Vic 20 Cromer  
c/o J. Blair  
7 Beach Road Cromer  
*... Proposed club based on  
local ICPUG branch*

## Ireland

Irish Amateur Computer Club  
c/o Martin Stapleton  
48 Seacourt Dublin 3  
*... has a Vic section.*

East Antrim Computer Club  
c/o David Bolton  
19 Carnockburn Road  
Carnockriggs Co. Antrim  
*£5 pa David writes for us  
occasionally*

## USA

Vic Users Group  
c/o Paul V. Muffoletto  
1206 N Fraser Drive  
Mesa, AZ 85203

California VIC Users Group  
c/o Data Equipment Supply  
Corp., 8318 Firestone Blvd  
Downey, CA 90241

VIC 20 Software Exchange  
Club  
2130 Colby Avenue  
West Los Angeles, CA 90025

64 Users Group  
c/o E. R. Kennedy  
6029 Costa Costa Road  
Oakland, CA 94618

VICIMPET Users' Group  
c/o Louis Roehrs  
4 Warmg Lane, Greenwood  
Village Littleton, CO 80121

VIC Users Club  
c/o Edward Barszczewski  
22 Tunns Road  
West Hartford, CT 06107

VIC Users Club  
c/o Ray Thuppen  
4071 Edgewater Drive  
Orlando, FL 32804

Sun Coast Vics  
c/o Mark Weddell  
P.O. Box 1042  
Indian Rocks Beach,  
FL 33533

VIC 20/64 Users Support  
Group  
c/o David R. Tarvin  
114 St. Clark Street  
Pana, IL 62957

PET VIC Club (PVC)  
c/o Paul Schmidt  
40 S. Lincoln  
Mundelein, IL 60066

VIC Chicago Club  
c/o John L. Rosengarten  
3622 N. Bell Avenue  
Chicago, IL 60618

DePage-64  
c/o Gus Pagnotta  
708 Prairie Avenue  
Glen Ellyn, IL 60137

Eastern Massachusetts Vic  
Users Group  
c/o Frank Orday  
71agg Road  
Marlboro, MA 02173

VIC Users Group  
c/o Diane Hoffman-Scholar  
153 Garden Street  
Needham, MA 02192

VIC Users Club  
c/o John Gannon  
University of Michigan  
School of Public Health  
Ann Arbor, MI 48109

LIVE (Long Island VIC  
Enthusiasts)  
c/o Arnold Friedman  
17 Pinedale road  
Great Neck, NY 11033

VIC Users Club  
c/o Michael Frantz  
76 Radford Street  
Barn Island, NY 10314

VIC Users Club  
c/o Christopher  
Kawarucki  
14 Harvey Avenue  
Barn Island, NY 10314

Westchester County VIC  
Users Group  
c/o Joe Brown  
P.O. Box 146  
Feham, NY 10562

VIC 20 Users Club  
c/o Jean F. Coppola  
151-28 22nd Ave.  
Whitestone, NY 11357

VIC 20 Users Club  
c/o Gary Overman  
339 Park Avenue  
Babylon, NY 11702

VIC Users Club  
c/o David C. Fortenberry  
Route 3, Box 351  
Lincolnton, NC 28092

Nashville VIC Users Group  
c/o Jane Maggard  
American Computer Store  
1004 8th Avenue, S.  
Nashville, TN 37203

The VIClac  
c/o Steve Graham  
798 Ponderosa Drive  
Sandy, UT 84070

VIC Users Group  
c/o Dick Rossmgno  
Rt. 2, Box 180  
Lynchburg, VA 24501

VIC Users Group  
c/o Donnie L. Thompson  
1502 Harvard Rd  
Richmond, VA 23226

PET/64 Users  
c/o Jerry Brinson  
10136 E. 96th St  
Indianapolis, IN 46256  
317-842 6353

VIC Indy Club  
c/o Ken Ralston  
P.O. Box 11543  
Indianapolis, IN 46201

VIC Connection  
c/o Jim Kemp  
1010 S. Elm  
Henderson, KY 42420

VIC Interface Club  
c/o C. Gary Hall  
c/o Procter & Gamble Inst  
Shop, 780 Washington St.  
Quincy, MA 02169

VIC Commodore Club  
c/o Bill Kelley  
2785 Bristol Rd  
Dowling MI 49050

VIC-TIMES  
c/o Thomas R. Molnar  
46 Wayne St  
Edison, NJ 08817

VIC User Group  
c/o Di. Levitt  
1250 Ocean Ave  
Brooklyn, NY 11230

VIC 20/Commodore 64 Users  
Group  
c/o Pete Lobol  
31 Maple Dr  
Lindenhurst, NY 11757

VIC Users Club  
c/o Tim Gromovits  
Rt. 11, Box 696  
Hickory, NC 28601

64 User Group  
c/o Keith Merrill  
P.O. Box 28  
Rhodes Road  
Apalchin, NY 13732, USA



Vic/64 User Group  
c/o Stephen McHoney  
4912 Blarney Drive  
Orlando, FL 32806, USA

Vic-20 User Group  
c/o Wayne Lowery  
5064 Bowdon Street  
Murren, LA 70072, USA

Vic 20 Users  
c/o Dave DeCorso  
324 N. 300 W  
Smithfield, UT 84335, USA

Northern Utah Vic & 64 Users  
c/o David Sanders  
P.O. Box 533  
Garland, UT 84312, USA

Vic 20 Computer Club  
c/o Michael D. Clark  
947 N. Burroughs Ave.  
Oak Harbour, WA 98277, USA

Commodore 64 Software  
Exchange Group  
c/o E. J. Rosenberg  
P.O. Box 224  
Oregon WI 63576, USA

TEH VIC-NIC's  
PO Box 981  
Salem  
NH 03079, USA

National Vic 20 Users Club  
PO Box 34578  
Omaha  
NE 68134, USA

...Nish commercial  
venture, basically a no-  
advertising quarterly  
newsletter at \$10 pa

Vic 20 Users Group  
PO Box 459  
Ladson  
SC 29456, USA

Looks like a newsletter and  
discounts operation with no  
meetings.

Vic-20 User's Group  
c/o Roberto Morales, Jr.  
685 Hernandez St.  
Mamam  
Puerto Rico 00607

## Canada

Winnipeg Pet Users Group  
Larry Neufeld  
9-300 Enniskillen Avenue  
Winnipeg, Manitoba  
Canada R2V 0H9  
...Reputedly includes Vic and  
64 owners too.

Toronto Pet Users Group  
c/o Chris Bennett  
381 Lawrence Ave. W. Toronto,  
Ontario Canada M5M 1B9

Best of the Commodore  
user groups outside the UK, we  
hear (Butterfield is founder  
member). Lots of Vic activity,  
branches in Windsor, Flint and  
London (Ontario)

VIC-TIMS  
c/o Greg Gross  
2-530 Helena Street  
Trail BC V1R 3X2 Canada

## Australasia

Nelson Vic Users Group  
c/o Peter Archer  
PO Box 860  
Nelson, New Zealand

Recent but keen. Trying to  
set up a worldwide network of  
Vic user groups to exchange  
public-domain software, club  
newsletters, etc.

Wenthaggon Computer Club  
c/o Beth Tozer  
52 Wentworth Road  
Wenthaggon Victoria  
Australia

Vic-Ups  
c/o Eddie Mills  
45 Zanua Place Greenwood 6024  
Western Australia

Big and enthusiastic (over  
140 members, two meets per  
week).

## Europe

Pet Beneux Exchange  
Johan Smilde Copytronics  
Burg van Schuilenstraat 48  
7413 XP Deventer Netherlands

Highly organised, very  
professional. Lots of Vic/64  
coverage.

Vic Club  
c/o Giuseppe Jacob  
Sardo Giuseppe via Ottaviano  
no 8 57100 Livorno Italy

Vic-DE  
Frederiks Alld 53  
DK-9000 Aarhus C.  
Denmark

Keen and very active

Microtel  
87 Route du Polygone  
67100 Strasbourg  
France

Includes a Vic section

Vic Club  
Nedre Bankgt 10  
1750 Halden  
Norway

## Letter

from

## America

by Mike Apsey



What happens in the States often presages what happens in Europe within the computer world. On the other hand, that is conspicuously not the case with some of Commodore's doings: on this side of the water, the Vic/64 business often seems to take a very different path ...

To check out what's going on over there, we've asked Mike Apsey, editor and publisher of *Journal/20*, to write us an occasional review of the US scene.

On this side of the pond the Vic is holding its own against the rivalry of a sustained sibling, the Commodore 64; perhaps even Commodore is surprised. But other things are happening in America that shall be the topic of this letter.

Your intrepid author sports a bit of Vic bias, so 64 buffs reading this letter must bear with me, and keep in mind that an estimated 85 per cent of information specific to the Vic can be carried over to the machine you have.

Why do I prefer to play with the Vic? Well, I have a couple dozen responses, the selection of which is determined by the programming level of the reader or listener, and most of which are inappropriate to this column ...

64 software here is appearing in boxcar quantities. You can hardly pick up an American magazine without getting lost in the pushing and shoving of advertisements fighting against editorial space. There are magazines which could enter a new age of competition by dropping the text and admitting to being all ads. (You sometimes get the same expression over here — Ed.) One restraint is the US Post Office, which frowns on a publication obtaining special postal rates and then carrying more advertisements than text: provision exists for permit removal in such cases.

### Sparkle

An American 64 problem at this time is in dealing with a wash of white dots which appear whenever the beast is processing. This screen wash is becoming

known as "sparkle", and those who have sparkling 64s are getting impatient for a fix. Seems some units left Commodore with a missing heat sink, and addition of the sink is supposed to help.

### Vic vs 64

Perhaps the real value of the 64 is yet to be realized. In the Vic arena, the 64 doesn't do much for me in the case of the 64's ability to replace its ROM with RAM which has dormant at the same memory addresses I am intrigued to say the least. Soon I expect to be seeing software that is booted into the 64 to change the operating system ... either slightly or mostly.

By loading another operating system, the 64 could disguise itself as anything. Even the retronics of seven-bit ASCII could be eliminated, and eight-bit ASCII could be implemented.

### More software

The American Vic is growing up. Several software houses have realized the market potential in developing serious multi-disk software for the Vic and are experiencing some success with more business oriented stuff.

Your Wordcraft-20 has caught on here, and in popping up in more house holds. Fracti-Calc is storming American Vics as the greatest spreadsheet since VisiCalc. Mike Riley's Flex-File has its foot firmly on to the diving board with features that most Vic owners have never dreamed existed in any data-

base, much less one for the Vic-20.

And by the time you read this, TOTL Software Inc. will have released a multi-disk business accounting package called *TOTL Business 3.0*: I have been using the preliminary releases in managing my business affairs, and am suitably impressed with the collection of programs.

### More disks

Many of the aforementioned goodies require (or support) the use of more than one disk drive, and the term 'twin-singles' is in use over here to describe the pair of 5 $\frac{1}{4}$  or 5 $\frac{1}{2}$  inch. Unfortunately, with the widespread attractiveness of adding a second drive over purchase of the traditional 'dual-drive', a semi-serious set of huge is beginning to crawl out of the 1981 DOS.

It seems the bulk of twin-disk set-ups will hang unexpectedly and for no logical reason. There is no apparent pattern to the problem, and Commodore here is rumoured to be cold and unsympathetic regarding it.

Admittedly, getting through the ranks of secretaries at the main Commodore plant would be a good topic for a Scott Adams adventure: he could call it 'Find the President'. The object of the game would be to map out the maze of secretaries, departments, and megalomaniac phone calls in search of the answer to a question.

At the end of the game, the president's office is found — but he isn't in, or was just fired. Good, huh?

### Deals and dealers

Most of America's independent computer dealers are leaving the Vic-20 and 64 in highly publicized discontent. Many are even leaving Commodore's pair for machines they define as more profitable stock. Unhappy with Commodore's mass-merchandising moves into department stores and discount chains, the dealers, most of whom cannot purchase the Vic or 64 for what the chain stores sell them for, are

quick to discourage onlookers from taking the two machines too seriously.

Those with high-volume purchasing power usually have low overheads and as a result remind me of a cattle auction barn. If you find what you are browsing for, there will be no-one to assist you. If you wish just to catch out programming, you quickly discover no-one knows how.

Thus is no way to market an item as complex as a computer, but people cannot resist the price and trust to luck to find a source of information about the beast.

### Competition?

A recently retired high-ranking official of Texas Instruments Computer Division was on television this week shown purchasing a Commodore 64. He preferred the 64 to the TI because of the combined features and peripheral affordability ...

### 22 vs 40 vs 80

There has also developed a group of Vic users experiencing good success with 40/80 column expansion devices. The discovery is centered upon the fact that when the screen card is in use the space usually occupied by the moving VIC cursor is given back to Basic and the Vic easily displays an even greater RAM capability (31,743 BYTES FREE) With nearly 32K available when used in this manner, the 64 only beats it by 6K.

### Bye, bye, Vic?

There is a rumour here at the distributor and dealer level which places the 64 at \$120 (around £140) not so far away from the new UK price — Ed) and kills the Vic at about Christmas time. It is unsubstantiated and has not affected sales of the little Vic; if anything, such rumours may just be useful thinking on the part of those who have less to sell for more money.

Even if the Vic did stop falling off the ends of the production line where it yearns, there are those who won't bet an eye. A couple of million have already been sold. Vics in the USA are sort of a computer version of the McDonald hamburger — nothing fancy, but extremely functional, and most surely a good value for the dollar.

Regards from Steadfast



# An Epson on The 64?

## ATTACHING A DECENT PRINTER

by Chris Durham

Once you've got a computer, a printer is probably the next major item that most people would try to acquire. Why? Well, you want hard copy (paper) for program development. And printers expand the horizons of a computer beyond playing games and the limitations of a small TV screen - as word processor programs come down in price, so more people think of using their computer to write letters (and articles!).

Epson has been producing dot-matrix printers for many years now to meet this demand and is definitely the market leader in printers for micros. Chris Durham takes a look at the latest offering from Epson - and finds out how easy, or difficult, it is to use with the CBM 64.

There are a large number of printers on the market, but only a few are specifically sold for use with Commodore computers.

This is partly because of the unique Commodore character set, with all those control characters and graphics, and then there's the fact that the main output port for a printer is based on either a parallel or serial form of the IEEE-488 standard.

Most non-Commodore printers either have a Centronics parallel or an RS232C serial connection, because that's what you get on most non-Commodore computers. In both cases an interface or converter is needed before you can use the printer with a Commodore computer.

Even those printers which do have an optional IEEE interface will not work directly with the Commodore 64, since the 64 (like the Vic) uses a funny serial version of the IEEE specification for the plug and socket rather than the full standard.

### Why bother?

You may well be asking at this stage why anyone would want to go to all the bother of connecting non-Commodore printers at all. Commodore does after all provide a range of printers which plug in directly.

The fact is that the printers currently available for the Vic 20 and the 64 are very limited in their facilities and if you want full word processing capabilities they all suffer from major drawbacks - like none of the cheaper Commodore printers have lower-case descenders (letters like 'j' and 'y' don't drop their tails below the line) and none of them have friction feed (which allows single pages to be fed through the printer).

If you really want high quality printing at a reasonable price



you must look elsewhere. This is where Epson comes in.

The new FX-80 is by no means the only printer that can be interfaced to the Vic 20 or the 64. It is however the latest in a long line of Epson products that have proved themselves over the years. So, how well does the FX-80 live up to the reputation earned by its predecessors?

### The printer's facilities

The FX-80 uses a 9x9 matrix of

possible dot positions giving true descenders, it costs around £450 including VAT. It comes with sprocket pin-feed (for continuous stationery) and friction feed (for single sheets) as standard, but a fully adjustable tractor unit is extra. It takes standard widths of sprocket-hole paper (9.5 or 10mm), or 8.5mm plain paper (which can be on a roll as well as in single sheets).

The printer itself has a high-quality cream-coloured plastic case measuring about 16.5 by 13.5ins. It stands some 4ins high.

As you can see from the photo-


graphs there are only three main controls and four warning lights. The top control allows you to take the printer 'off-line' and then the other two controls give form-feed (moves a whole page though) and line-feed (moves up one line) respectively.

The warning lights show 'power on', 'ready', 'paper out' and whether the printer is on or off line.

### Extras

In addition to these main controls, however, there are a number of other facilities which may be selected by removing a small panel at the right hand side to gain access to two banks of little DIP switches. These facilities are shown in Table 1. Many of them are also program-selectable, so you can set some permanently and select others from your program for the particular printing task.

The switches are easy enough to get at, while being well out of the way of accidental resetting - a single screw holds the switch



Switch	Function	ON	OFF
1-1	Column length	132 chars	80 chars
1-2	Zero font	Slashed zero	Normal zero
1-3	Paper and detector	Disabled	Enabled
1-4	Input buffer	Enabled	Disabled
1-5	Initial print mode	Emphasized	Normal
1-6	International		
1-7	character		
1-8	set selection		
2-1	Printer Select mode	Fixed	Not fixed
2-2	Buzzer (bell)	Enabled	Disabled
2-3	Stop-over perforations	Enabled	Disabled
2-4	Auto line feed	LF and CR	LF from host

Table 1: DIP switch facilities

cover in place which is, quickly and easily lifted off without even having to move the paper. This has been well thought out by Epson, especially as some of its previous models required the removal of the entire outer casing to gain access to similar switches.

The printer is rated at 160 characters per second with a special 'quiet mode' printing at half that speed. Typically enough, like many of these manufacturer-supplied figures that print rate is not attainable in practice. Printing full 80 column lines with no spaces gives an average speed of only 100 cps with a single line being printed at 115 cps.

When the line width is reduced to 40 columns the average print speed drops to 75 cps - even with the bi-directional printing, which means the printer doesn't have to take the print head all the way back to the left-hand edge to start the next line.

All this means that in practical use for letters, hitings and the like you'll average about 55 cps for an 80 column letter and 70 to 80 cps for a listing (where lines tend to be of differing length).

Although, considerably less than the rated speed, this is still very fast - especially when you realise that a printer like the Vic 1515 averages a mere 15-20 cps.

One very big plus for the printer is the standard 2K buffer which is available to your output if you are not specifying your own character set. The buffer is there because the computer can shove stuff to be printed to the printer much faster than the printer can print it.

Given this 2K chunk of memory, the printer can take virtually the whole page of a shortish letter all at once - leaving the computer to get on with further work while the printer goes ahead with the job of printing whatever's in the buffer.

At the speeds quoted for prac-

tical use this means you save approximately 20 seconds per document. It may not seem much, but these 20 seconds soon mount up.

## Versatility

It is when you consider the vast range of printing styles and printing options available to you that the real versatility of the FX-80 begins to show.

There are two main type fonts, Pica at 10 characters per inch and Elite at 12 per inch - they are more or less similar to the standard type styles on portable and other typewriters. Both of the type styles can be printed in italics, both can be enlarged and both have corresponding sub- and superscript modes.

Add to that the fact that characters can be 'double-struck' for bold printing and in some cases 'emphasised' as well and you begin to see that the permis-

sions for pretty printing are considerable.

For graphics there's a wide range of commands to allow varying densities of plotting giving better resolution than most TV screens. There are comprehensive horizontal and vertical tab commands and the paper can be moved both up and down under program control. As if that were not enough to be going on with, you can download your own character set with the ability to switch back and forth between that and the normal one - together with a number of international character sets which may be selected as well.

All in all there are a total of 73 control commands which can be sent to the printer to gain access to all these functions. But they aren't hard to get at: figure 1 shows how easy it is to use these codes, and also gives a selection of the printing options.


There is not room to list every

function, but others not previously mentioned include setting of right and left margins, length of form, backspace, and sounding the bell... they're all in the manual supplied with the printer, a booklet that is well laid out showing each individual command with examples. It has a ready-reference section at the back which ensures that however infrequently you use some of the facilities you will have little difficulty in finding the relevant section in the manual. (Computer manufacturers could do much worse than follow this example of a useable manual.)

## Connecting the printer

The FX-80 has a Centronics parallel connection as standard. So for the 84 it is necessary to use some type of interface.

There are two main types



available one connects the printer from the user port with software conversion, the other goes from the normal serial port with a hardware conversion.

The first of these involves loading a small program before you can load or run any other program. This sets up the user port as a parallel printer port, and the printer is then connected by either a ribbon cable or a multi-core cable directly to the port. The software also carries out any conversion necessary to allow the normal upper and lower case ASCII character set to be printed. (The Commodore character set is slightly different to allow for the graphics on a Commodore printer.)

The hardware interfaces work by accepting the data on the normal serial cable and converting it to the Centronics parallel format before sending it on to the printer. They too do the necessary character conversion, but they can produce some additional conversions as well - changing the control characters into meaningful alphanumeric strings, for instance.

## Interfaces in Use

I looked at a sample of both types of interface to see how they performed in practice.

The first point to bear in mind if you're choosing a software interface is that the program will occupy an area in memory.

That won't matter too much from the overall point of view of space since the 64 has a large memory to start with. But there may be a problem if you want to use your printer in conjunction with other programs or cartridges these may well try to occupy the same area of memory as your printer program. The Simon's Basic cartridge, for example, will not work with any software-based printer interfaces which use the RAM area from 49152-52427 - or more accurately, the cartridge will work but the printer won't. Not all the programs do use this area, so it's worth checking before you buy if you intend using the printer in conjunction with ROM-based cartridges.

Once the converter program has been run you access the printer in exactly the same way as a normal Commodore printer.

The two software interfaces I looked at were from Vixsoft and Stack. The Vixsoft interface is not generally available since the company sells it with a cable pri-

marily for users of its word processor Vixwrite - the Centronics interface software is included free on the word processor disk. Vixsoft might be prepared to supply both cable and software for about £26 if you can convince them you are desperate.

The Stack interface is a multi-core cable with the software coming on a cassette. There were two problems with the Stack interface, the first of which is that the cable is very inflexible and the plug that goes into the User-port is prevented from seating correctly by a badly-placed screw head. The result is that if you move your computer the plug properly comes out of the user port. A ribbon cable would have been far superior even if not quite so robust.

The second drawback to the Stack solution lies in the software. When you initialise the program it resets the main memory pointers - thus losing any Basic program in the computer. You might try to recover from a program that has crashed by using RUN/STOP and RE-STORE, but that will also turn off the printer program and there is then no way of using the printer again without losing the Basic program. The Vixsoft program had no effect on any Basic program when re-initialised: so it can be done.

The Stack cable and program costs £33.35, but I can't honestly recommend it in its current form.

A ribbon cable and cassette-based program are also available from Audiogenic; this costs £27.50 and would appear to be similar to the Vixsoft version, but was not actually tested.

## Hardware Interface

The two hardware interfaces I looked at were from Itek Systems and RAM Electronics. The Itek unit can be seen in the photograph. It costs £71.24 and consists of a black plastic box with three leads. One plugs into the mains, the second plugs into the serial port on the computer or if you have disks into the back of the disk drive, the third goes to the printer. There is a small switch on the box to allow character conversion if required.

Inside there are three other straps which can be re-soldered to change the device number of the printer from 4 to 5 and to allow automatic sending of carriage return/line feed if the printer requires it.

All in all it seems odd that one strap has been taken to a switch and others haven't. The manufacturers say that the other functions alter only occasionally and therefore switches are unnecessary, I disagree, since the CR/LF option would be useful if it were more accessible but it would not be a long job to add the extra switches yourself if you need them.

The interface worked well when printing, but the initial version I tried caused the disk drives to hang up repeatedly when accessing files. A second unit worked without any problem, though, so this would appear to have been an isolated fault.

The second hardware interface was the Vixscript from RAM Electronics; this costs £57.50 and consists of a cartridge which plugs into the expansion slot with one cable attached to the serial port and a ribbon cable

connecting to the printer.

The only reason the unit needs to plug into the expansion socket is for power, for all the data comes via the serial port connection. The serial lead is long enough to plug into the back of the disk drive if required, but the ribbon cable is under a metre and that is really too short, at least another 12 inches is needed to enable the cable to be routed tidily instead of having to take the shortest route.

The interface carries out all necessary conversions plus adding CR and LF if needed. The secondary address used when opening the printer channel determines which options are selected. One excellent option is the facility to convert the Commodore control characters into meaningful strings, (RED) is much more understandable than a reversed pound sign.

There is one major drawback with this system, those of you



## THE BEST SELECTION OF SOFTWARE FOR YOUR CBM 64

From Britain's Leading Software Houses  
at the Best Prices.

Scramble £8.25 • Frogger £5.25 • Spirteman £8.25 • Assault £5.65  
• Crazy Kong £8.25 • Panic £6.25 • Lander £8.50 • Matrix £7.50 •  
Grindrunner £7.50 • Synth £4 £8.50 • Griddler £8.50 • Siege £7.25 •  
Snakepit £7.25 • Shadowfax £7.25 • The Hustler £8.75 • Super  
Scramble £8.50 • Super Doolittle £8.95 • Attack of the Mutant  
Carnals £8.95 • Star Trek £5.25 • Galaxions £9.95 • Dead Man's Gold  
(Adventure) £8.50 • The Zylonan Terror (Adventure) £2.50 • Frog  
Run £9.75 • The Enchanted Chalice (Adventure) £8.00

Whether you are at school, a parent or running a small business the Commodore 64 is the computer for you.

**Our price: £198.00 (Inc. VAT and carriage)**

Xmas is just around the corner. Beat the rush. A 15% deposit will secure your CBM 64 for Xmas. Pay the balance by Dec 1st 1983 and your machine will be delivered to your door in plenty of time for the great day.

**SOFTWARE PURCHASES.** Please make cheques payable to **BYTEWELL**. Please add 50p postage (plus 10p for every cassette on orders of two or more).

**BYTEWELL, 203, COURT ROAD, BARRY,  
S. GLAMORGAN. CF6 7EW. TELEPHONE (0445) 742491**



# Commodore 64 Computing

by Ian Sinclair



**Commodore user manuals leave plenty of scope for independent writers to fill in the details, and Mr. Sinclair has been quick to cover the 64. The book is a paperback of some 130 pages and the preface promises a serious approach to BASIC programming with a bias towards data processing for business applications, but is this promise met?**

The first chapter starts with detailed instructions on how to set up the 64 and tune in the television. This is followed by the usual tour of the keyboard (yawn) and details of loading and saving to tape and disk.

There's not much in this chapter that isn't in the first 20 pages of the User Manual, except a comment concerning use of the RUN/STOP and RESTORE keys. These keys must be 'tapped sharply' to restore the program. Until I read this I thought the contacts on my RESTORE key needed cleaning!

The second chapter starts the reader's instruction in BASIC beginning with immediate mode and the ubiquitous PRINT statement. This section deviates from the User Manual by also introducing the TAB and SPC commands and their use in positioning text and centering titles. The different types of variables are covered, but we picked up a flaw - Ian Sinclair says the 64 works on integer variables faster than floating point. This is incorrect; all Commodore computers convert integer variables into floating point before operating on them and change them back into integer format afterwards so there is no increase in speed. Integer variables only save memory, not processing time.

## Good on DEF

Data input is then covered with the use of INPUT, READ-DATA and GET statements accompanied by good advice on preventing incorrect data entry by the use of 'mug traps'.

All good stuff, from where the book moves on to arithmetic operations and their priority. This discussion includes the oft-forgotten function definition (DEF FN), very useful for repetitive calculations like VAT or rounding-up operations and normally neglected by book writers. The remainder of the chapter covers string manipulations (LEN, VAL, LEFT\$, etc) and uses several useful practical examples to display their effectiveness - GETA\$ instead of GETA is encouraged, and we'll go along with that as a way to avoid incorrect data input.

Chapter four leads on to branching and loops. Rounding errors and their effects on conditional branching is explained, the use of FOR-NEXT loops for timing, counting and repeating operations leads on logically enough to subscripted variables, although the fact that subscripted integer variables take up much less space than subscripted floating-point variables is not emphasised. Matrices and data storage finishes this chapter using magazine articles and their contents as examples.

'Data processing' is the subject of Chapter Five, and again that flows on smoothly from the previous one. The use and design of menus in data processing programs is covered, and ON-GOING and ON-GOSUB statements are introduced. Together with that section on the GET statement, this reinforces the preferences, prejudices and lessons learned in previous chapters: hooray for structured programming!

'Total' program design using the top-down approach is discussed, and Ian Sinclair stresses the need for standard subroutines. The overall feeling is that disciplined programming is a Good Thing, and it is.

So far so good.

## Total design

'Total' program design using the top-down approach is discussed, and Ian Sinclair stresses the need for standard subroutines. The overall feeling is that disciplined programming is a Good Thing, and it is.


So far so good. The sixth chapter, 'Introducing Graphics', prompted thoughts of hires and multicolour plotting but it was not to be. This chapter deals only with the graphics characters available from the keyboard and how they can be combined into strings to draw titles, borders and bar charts. How disappointing.

At least Mr Sinclair follows his own implied views about discipline. When reading a Commodore program listing it is often difficult to remember which key represents which graphics symbol without scanning the whole keyboard, and sometimes the number of spaces required can be misleading. Ian Sinclair overcomes this problem by using the *Computing Today* standards for special function keys. *Vic Computing* and *Commodore User* are also introducing their own standard to make program listings more legible.

Animation using strings is briefly covered here, and the POKE command is introduced together with some good advice about SAVING a program with POKES in it before RUNNING it in case the computer crashes. Practical rather than earthshaking stuff.

## Sprite disappointment

In fact the chapters up to now have covered any Commodore



computer, not just the 64. Chapter Seven, however, deals with sprites and instantly there are problems. The section on sprite priority is confusing — and in parts incorrect.

For instance, Sinclair says that POKEing 0 into address 53269 (the sprite enable address) will give the sprite level 0 priority: in fact it will disable all sprites.

Again, moving sprites is covered: but the origin of a Sprite is given as its bottom left corner when it is actually the top left.

Multi-colour sprites are mentioned: but Ian Sinclair attributes this only to sprites 0 and 1 — when all eight sprites can be multi-coloured. Nor does he explain how to use the multi-colour registers to create such sprites.

In addition to its graphics capabilities, the other starring quality of the 64 is the now-famous SID synthesiser chip. 'Function Keys and Sound Generator' comes next. Well, the section on function keys isn't worth much: and the piece on sound capabilities are limited to warning notes to prompt responses during DP programs — an application which hardly strains the best synthesiser chip currently implemented in a home computer.

At least there is a useful table which gives the real duration time against attack, decay and release steps.

The ninth chapter is a miscellaneous collection of the commands not yet covered, like FRE, SGN, ABS and SORT. The main theme is on debugging programs by using the STOP and CONT commands and by printing variables or dumping them to tape to check that they are consistent with those expected. You also get the 64's real-time clock and its uses for alarms, timers and the like: and a useful-looking digital clock sub-routine is included.

The final chapter deals briefly with peripherals, such as printers, joysticks, digitisers and light pens and their applications. The cartridges like Simon Basic, Pascal, and

Forth (which are available or not as the case may be) are also mentioned just to whet your appetite.

The one and only appendix gives a rather incomplete set of Basic equivalents, comparing Commodore's statements to ZX and Atom computers so you can convert programs.

Lord knows why you should want to run a ZX81 program on a 64, still less a 64 program on a ZX81. A Vic-vs-64-vs-Pet converter might have been more useful, or perhaps a Spectrum-Dragon-BBC conversion chart.

Overall impressions? The book is technically good. It's well-written, readable and logically presented — you don't need to sit hunched over your computer, book in one hand while you stab the keyboard with the other. The example programs are short and professional, which reduces typing time and the attendant possibility of errors.


The promise of a data processing bias is not, but the book deals mainly with the input and output of data and not the important bit in the middle — i.e. the data processing. The nearest we get is a crude alphabetic sorting routine.

But I think the title is misleading. 'Commodore 64 Computing' conjures up thoughts of high-resolution multi-colour graphics with sprites, user-definable characters, horizontal and vertical scrolling, better than Moog music synthesis, and clever ways with joysticks. Hardly any of these features are covered in depth: the bulk of the book is general and could be applied to any Commodore computer.

If you're a game/graphics/sound freak, this book is not for you. If you are in business and want to have a crack at data processing, the book offers a sound introduction to the subject. But in general it sadly falls well short of being a complete work.

*Commodore 64 Computing* By Ian Sinclair  
Published by Granada Price £5.95.

## Get More From the Vic?



Owen Bishop welcomes us to the audio-visual paradise of the Vic 20 and stresses above all that "computing is fun". I'm sure he is not suggesting that home computing wasn't fun before sound and colour, although one gets the impression that the book's attitude is one of coaxing reluctant teenagers away from video-game parlours and the television and on to the Vic keyboard.

The first two chapters are rather simplistic — reassuring perhaps to a first time user who has not read the manual, but rather irritating to anyone else. We are told how to unpack the box and connect the plug.

The rest of the book could be divided into three parts, colour graphics applied mathematics and sound. Owen Bishop chooses to separate these sections into nine chapters — largely, I suspect, to make it easier to read (although the chapter titles 'More About Graphics' and 'More About Sound' do nothing to enhance this illusion).

In between POKEing and POKEing colour and sound out of RAM, we are introduced to the major functions of the keyboard and taught how to use variables,

arrays and various programming techniques. The functions are well applied to numerous entertaining programs: there are useful programs too to design your own colour characters and invent sounds and animated graphics.

For the most part the listed programs are good, although yet again the graphics characters do not come out very well on the printed page. Good games programs are conspicuously absent — and it may surprise nobody to learn that Mr Bishop is also the author of *The Vic 20 Games Book*. The book ends with some useful hints on memory saving and writing faster programs, and the appendix contains some potentially helpful tables.

Generally speaking, the book is somewhat padded out to justify the £5.95 price tag. It has some useful material though, it is well structured and illustrated, and it is written in a fairly readable style.

Richard Schwarz

*Get More From the Vic 20*  
By Owen Bishop  
published by Granada  
Price £5.95

# SIMPLY RIGHT SIMPLY WRITE

## BUSINESS QUALITY PROGRAMS HOME COMPUTER COSTS

### Simply Write Word Processor

Alleviate with PET/IBM users since 1981. Completely rewritten for VIC 20 and 64 with function keys and colour for extra ease. Full screen editing. Keeps and appends standard sections to build contracts, quotations etc. Includes 'mail merge' page headers page numbers. Links files for long texts. Sends control characters graphics. Works with tape or disk files, any printer. Needs 16K.

£35 + VAT tape, £40 + VAT disk (PET £5 + VAT more)

### Simply File Database Management System

Full function information manager. Random access files on any Commodore single or dual disk drive. One of the best available systems on the PET/IBM at any price, and probably the best for 64 and VIC 20. Suitable for stock control, mailing lists, club and school records, VAT input and output records etc. Prints analysed columnar summaries with total and averages. Prints mail labels. Calculates. Creates sequential files to work with other programs (including 'Simply Write'). Even includes provision to add your own routine in the unlikely event it doesn't do everything you want!

PET/IBM £65 + VAT, VIC-20 or 64 £80 + VAT

DEALER/DISTRIBUTOR ENQUIRIES INVITED

**SIMPLE  
SOFTWARE LTD**

15 HAVELOCK ROAD  
BRIGHTON BN1 3GL  
PHONE (0273) 504879

## Master 64

INTRODUCTORY OFFER  
PRICE: £125+VAT!

MASTER IS A TOTALLY NEW CONCEPT... A COMPLETE PROGRAM DEVELOPMENT PACKAGE, AVAILABLE NOW FOR THE IBM 64. MASTER HAS 85 NEW COMMANDS... AND BASIC IV TOOL PLUS TOOLKIT FUNCTIONS, BUSINESS BASIC, KEYED DISK ACCESS, SCREEN MANAGEMENT, USER-DEFINABLE INPUT ZONES, REPORT GENERATOR, 22-PLACE ARITHMETIC, DATE CONTROL, DATA COMPRESSION, STRING SEARCH, SCREEN SCROLLING, SCREEN DUMP, OPTIONAL SOFTWARE PROTECTION KEY, AND MORE... MASTER 64 SUPPORTS THE IBM 1541 DISK (AND OTHER IBM DISKS WITH OPTIONAL IEEE INTERFACE) AND IS SUPPLIED WITH A FULL USER REFERENCE MANUAL, QUICK REFERENCE GUIDE AND DEMO PROGRAMS, ALSO AVAILABLE FOR IBM 700 (£295+VAT) AND IBM 4032/8032/8096 (£295 £195+VAT!).

## Superscript 700

OUR PRICE ONLY  
£495 £350+VAT!  
SUPERSCRIPT I £245 £199+VAT!

SUPERSCRIPT IS A COMPLETE DOCUMENT PREPARATION AND STORAGE SYSTEM, MAKING OPTIMUM USE OF MEMORY AND DISK SPACE... AND IT'S AVAILABLE NOW FOR THE COMMODORE 700 COMPUTER, WITH A HOST OF NEW FEATURES, INCLUDING ARITHMETIC AND BUILT-IN SPELLING CHECKER... IN SHORT, IT OFFERS ALL THE ADVANTAGES OF A PROFESSIONAL WORD-PROCESSING SYSTEM, AT A PRICE THAT CANNOT BE IGNORED!

Master and Superscript are just two of our fine IBM software products... Please telephone or write for a free catalogue ordering information. ADD 15% VAT TO QUOTED PRICES + DROP BY POST/TELEPHONE/PRETEL, USING CHEQUE, PEGGS, BARCLAY CARD OR OFFICIAL ORDER. TELEPHONE 01-844-7254 FOR SAME-DAY DISPATCH. POSTAGE FREE EXCEPT ON CREDIT OR OVERSEAS ORDERS. (TEF 830)

**Calco Software**

LPSIDE HOUSE, KINGSTON HILL, SURREY RE2 7UT TEL 01-548-7256

YEP FOLKS IT'S HERE

AVAILABLE NOW

Spectrum Pak  
Dragon  
Com 64

## CALIFORNIA

### GOLD RUSH

#### HOWDO DO PARTNERS

This here's a Prospector. Jake, I sure am havin' one heliusa time tryin' to peg me claim with those damned Injuns a holdin' an a hollain all over this territory. Ma job gets harder as I move from one Gold Field to another. I know that is me an a stubborn homely ol' Mule here know of 24 rich an I mean rich seams of pure Gold. Ah it needs to make this here ol' critter happy is that you help me peg every doggone last one of them claims.

Can YOU help Jake become rich help him peg his claim, dodge the anows, avoid the tomahawks, and plant the Dynamite in just the right place? YOU CAN!!

YIPPEE Gal yee Pickin' an' Shovelin' and join the CALIFORNIA GOLD RUSH NOW

Amazing Arcade Action Stunning Sound and Graphics  
Available NOW for Commodore 64 Spectrum 48 and Dragon

**£ 7.95** including P&P

**SPECIAL OFFER** **SPECIAL OFFER** **SPECIAL OFFER**

Order CALIFORNIA GOLD RUSH before September 19 and get a 10-game Cassette of terrific games **FREE**

#### COMING SOON

LEAPIN' LANCELOT Medieval Machine Magic to enthrall you  
GALACTIC SURVIVAL PAK Every Astro-Traaveller must have this!



We always need Dynamic Dealers and imaginative Writers

Please rush me CDR 101 (1)  
Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_  
Postcode \_\_\_\_\_  
Daytime Telephone \_\_\_\_\_  
Evening Telephone \_\_\_\_\_  
Business Telephone \_\_\_\_\_

AVAILABLE NOW



for ZX81 16K  
Spectrum 48K  
Dragon  
Commodore 64

**PURCHASE LEDGER**... handles up to 100 accounts, invoices, payments, VAT handling and analysis. Selectable print options

**SALES LEDGER**... spec. as Purchase Ledger

**COMBINED DATABASE**... fully definable, vast spreadsheet storage, rapid calculations. Terrific value

**MICROLYMPICS 1**... each containing 10 action

**MICROLYMPICS 2**... games. Selection of standards (Pac-Man, etc.), plus new challenging games.

**ALL TAPES COME WITH FREE BACK-UP TAPE IN PRESENTATION BOX**


<b>SINCLAIR</b> ZX81, 16K	<b>SPECTRUM</b> 48K	<b>COM. 64 DRAGON</b> 12K 95
£9.95		

Please rush me

**TOTAL SUM INCLUDED £**  
Please make cheques and PO payable to  
**ANIK MICROSYSTEMS**  
30 KINGS CROFT COURT  
BELLINGHAM NORTHAMPTON

Name \_\_\_\_\_  
Address \_\_\_\_\_

# VIC WEAR GOOD QUALITY TEE SHIRTS AND SWEATSHIRTS FROM VIC



Our first collection of VicWear has four unbeatably witty slogans and one with the magazine's cover design all on the characteristic 'Vic Computing' grid — and featuring a discreet but very fine logo as well to add a touch of class.

We looked at several suppliers before we took the gamble of ordering, and we think we've got the best quality we could find without going to a silly price. They are some kind of cotton mix, which we're told are less prone to shrink. They feel nice, too.

- Plain white tee-shirts with printing in black and a bit of red, very smart, very comfortable for playing games, writing programs, and/or reading Vic Computing. Price £3.00
- Blue tee-shirts with printing in black and red, we have to pay extra for the colour, but they do look nice. Price only £3.50
- Grey tee-shirts with printing in black and red, a bit thicker and again we have to pay more, so you do too. But still good value. Price £3.40
- Grey sweatshirts with printing in black and red, look great. Excellent quality, warm but not too heavy. Price £7.00

Sizes: small (30-34), medium (34-36), large (38-40), and extra large (42-44 or more). The sweatshirts are pretty baggy — they actually make rather fine dresses on ladies of more diminutive stature.

Kids: We didn't get much demand for children's sizes the first time around. But small seems to fit 8-9 year olds.

Overseas prices: Those prices above are for UK only. For other European countries add 30p per tee-shirt and 70p per sweatshirt. For anywhere else in the world add 95p per tee-shirt and £0.92 per sweatshirt, (plus the extra postage charge, of course).

Extra charges: There aren't any, it's all included — VAT, post, packing, etc.

How to order: If you have an Access card, you can order by phone — call 01 541 2448.

Otherwise fill in the form. Print a name and address on the despatch label (we cut that off and use it on the parcel), tot up the amount, and enclose a cheque or postal order with the order or give your Access number (for that we do need your signature — and make sure the address given is the one that Access has for you). Return the form to VICWEAR, The Metropolitan, Enfield Road, London H1 5AZ.

How long to wait: Orders are processed as they arrive. Allow 58 days for delivery, then phone us to complain.

## ORDER FORM

Write the number you require in the relevant boxes	T-SHIRTS						SWEAT-SHIRTS					
	White				Blue		Grey		Grey			
	S	M	L	XL	S	M	L	XL	S	M	L	XL

A. VIC COMPUTING

B. CAPTAIN KILOBYTE

C. VICTIM

D. POKE 36879

E. UNEXPANDED VIC

Please state second choice in case of unavailability

White T-shirts

£3.00

Grey T-Shirts

£3.40

TOTAL £

Blue T-Shirts

£3.20

Sweat-Shirts

£7.00

Please make cheques or postal orders payable to 'Vic Computing'

UK prices only. See previous page for overseas postage charges.

Your Name

THIS IS YOUR LABEL — PLEASE PRINT CAREFULLY

ADDRESS

TO

Access Card No:

Date

Signature



# TOMMY'S TIPS



Dear Tommy, Reading the June 1983 issue, I saw that someone asked if it is normal for the TV to buzz and change its tone as the computer is working. I also found this buzzing happened when I was typing in MOTHER\*HEN from the February issue: as I was typing, the buzz got louder. When I had finished typing the program I cleared the screen and then I realised that the buzz had stopped. Then I typed LIST and pressed RETURN. The program came through on the screen, but the buzzing started up again.

The buzzing is caused by part of the video signal getting into the sound channel of the TV. This can be caused by three things

- Your TV set needs aligning. This is an internal operation and can only be carried out by a skilled technician with a certain amount of gear
- Your Vic is not set up properly. Up to a point the same comment applies and so the safest option is to contact your Vic dealer
- The most likely cause is that the TV needs to be tuned to the Vic more accurately. The details of how to do this vary from TV to TV, but is usually very easy

If you get the same result on a different TV, this would tend to point to a problem in the Vic, but on the other hand if both your TVs are a bit long in the tooth then they might both need realigning

Dear Tommy, Please could you tell me how I can change the Vic's cursor.

It is not easy to alter the Vic's cursor successfully. Some computers use a cursor generated in hardware, and you can select a flashing block (like the Vic has as standard) or an underline or whatever you fancy. On the Vic, however, the cursor is generated in software

What happens is that 60 times a second the processor receives an interrupt signal from the hardware which forces it to execute a part of the ROM called the 'interrupt service routine' (this starts at SEAF). The ISR updates the jiffy clock, blinks the cursor if there is one being displayed, and scans the keyboard.

The 'cursor' is in fact produced by switching the character under the cursor between normal and reverse video. The only real change you could make is to make the cursor's constant reverse character, or maybe a character flashing on and off. The only way to do this is to write a routine in assembly language, update the jiffy clock (ISR SFEEA), and then jump to SEAF. You would then have to alter the interrupt vector in \$314 to point to your routine

Dear Tommy, I am trying to utilise an old calculator keyboard as a joystick-type control for a disabled friend of mine. Could you please show me how to wire in a straight five-switch device with left, right, up, down and fire?

Before going to great lengths to build such a device, don't forget that you can always use five keys on the Vic's normal keyboard (such as I, J, K, L and M) and use the GET statement to test for them. If you are keen though,

the figure here is a simple circuit which will allow you to read the keys through the user I/O port

The keys can then be scanned by the Basic PEEK statement. For example

```
100 POKE 37138,0: REM set
    VIA port B to input mode
110 I=PEEK(37136): REM get
    input data
120 IF (I AND 1) THEN PRINT
    "FIRE": GOTO 110
130 IF (I AND 2) THEN PRINT
    "DOWN": GOTO 110
140 IF (I AND 4) THEN PRINT
    "UP": GOTO 110
150 IF (I AND 8) THEN PRINT
    "RIGHT": GOTO 110
160 IF (I AND 16) THEN PRINT
    "LEFT": GOTO 110
```

Dear Tommy, I have written a number of machine code subroutines for the Vic and would now like to incorporate them into Vic Basic as commands. Please could you explain to me how I may tokenize the keywords and arrange the pointers to point to my subroutines when one of the keywords is found by Basic.

And how may I output a parameter, for example PRINT FRE (0), when one of my keywords is found.

There are several ways of doing this. The simplest way, which kills both your queries with one

mixed metaphor, is to use the Basic USR function. You set the address of your subroutine in locations 1 and 2, and when you call the USR function the contents of the argument are left in the floating point accumulator. When you return from the function, the value you leave in the floating point accumulator is passed to Basic as the result of the function.

For example, if you say I=USR (5), the value 5 is left in the FAC for your routine to use (or to ignore, if you like). If you leave the number 423.285 in the FAC, then this is assigned to the variable I when you return.


If you have too many subroutines, you may find changing the contents of locations 1 and 2 too boring. Then you are going to have to do a fair amount of work. There is not enough room in the column to give every detail, but hopefully I can point you in the right direction.

The easiest way is to patch CHRGET to jump to a routine of your own, by putting a JMP instruction at location STC. This routine should preserve XH and YR, and you can then use TKPTR (STA and STB) to examine text of the Basic program to see if you can identify one of your own keywords. If you find one, you can then jump to the relevant subroutine, if not you must carry out the normal CHRGET routine before returning.

As far as returning a value is concerned, you are going to have to assign to variables yourself—either by using one of the ROM subroutines or writing your own routine to search down the variable table.

Dear Tommy, I am thinking about expanding my Vic. Can you tell me whether or not I could use a game designed for a VIC with a 3K expansion on one with a 16K expansion without any alterations? If so, what is the point of a switchable expansion?

If the game has been properly written, it should check to see what size of Vic it is running in and make the necessary adjustments—though be warned that not all games do this. The problem is that the addresses of the Vic's screen and colour memory and the program area all move around when memory is



# Mr. Chip

## SOFTWARE

### VIC 20 GAMES AND UTILITIES

#### JACKPOT

This is it, the ultimate fruit machine program for the Vic, with nudga, hold and re-spin; 100% machine code.

"JACKPOT is a beautifully written simulation giving superb graphics, animation and use of sound."

—Home Computing Weekly No 20, 19/7/83 £5.50

#### KWAZY KWAKS

Accuracy and speed are required for this shooting gallery, superb use of colour and graphics in this new and challenging game from the author of JACKPOT. 100% machine code, joystick and keyboard control.

£5.50

#### PACMANIA

Choose your own game from the following options — difficulty 1-3, speed 1-3, size of maze 1-3, visible or invisible maze, still or moving power pills. Define your own key controls, any combination. If this is your type of game, then this is the one for you. For the 3K expanded VIC only (available now)

£5.50

#### SNAKE BYTE

Guide your ever-hungry snake round the screen, eating the flies and wasps, to stay alive you must avoid the deadly mushrooms. Quick reactions are required for this biting game. Keyboard control, for the unexpanded VIC (available now)

£5.50

#### BUGSY

This is a Minefield with a difference! as you step on the stones whilst collecting purple boxes which give you both time and points, they disappear from beneath your feet. DO NOT DESPAIR! 'Bugsy' will randomly replace the stones but avoid bumping into him or it's sudden death! An original, compulsive and challenging game. Joystick only.

£5.50

#### MINI-ROULETTE—PONTON—HI-LO

Three great games of chance for the VIC. Try to beat the computer; hours of fun, full colour, sound effects and tunes

£5.50

**DATABASE** — create your own files and records on tape

£7.50

**SUPER BANK MANAGER** — A full feature version; any memory size, but needs 3K expansion

£7.50

**M/C SOFT** — Machine code Monitor and Disassembler, any memory size

£7.50

### COMMODORE 64 GAMES AND UTILITIES

#### WESTMINSTER

A game for up to four players, can you lead the party of your choice and win the general election. You tour the 60 constituencies (seats) buying votes when you can (just like the real thing), this must be one of the first board-type games specifically written for the computer. Why play on your own. Have fun with your family and friends playing WESTMINSTER

£5.50

#### WHEELER DEALER

A game for two to twenty players. Become a tycoon of the motor trade; you must obtain gearboxes, tyres and engines to produce cars for sale. Form syndicates, buy and exchange parts, buy dealerships; but be careful, you may become bankrupt and have to liquidate. Find out what you're made of; have you got what it takes to become a WHEELER DEALER? (Available from 1st Oct)

£5.50

#### LUNAR RESCUE

Our new version avoid the asteroid belt to rescue the stranded scientists, then fight your way back to the mother ship; fast reactions are required to safely land and dock your lunar module (available now)

£5.50

#### PONTON—ROULETTE—ACES HIGH

More powerful versions that make three great games of chance for the 64

£5.50

#### M/C SOFT 64

Assembler and Disassembler, with decimal to hex converter; everything our program for the VIC will do end more

£7.50

#### BANK MANAGER 64

As our Super Bank Manager, but for the 64. Now available on disk with added facilities

£7.50

£10.00

Full documentation with all utility programs

Other software available for the VIC and Commodore 64; send for free brochure, including **RABBIT SOFTWARE** at £5.99 each.

Send cheques/POs to

**MR. CHIP SOFTWARE**

Dept CU, 1 Neville Place, Llandundo, Gwynedd, LL30 3BL. Tel: 0492 49747

**WANTED:** High quality software of all types for export and UK distribution

All programs now available on disk. Please allow £2.50 extra

**DEALER ENQUIRIES WELCOME**



added. On the whole, it is probably safer to get a switchable expansion if you can.

Dear Tommy, I am sew to competing and I have come up with two problems which I hope you can answer. First, I understand that to get reversed letters I press CTRL and RVS ON. This is OK, but when trying to get reversed letters inside inverted commas it is not so easy - the reversed S keeps coming in. I have found that if I delete back to and including the inverted comma, retype the inverted commas and as quickly as possible type CTRL and RVS ON, I then get reversed letters as required.

Is there a way round this without having to delete back to the start of the line?

The first question which springs to mind is "Why do you want to put reverse-video letters inside quotes?" What is wrong with a CTRL-RVS ON at the start? It does print the letters in reverse video, after all, which is the point of the exercise.

Anyway, the easiest way to get reverse characters inside quotes is to type "PRINT" and the first pair of quotes, then delete the quotes and type a quotes symbol again. You can then type "CTRL-RVS ON" followed by your letters - which will appear in reverse video.

The reason for this is that the Vic screen display works in two modes: normal and quotes mode. In normal mode, when you press a control sequence like CTRL-RVS ON, the character does not print on the screen, instead the control affects the following characters - in this case they appear in reverse video until you press CTRL-RVS OFF.

In quotes mode, pressing CTRL-RVS ON causes the RVS ON symbol to appear, and any following characters remain in normal video.

You change from one to the other by typing the quotes symbol ("): but deleting a quote

symbol does not affect the display mode, so you can switch from one to the other by typing a quotes symbol and then deleting it.

Dear Tommy, In the June 1982 issue you showed how to display a moving clock using machine code. But after NEWing the Basic loader there was more memory left than if there was no program at all. Is this real memory, or is the Vic fooling itself?

I also have a number of musical questions:

1. Is it possible to enter two or more pieces of information into the Vic at the same time? I am trying to play music with more than just a simple melody. I have tried a combination of PEEK(152) and GET, but have not been too successful.
2. Is there a way of using alphanumeric keys on the keyboard to represent notes other than with a string of IF... THEN statements?
3. Can the Vic be connected to proper speakers? And would it be possible to produce stereo?

The problem with the clock program is that line 100 should read POKE 9629. Sorry about that!

As for your first musical query I presume you mean "Is it possible to detect that two keys are being pressed at the same time?" The answer is that it is possible in assembler, but not really practical in Basic. The best way to organise a program to play a piece of music in two parts would be to enter each part separately, and then play them together.

The IF-THEN alternative is feasible. Saying something like...

```
IF AS = "A" THEN 1000
IF AS = "B" THEN 1100
```

gets a bit boring if you have a large number of conditions to test for. Instead you can use...

```
FOR I = 1 TO 10: IF AS =
MIDS("QWERTYUIOPASDFGHJKLZXCVBNM",I,1)
THEN J=I-10
NEXT
ON I GOTO 1000, 1100, 1257,
3522...
```

... which can be a lot shorter. Obviously you will change the values to suit your own problem. If AS can only take the values

"A" to "G", say, running consecutively, you can simplify even more:

```
I = ASC (AS) - 64
ON I GOTO ...
```

The Vic can be connected to an amplifier driving the AUX input of the amplifier from the AUDIO output of the video/audio port. But if you are in any doubt on how to do it, you should consult your Commodore dealer (We've just commissioned an article on this - Ed)

Unfortunately you will not be able to get stereo, although you can drive both channels of a stereo amplifier in parallel.

Dear Tommy, If I run the following program I get a screen of scrolling data:

```
10 FOR I=1 TO 65535: PRINT
I,
PEEK (I): NEXT
```

Where does the data for the contents of locations in the 40000 range come from when there is no ROM in the system to read?

If the program is run after power up, why does the RAM area contain variable data rather than one value? Most ROM contents aren't preserved during power off.

With a 6802 processor there is no 'handshake' between the processor and memory (as there is on the 68000, for example). To read a memory location, the 6802 just puts out an address, and a certain amount of time later, it reads the value on the data bus. If no memory is present at the specified address, this data will be indeterminate. You cannot call it 'random' in the sense of a random number generator because some numbers crop up more often than others, but it will be pretty meaningless.

On power-up, the value contained in memory locations are also indeterminate. Of course, large parts of the RAM are used by Basic (zero page, for example) or by the screen. So these are initialised before you are allowed to type in the program to examine them.

Dear Tommy, When using text in conjunction with an INPUT statement it seems that the text must be less than 20

characters or it gets added to the beginning of the string being input. For example:

```
100 INPUT "DO YOU WANT
TO CONTINUE (Y/N)"; C$
```

If this line is run and "Y" is input, the resulting C\$ string contains "DO YOU WANT TO CONTINUE (Y/N) Y" rather than just "Y". Is this a bug in the Basic?

Secondly, when a screen colour address is POKEd with a number (eg '2' for red) a subsequent PEEK at the location reveals a number which appears to be made up of the expected number added to a random number - either 32, 64, 192 or 224. Can you explain why this happens and the best way to overcome the problem?

First the INPUT problem. This is a well-known bug which appears in many Commodore machines, such as the early PETs, as well as the Vic. It is caused by the fact that when you print data over two lines, the Vic in effect considers them as a single long line. Unfortunately this confuses the INPUT statement so that it loses track of where the 'prompt' ends and where the data keyed by the user starts.

The second problem arises because those locations are in fact modified by the Vic as part of its screen handling. The simplest way out is to say

```
X=PEEK(38400) AND 15
```

In this way X will only receive the colour information, with the other (higher) bits being masked out by the AND operator.

Two readers have asked for help in using random numbers in assembly language programs.

It is in fact quite simple to use the Vic's random number generator in the Basic ROM (used for the RND function). There are three entry points.

- \$E098 - corresponding to RND (0)
- \$E0B5 - corresponding to RND (1)
- \$E0D0 - corresponding to RND (-1)

The result is left in the floating point accumulator, so I (\$E1-\$E6)



### USE THIS SPACE

To promote your products to  
Commodore 64 and Vic 20 enthusiasts  
**FOR AS LITTLE AS £30 A MONTH**  
Just ring Cathy Lane or Roland Richardson  
on 01-241 2417

*We'll be pleased to hear from you*

COLOUR MONITORS  
PRINTERS — DISK UNITS  
INTERFACES — CONNECTING CABLES  
WORD PROCESSOR —  
GAMES CARTRIDGES

### CBM 64 in MILL HILL

### ALL CBM — PET — VIC REPAIRS

H. NORMAN DAVIS LTD. 91 THE BROADWAY,  
MILL HILL, LONDON NW7 3TG 01-959 2049

## Everyman Computers

YOUR FRIENDLY  
COMPUTER SHOP  
IN WILTSHIRE

VIC PRINTERS  
DISC DRIVES  
SOFTWARE  
DUST COVERS  
BOOKS, CARTRIDGES



14 Edward Street,  
Westbury, Wilt  
BA13 3BD  
(0373) 884544

**Commodore 64 - THE BEST VALUE ON THE MARKET**

## Y-E-S Vic 20 & 64 COMPUTERS

SALES & SERVICE

**SAY YES FOR COMMODORE  
HARDWARE, SOFTWARE & PERIPHERALS**

YORKSHIRE  
ELECTRONICS  
SERVICES  
LIMITED

Cashan House,  
17, Fountain Street,  
Morley, West Yorkshire  
Tel: 0532-522181



### PPM LIMITED...

**For all your Business  
Computer and  
Software requirements.**

**We offer excellent after sales support  
including a team of experienced  
service engineers.**

To discuss your application contact:  
David Chester on: 04867 80111

Hermitage Road, St Johns, Woking, Surrey GU21 1TZ  
Telex: 850181



## BUSINESS ELECTRONICS LTD.

for

CBM • 64 • VIC20 • BBC MICRO • APPLE • SINCLAIR • SIRIUS  
Also available in the Basement of Plummers  
SOUTHAMPTON Telephone 0703-25303  
or at  
ROWNHAMS HOUSE, ROWNHAMS,  
SOUTHAMPTON

Telephone 0703 738288 or 739032 (Sales)



MANCHESTER

**Commodore appointed VIC 20 dealer.**  
Permanent showroom-shop display.  
Hardware-Software-Accessories.  
Books-Service-Maintenance.

*Personal computers with Personal service*

193 DEANS GATE, MANCHESTER  
TELEPHONE 061 834 4233

Specialists in microcomputers  
Hardware & Software, systems &  
programming. Equipment Rental

## MICRO FACILITIES

Micro Facilities Ltd. 79 Church Road  
Egham, Surrey TW20 9QL Tel: Egham (0784) 3

### COMPUTER CARRYING CASE

Suitable for Spectrum, Orc, Lynx, Sord, or computers of similar size. The hard  
case is finished in black with two lockable fasteners and carrying handle.  
Separate pockets hold computer manual, leads, power pack, cassette player  
and five cassettes.  
Folds flat for storage.

**£13.95 inc VAT +  
Post and packing £2**

Dust covers also available for any computer, printer etc.

Dealer enquiries welcome

**SHERBORNE DESIGNS**  
Victory House, 8A The Rank,  
Merish Bradley, Trowbridge, Wilt.  
Tel: 02214 4425




## DERBY

### CBM64 AND VIC20 DEALERS

**We have the largest selection  
of hardware, software and books  
in the area.**

**FIRST BYTE COMPUTERS,**  
10 MAIN CENTRE,  
LONDON ROAD, DERBY  
TEL: 0332 365280



## On advertisers and suppliers...

I am writing to your magazine to indicate how pleased I am with the service which I have received from one of your advertisers

During the afternoon of Monday 10 July I rang Stack Computer Services Limited. I wished to purchase their four-slot mother board for my Vic 20. The girl stated that the boards were in stock. I asked how long I could expect delivery to take. She said about two days. I ordered the board then and arranged payment.

At 3.15pm on Tuesday 19 July the post van arrived outside my home and to my amazement my mother board had arrived. Five minutes later it was installed and working.

If this is typical of the service offered by this company they deserve to be commended.

Clive G. Elemore, 52 Silverlands, Lymington, Feltwell, Kent CT19 8JG.

## Morse Trainer

I refer to the program *Morse Trainer* which appeared in the June issue of *Vic Computing*. Clarence Buckley's problem of running out of memory is due to the fact that when GOSUB 730 is executed, the program goes "merry-around-a-gosh" until the stack is full, whence the **OUT OF MEMORY ERROR** is displayed.

To overcome this problem, replace line 610 with:

```
610 PRINT "CUD": GOTO 150
```

and delete line 730. Having done this, the number 730 in lines 360 to 390 is redundant, and can be deleted. Similarly, the statement **F = 4** in lines 180 to 190 is redundant, and can also be deleted (**F** is always 4; and **A**, **B**, **C**, **D**, or **E** is never 4).

To restrict the action to the alpha and numeric keys you can insert a condition statement between lines 340 and 350:

```
IF MS = CHR$(X) THEN 150
```

where **X** = CHR\$(X) value of the key to be excluded. For example, if the following lines are inserted.

```
542 IF MS = CHR$(13) THEN 150
543 IF MS = CHR$(10) THEN 150
544 IF MS = CHR$(20) THEN 150
545 IF MS = CHR$(29) THEN 150
546 IF MS = CHR$(32) THEN 150
```

then pressing the RETURN, CLR/HOME, INST/DEL, CRSR RIGHT and SPACE keys will not repeat the last sent signal.

And finally, to make the input of speed robust, insert a line 105:

```
105 IF RS <> "T" AND RS <> "M" AND RS <> "S" THEN 70
```

Mohamed Noor, 46 Edgeware Rd, Singapore 2278

## Mather Hen

I would like to point out a slight bug in the *Mather Hen* program in the February issue.

The program contains several lines which check if the data is correct in the first program character. However, even if the data is correct the program still comes up with **DATA ERROR**. This can be rectified by changing line 1090 to read:

```
1090 READ B: IF B > 256 THEN 1090
```

C. Pickin, Levens, Tunstall Road, Kippurey, Stoke-on-Trent, ST8 7AB

## Bad news

I read with interest your article on DAMS VIC add-ons. Perhaps I can add something else for my fellow readers to think about.

I ordered a light pen in September 1982. It arrived faulty in December and was returned. A subsequent one with the same fault was returned to DAMS in January on the promise of a refund from them. Six months later I was still waiting for the refund despite phone calls every week for the first five months and every two working days since.

They are always very courteous and promise to 'get it sorted' but nothing ever happens.

I have been unable to contact the Company Secretary for the last three weeks and apparently no-one else can sign a cheque. I don't know whether that is typical of their after-sales service or just their reluctance to part with the cash. Have any of your other readers had any problems?

I am very impressed with the new format of the magazine particularly as I now own a Commodore 64 as well as the Vic.

Incidentally I do hope the much vaunted Simon's Basic cartridge for the 64 doesn't go the same way as

the always-promised but never-seen (at least by me) 40 column card for the Vic 20.

B.D. Parsons, 15 Maplewood Grove, Saughall, Chester, CH1 6AD.

## He's back again...

I recently received a copy of your new magazine and I thought you might like to know what I think.

I full marks for the contents printed on the first page and in a logical manner by page number. Too many magazines divide contents into parts like 'Features', 'Letters' etc. This is very annoying! Also in earlier issues of *Vic Computing* the contents pointed to the wrong pages - no problems here.

I found the white on black printing of the Editorial hard to read - please do not do this in future.

I'm British and therefore cannot think in dollars. How about putting the £ equivalent in brackets?

I read with interest the article on 'Making money from your hobby'. I am 14 and selling programs to the company Mr Micro Ltd. who give me 20% royalties. So teenagers, do not give up hope! Also Basic is not necessarily out - I write most of my games half in Basic and a half-and-a-bit in machine code, though obviously this varies.

I was annoyed with the quote in the 'Facts' article that said: 'In practice most computers don't do an awful lot of computing - not in the sense of performing mathematical calculations, anyway.' Absolute bunk! All computers fundamentally work with the three logical operators AND, OR, NOT - and if that isn't maths, what is? (It's arguable, that's what it is.) Or semantics anyway. Most computers shuffle characters and decode signals using mathematical techniques; but they aren't usually operating directly on numbers. Ed.)

I found the article on Assembly language programming confusing to say the least - and I thought I already knew binary, hex, and machine code. (Funny, other people have said the same things about it. Ed.)

In the article 'Machine code vs Basic', you stated that the cassette buffer started at 828 and held 192 bytes maximum. Actually, you can use 204 bytes with the locations 820-1023.

On page 31 I was puzzled by the two lines 100 until I realized that the first was a misprint. It should read 100 **X** = **X** \* (**Y** = 15). I defend this method because instead of saying...

```
100 P = PEEK (197): IF P = 50 THEN A = A + 22
```

```
110 IF P = 35 THEN A = A + 22
```

```
120 IF P = 42 THEN A = A - 1
```

```
130 IF P = 43 THEN A = A + 1
```

... you can use

```
100 P = PEEK (197) A = A + 22 * ((P - 50) - (P - 35)) + (P - 42) - (P - 43)
```

... or even,

```
10 DEF FNM(X) = 22 + (X * 50) - (X - 35) + (X - 42) - (X - 43)
```

```
100 P = PEEK (197) IF P = 32 THEN GOSUB 200 REM fire button
```

```
110 A = A + FNM(P)
```

I am opposed to 'computer holidays'. For a start their brochures say "programme" where they mean "program". And how much will you learn in a week? I am not blaming you, you just reverse the things, but I would like to make my opinion known. (Gosh thanks Ed.)

10 The advert on page 78 said "software supplied to save cartridges to tape or disk. Reseach of copyright? Remember, unless the contract with the advertiser states otherwise, you are responsible for all the material in the magazine and any cost or damages this would imply. (I'm not very good at legalese, am I?) (No, not bad, Ian. Ed.)


11 In the reviews of programmer's aids you list commands. All very well - but what is the **CLEAR** command? It doesn't exist on my programmer's aid. (Also, on mine the **MERGE** facility never works. I get **MERGE ERROR**. Do other people have that problem? Can it be cured?)

Can I recommend the book *5502 Assembly* by Lance A. Leventhal? It contains a complete description of the instruction set - and I mean complete, a couple of A8 pages on each instruction. Also there are lots and lots of programs which if not useful in themselves are certainly an exercise in programming techniques.

But what I fell in love with in this book was the printing. Important things are in boldface type and lesser things or an expansion on the previous boldface type is in lightface type. So you can read the bold type until you reach a subject that you want to know more about, at which point you read the light type.

Also the contents pages - all 14 of them - are a boon. Chapters are subdivided on the spot so you find what you want straight away. Not a book for the beginner, but I have found it an invaluable reference.

Ian Crooney, 182 Didsbury Road, Heaton Mersey, Stockport, Cheshire SK4 2JY.



## A bagful of ideas...

Here are some ideas which you can file in that round filing cabinet under your desk.

1. How about starting a software exchange scheme among readers? I have about 30 programs that I will swap!

2. Why not do a round-up of all the different joysticks available? Some time ago I bought a Stack analogue joystick - if any software uses it I haven't seen it.

3. How about a second-hand equipment corner - anyone want to buy my Programmers Aid Cartridge? (I'm trying to raise enough money for a 16K RAMpack, you see.)

4. We've all complained about the inadequacies of the present-day computers - the Vic's small screen, the Z80's horrible excuse for a keyboard, etc. So why not a competition to design the perfect micro?

5. I think you should do a series of articles on machine code. I would volunteer, except that I am not a very good writer. So the next best thing is a program, and here's a program you will be asked to assign strings to 12 keys: F1, F3, F5 and F7; F2, F4, F6 and F8 (with SHIFT); and F9, F10, F11, F12 (with the CEM key). If you want a carriage return in a string, use a left arrow. Now you can NEW the program (after saving on tape, of course) and the function keys will work. To stop them working, hit RUN/STOP and RESTORE, to start again, type SYS56.

Here is a disassembled listing of the interrupt wedge.

```

LDA 107      ;Get key
CMP 0        ;Same as
              ;old key?
REQ EXIT    ;If yes, exit
STA 0        ;Store
              ;new key
LDX #1       ;Value of
              ;key 1
CMP #39      ;Is it key 1?
REQ SHIFT   ;If yes,
              ;check for
              ;shift keys
INX         ;Value of
              ;key 2
CMP #42      ;Is it key 2?
REQ SHIFT   ;If yes,
              ;check for
              ;shift keys
INX         ;Value of
              ;key 3
CMP #55      ;Is it key 3?
REQ SHIFT   ;If yes,
              ;check for
              ;shift keys
INX         ;Value of
              ;key 4
CMP #63      ;Is it key 4?
REQ EXIT    ;If not, exit
LDA 683      ;Get shift
    
```

```

AND #3      ;value
              ;Extract
              ;relevant
              ;bits
REQ STRING  ;If no shift
              ;keys, get
              ;string
CMP #3      ;Both
              ;pressed?
REQ EXIT    ;If yes, exit
INX         ;Add 4
INX         ;for
              ;SHIFT
INX         ;key
CMP #1      ;Check for
              ;SHIFT key
REQ STRING  ;If yes, get
              ;string
INX         ;Add
              ;another 4
INX         ;for
              ;CEM
INX         ;key
STRING LDY #0 ;Set index
              ;to zero
CHECK DEX   ;Check
              ;whether
              ;reached
              ;right key
REQ BUFFER  ;If yes,
              ;store string
              ;in buffer
INX         ;Increment
              ;index
GET LDA 819, Y ;Get
              ;character
REQ CHECK   ;If end of
              ;string,
              ;check
              ;whether
              ;reached
              ;right key
              ;yet
BNE GET     ;Get
              ;another
              ;character
BUFFER LDA 820, Y ;Get
              ;character
REQ NUMBER  ;If end of
              ;string, set
              ;pointer
STA 631, X  ;Store
              ;character
              ;in buffer
INX         ;Increment
              ;index
INX         ;Get
              ;another
              ;character
NUMBER STX 198 ;Set
              ;keyboard
              ;buffer
              ;pointer
EXIT JMP 80095 ;Jump to
              ;normal
              ;interrupt
    
```

As this program resides in the free space from 673 to 765, it doesn't take up any of your precious BASIC memory.

I hope this listing will prove useful - when I was learning machine code I felt a great need for simply explained examples of real programs.

Have you ever wanted to 'remember' the X,Y coordinates of the location where the next PRINT will occur in your Vic-20 programs? Have you ever wanted to be able to set the coordinates back again after having printed in another part of the screen? The following functions and subroutine will allow you to do this:

```

10 DEF FNA(X)=PEEK
   (214)*22+PEEK (211)
20 DEF FNA(A)-A-INT
   (A/22)*22
30 DEF FNY(A)=INT
   (A/22)-1
100 REM your program
110 PRINT "clear"||10 down||
   ||10 right||
120 X=FNA(0)
130 PRINT "3 right"
   ||3 down||
140 GOSUB 1000 :
   PRINT "T":END
1000 POKE 214, FNY(0):
   PRINT:POKE 211,
   FNX(X): RETURN
    
```

When run, the "\*" will print under the "I", where it would have printed earlier, just like you wanted it to!

Scott C. Jensen, 1355 Palace Avenue, St. Paul, MN 55105, USA

I am interested in hearing from people who have written practical business application programs for the Vic-20.

It is my firm opinion that this small system has many practical business applications, and I am forming a software sales organization for the purpose of encouraging practical business use of the system.

I will be pleased to hear from anyone who has developed such programs, and in all probability it will be to their financial advantage to contact me.

A E Danies, PO Box 1854, Ojai, CA 93023, USA

## Ad Index

### advertiser

### page

Adamselt 24  
 Ashtec 39  
 Asik 85  
 Asik 21  
 Anlog 12  
 Audiogenic 52  
 Bymel 17  
 Calco 88  
 Calco 98  
 Mr. Chip 12  
 Chromasonic 31  
 The Computer Room 40  
 Derriso 40  
 Data Scan Software 36  
 Desuwork 36  
 Dynastech Macintosh 18  
 Eashear 36  
 Interceptor Mexico 7  
 Interface 36  
 John Wiley & Sons 13  
 Linnsoft Software 18  
 Lymansoft 18  
 Maple Electronic Supplies 36  
 Newscope 26  
 Norwood 26  
 QuickColor 33  
 Ram Electronics 26  
 Shonah Yastic 21  
 Simple Software 43  
 Soltes Computers 43  
 Stack Computer Services 43  
 Stencup Electronics 14  
 Suncock Merchants 61  
 Suncock Merchants 61  
 Technical Software 15  
 TV Choice 28

Inside Front Cover

17

88

36

12

31

40

36

18

36

7

36

13

18

36

26

33

26

21

43

43

43

14

61

15

28

28

28

**“robustness and reliability were excellent... a really good feel to the action... a pleasure to use... not one game failed to load... nice professional... I like it... very impressed”**

EXTRACTS: J. O. COLLINS  
GIANT TEST VICCOMPUTING  
(Vol 2 Issue 5 June, 83)

# DON'T JUST TAKE OUR WORD FOR IT!

## SUMLOCK MICROWARE

### SUPERB SOFTWARE FOR THE VIC 20



**SP 00 SKRAMBLE**  
Destroy the anti-missile missiles and miss them! Destroy the missiles that attack the ground site. Joystick or keyboard. £7.95 M/code



**SP 00 JUMPIN JACK**  
Cross a busy road and watch out for the big trucks. Joystick or keyboard. £7.95 M/code



**SP 01 TRIAD**  
Destroy your base against the missile fleet of alien hordes. Joystick or keyboard. £7.95 M/code



**SP 01 SUPER PIR**  
Destroy the perilous cat and destroy the pirates to survive. Joystick or keyboard. £7.95 M/code




**SP 01 ASTRO FIGHTER**  
A space duel played by two players at once. Joystick or keyboard. £6.95 M/code



**SP 01 GLOPPEN**  
Attack and destroy the enemy base but watch out for the quick missiles. Joystick or keyboard. £6.95 M/code



**SP 02 MULTITRON**  
A multi-stage game where you destroy the alien ships that are attacking your base. Joystick or keyboard. £7.95 M/code



**SP 02 MULTITRON**  
A multi-stage game where you destroy the alien ships that are attacking your base. Joystick or keyboard. £7.95 M/code



**SP 02 DESTROYER**  
Destroy the alien ships that are attacking your base. Joystick or keyboard. £7.95 M/code



**SP 02 GUN FIGHT**  
A fast-paced game where you destroy the alien ships that are attacking your base. Joystick or keyboard. £6.95 M/code



**SP 02 SPACE RESCUE**  
A game where you rescue the alien ships that are being attacked by the alien ships. Joystick or keyboard. £6.95 M/code



**SP 02 STARSHIP ESCAPE**  
A game where you escape the alien ships that are attacking your base. Joystick or keyboard. £6.95 M/code



**SP 02 AND THE COMMODORE 64**  
A game where you play on the Commodore 64. Joystick or keyboard. £6.95 M/code



**SP 02 PUZZLE PACK**  
A game where you play the puzzle pack. Joystick or keyboard. £6.95 M/code



**SP 02 DATA PACK**  
A game where you play the data pack. Joystick or keyboard. £6.95 M/code

SEND FOR YOUR SUMLOCK MICROWARE NOW OR FOR A FREE BROCHURE AND YOUR NEAREST DEALER INFORMATION

**SUMLOCK MICROWARE**  
198 Deansgate, Manchester. M3 3NE.

061 834 4233

AVAILABLE FROM GOOD COMPUTER DEALERS AND BOOK SHOPS NATIONWIDE INCLUDING: WILDINGS, SKERRAT & HUGHES, JOHN MENZIES, OVERSEAS EXPORT ORDERS ON APPLICATION. ALL SOFTWARE IS FULLY GUARANTEED. PRICES INCLUDE POSTAGE & PACKING.

PLEASE SEND ME THE FOLLOWING MICROWARE (QUOTE NO.)  
ENCLOSE CHEQUE/PO £  
TO: NAME  
ADDRESS  
CITY, NO.  
VCS

A new age has dawned

# STACK LIGHTPEN

It's a new, easier way to creative software and it's fun too! The Stack Light Pen means freedom from the old labours of the keyboard and a new software style for the future.

Using the Light Pen means you can create programs including games, with that extra, unmissable control at the touch of the pen. With your Light Pen you can remove words or images from the screen or put them back onto it, or simply move them about the screen. You can even trigger off a series of actions on screen, stopping them at will, with the touch of the Light Pen!

Already  
Available  
For



And it's so easy to use... simply hold it against the screen, touch the contacts and away you go!

## LIGHTPEN SOFTWARE

We've already created software for you to use with your Stack Light Pen...

DRAUGHTS GO LIT! CROSSWORD TWISTER! SIMON  
OTHELLO SLIDER & DYSTROY SHUFFLER LIT! IN THE  
LABYRINTH and there's more on the way!

**STACK LIGHT PENS and SOFTWARE are available from your LOCAL DEALER or direct from:**

STACK COMPUTER SERVICES LTD. 290-296 Derby Road, Bostle, Merseyside L20 8LN  
(24 HRS) Telephones 051-933 9511, Telex 627026 (Stack G).

Please supply LIGHTPENS for the

BBC ☐ Atari ☐ VIC-20 ☐ Commodore 64 ☐

and the following Software titles

at £25.00 each £

at £5.00 each £

Add VAT at 1% £

TOTAL £

I enclose a cheque PO for £

Please charge £ to my credit card (specify card)

Card No Name

Address



Atari  
Bartley and Vn  
Access to Edge  
Drain